



- NOTE:**
- REFER TO THE WATER SERVICE TRANSFER TABLES, DRAWINGS C092 - C093 FOR METER RELOCATES.
 - INSTALL WATERMAIN BY DIRECTIONAL DRILLING UNLESS OTHERWISE NOTED.
 - FOR SANITARY SEWER CROSSINGS LESS THAN 24" VERTICAL CLEARANCE FROM WATERMAIN, REBUILD SANITARY SEWER PER SPECIFICATION 803.4a.
 - CONTRACTOR SHALL VERIFY METER LOCATION.
 - CONTRACTOR SHALL VERIFY WATER METER CONNECTION AND PROPERTY ADDRESS AND TRANSFER TO NEW MAIN IF SERVICE IS CONNECTED TO EXISTING WATERMAIN ON N ERIE AVE.

no.	date	by	ckd	description
-----	------	----	-----	-------------



date	APRIL 24, 2014	detailed	M. CHARRETTE
designed	J. MCNIFF	checked	S. WILSON



**ETHEL NEIGHBORHOOD
WATER MAIN REPLACEMENT
LINE 19 - N ERIE AVENUE**

project	77025	contract	448-90612
drawing	rev. C049 - 0		
sheet	56	of	101 sheets
file	LINE 19.dwg		

This document has been digitally signed.
05/08/15 9:52 AM

Name
Discipline
License No.