



NOTE:

1. REFER TO THE WATER SERVICE TRANSFER TABLES, DRAWINGS C092 - C093 FOR METER RELOCATES.
2. INSTALL WATERMAIN BY DIRECTIONAL DRILLING UNLESS OTHERWISE NOTED.
3. FOR SANITARY SEWER CROSSINGS LESS THAN 24" VERTICAL CLEARANCE FROM WATERMAIN, REBUILD SANITARY SEWER PER SPECIFICATION 803.4a.

no.	date	by	ckd	description

HORIZ. SCALE IN FEET
 0 10' 20' 40'

VERT. SCALE IN FEET
 0 5' 10'

Burns & McDonnell
 SINCE 1938

9400 WARD PARKWAY
 KANSAS CITY, MO 64114
 816-333-9400
 LICENSEE NO. 000165

date APRIL 24, 2014	detailed M. CHARRETTE
designed J. MCNIFF	checked S. WILSON



**ETHEL NEIGHBORHOOD
 WATER MAIN REPLACEMENT
 LINE 27 - N FOUNTAIN AVENUE
 (EAST)**

project 77025	contract 448-90612
drawing C069	rev. 0
sheet 76 of 101 sheets	file LINE 27.dwg

JULIE ANN MCNIFF
 LICENSED PROFESSIONAL ENGINEER
 No. A-21158
 KANSAS

This document has been digitally signed.
 05/08/15 9:54 AM

Name
 Discipline
 License No.

