



**1. SIGN MOUNTING DETAIL**  
 MATERIAL: 2"x2" Aluminum angle bar weld to back of the sign, minimum 3" for top and bottom of the sign, see Sheet 28 Detail 1.  
 FASTENER: Mechanically fasten to post with taper proof fasteners. Fastener shall be 5/16 inch stainless steel, grade 5 or greater.

**2. INTERNAL FRAME**  
 MATERIAL: 1-3/4" square aluminum tubing  
 FABRICATION PROCESS: Top of post to be cut to match inner sleeve radius to prevent horizontal and vertical movement. Cross braces can be added if required fabricator, per structural engineer.



**1** Sign Mounting Detail  
 Scale: 1 1/2" = 1'-0"

**2** Path Kiosk Internal Structure  
 Scale: 1 1/2" = 1'-0"

DESIGNED:		REVISIONS	
REVIEWED:		NO.	DATE
PROJECT NO.		1	05/09/17 MILEAGE AND SIGN 2324 ADDITION
SCALE	AS SHOWN	2	07/11/17 WAIVING DESIGN INTENT

**alta**  
 PLANNING + DESIGN  
 www.altaplanning.com

711 SE Grand Avenue  
 P.O. Box 230  
 Wichita, KS 67202  
 P: 503.230.8862 F: 503.230.8862

**KEY NOTES:**

All improvements shall occur within public right of way. City to verify and approve final location.  
 City to verify location prior to installation.  
 Contractor to verify exact locations for all underground and overhead utilities prior to installation and avoid all conflicts.  
 Contractor to stake locations and seek approval from Project owner prior to fabrication.

**City of Wichita**  
**Master Bicycle Plan**  
 Wichita, Kansas

