

LEGEND

- Longitudinal Joint
- Contraction Joint
- Expansion Joint



Note:

Mainline concrete pavement on Hillside Avenue and 45th Street includes both "Concrete Pavement (9')(Reinforced)", "Concrete Railroad Approach", and "Concrete Pavement (9')(NRDJ)". See plan sheets & typical section sheets for the specific locations.

Pavement joints shall be continued through curb & gutter and match joint patterns where possible.

All joints within the reinforced concrete pavement and the concrete railroad approach shall be tied with #4 bars 2' long spaced on 30" centers in all directions with 6" x 12" - W4 x W4 welded wire mesh.

For the 45th Street & Hillside Avenue intersection joint elevation details, See Sheets 52 & 53



Tran Systems
 245 NORTH WACO
 SUITE 222
 WICHITA, KS 67202
 PHONE: 316-303-3000
 FAX: 316-303-0156

CONSULTANTS:

45TH & HILLSIDE INTERSECTION IMPROVEMENT
 WICHITA, KANSAS

REVISIONS:	MARK	DATE	DESCRIPTION

PROJ NO: 87 N-0616-01
 SCALE: 1"=20'
 DATE: 10/9/2017
 DESIGNED BY: TAU
 DRAWN BY: TAU
 CHECKED BY: MDB

SHEET TITLE:
HILLSIDE AVE. PVMT. JOINTING
 STA. 121+60.00 TO STA. 127+61.65

SHEET NO.
46
 SHEET 46 OF 166

10/9/2017 1:11:14 PM c:\tran\systems\paw_bocall\transys\paw\taummed\0258264C-JNT-M01-102.DGN