


① Retaining Wall shall be Riverdale Limestone and shall meet ASTM C 568. Contractor shall place 3/8" Expansion Joint Material between Limestone and Adjacent Concrete.

EARTHWORK SUMMARY (C.Y.)		
	Unclassified Excavation	Compacted Fill (95%)
Sidewalk	2,230	73
TOTALS	2,230	73



ESTIMATED WASTE MATERIAL
(73/0.85) - 2,230 = 2,144 C.Y.
VMF = 0.85 (ASSUMED)

EXCESS MATERIAL SHALL BE DISPOSED OF BY THE CONTRACTOR OFF-SITE IN ACCORDANCE WITH THE GENERAL NOTES.


THE CONTRACTOR SHALL SATISFY THEMSELVES WITH THE EARTHWORK QUANTITIES AND NO CHANGE ORDER FOR EARTHWORK WILL BE APPROVED. EXCAVATION, HANDLING, PLACING OF BORROW MATERIAL UTILIZED ON SITE SHALL BE SUBSIDIARY TO BID ITEM "EXCAVATION".




φ 3:1 or Varies
See Plan and Cross Sections



NOTE: Extra Thickness to be Subsidiary to Price of Square Yards Pavement



No.	Revision	By	Date
EAST BANK ARK RIVER-LINCOLN TO GANDER MOUNTAIN SIDEWALK IMPROVEMENTS			
TYPICAL SECTIONS			
GARY JANZEN, P.E. - CITY ENGINEER CITY OF WICHITA PROJECT NO. 472-85303			
 PROFESSIONAL ENGINEERING CONSULTANTS, P.A. 303 SOUTH TOPEKA WICHITA, KS 67202 316-262-2691 www.pec1.com			
Designed by	Job No. 31-160312-001	Sht. 02 of 37	
Drawn by	Date November 2017		