

INLET & MANHOLE DATA

ROUTING SEQUENCE		LOCATIONS OF INSTALLATIONS			CONSTRUCT OR INSTALL								DIMENSIONS				ELEVATIONS		INFLOW CONDUITS					OUTFLOW CONDUITS		FOR INFORMATION ONLY					REMARKS						
FROM	TO	STATION	ROUTE IDENTIFICATION	DISTANCE LEFT/RIGHT	INLET (FY.12) (CURB)	INLET (FY.12) (SPEC)	INLET (FY.22) (CURB)	INLET (FY.1A) (CURB)	DROP INLET (DOUBLE)	REINF. CONC. (M.H.)	M.H. (STD.) (FY.B)	END SECT. *	GRATE & FRAME (FY.A)	L & F A (TYPE)	L. (FT.)	W. (FT.)	H. (FT.)	HT. (FT.)	TOP	FLOOR	SIZE DIRECTION	FLOWLINE (ELEV.)	SIZE DIRECTION	FLOWLINE (ELEV.)	SIZE DIRECTION	FLOWLINE (ELEV.)	SIZE DIRECTION	FLOWLINE (ELEV.)	NO STEP	CAST IRON (LBS.)		STRUC. STEEL (LBS.)	REINF. STEEL (LBS.)	CLASS 'A' CONC. (MISC.) (CU. YD.)	CL. III EXC. (CU. YD.)		
1	2	2+01.90	21ST ST. N.	16.5' LT.						1					8'-0"	8'-0"			206.5	200.0	60"x38"-N.	200.90															
3A	3	4+90.00	21ST ST. N.	134.5' LT.																																	
3	4	4+90.00	21ST ST. N.	47.5' LT.											5' DIA.				204.0	200.0	24"-N.	200.50															
5	4	6+40.57	21ST ST. N.	58.17' LT.					1						6'-8"	5'-4"			203.06	199.56																	
4	2	6+37.74	21ST ST. N.	31.75' LT.				1							11'-4"	5'-4"			202.98	194.98	24"-W.	199.62	38"x24"-N.	199.78													
6	2	6+37.74	21ST ST. N.	42.5' LT.				1							11'-4"	5'-4"			202.65	197.15																	
2	7	6+40.57	21ST ST. N.	22.51' LT.						1					8'-0"	8'-0"			202.86	194.36	48"-N.	195.11	42"-W.	195.42	15"-S.	197.11											
7	8	9+30.00	21ST ST. N.	31.97' LT.											4' DIA.				204.35		54"-W.	193.99															
8	10	9+88.50	21ST ST. N.	31.97' LT.											4' DIA.				205.50		10'x54"-W.	193.87															
11	10	44+98.85	WEBB RD.	29.39' RT.				1							11'-4"	4'-4"			197.72	193.22																	
10	13	44+98.85	WEBB RD.	32.5' LT.				1							11'-4"	4'-4"			197.73	192.73	68"x43"-N.	192.81	23"x14"-E.	193.24	53"x34"-W.	193.38											
13	14	44+98.85	WEBB RD.	34' LT.					1						4'-0"	2'-0"			198.0		6'x4"-N.	192.60															
14	12	44+98.85	WEBB RD.	34' LT.					1						4'-0"	2'-0"			198.0		6'x4"-N.	192.51															
15	12	44+98.85	WEBB RD.	26.6' LT.											4'-0"	2'-0"					24"-S.	195.0															
16	12	44+98.85	WEBB RD.	30.07' RT.											4'-0"	2'-0"					15"-N.	195.0															
17	12	44+98.85	WEBB RD.	30.07' RT.											4'-0"	2'-0"					15"-S.	195.0															
		TOTALS						4	3	2	3	3																									

CONDUIT DATA

ROUTING SEQUENCE		LOCATIONS OF INSTALLATIONS			CONSTRUCT OR INSTALL		CONDUIT FLOW LINES		SEWER EXCAVATION		STORM SEWERS (LIN. FT.)										END SECTIONS (EACH)		AASHTO CONC. CLASS	METAL PIPE GAGE	REMARKS											
FROM	TO	STATION	ROUTE IDENTIFICATION	DISTANCE RT./LT.	TYPE OF CONDUIT	LENGTH (FEET)	INFLOW (ELEV.)	OUTFLOW (ELEV.)	ROCK (CU. YDS.)	COMMON (CU. YDS.)	REINF. CONC.										REINF. CONC.	CORR. METAL														
											15"	24"	42"	48"	54"	1.5 S.F.	5.0 S.F.	10.0 SF	16.5 SF	6'x4'	SPECIAL BOX	15"	18"	24"												
1	2	2+01.90	21ST ST. N.	16.5' LT.	42"	RCP	439	200.25	195.42																											
3A	3	4+90.00	21ST ST. N.	134.5' LT.	24"	RCP	87	202.8	200.50																											
3	4	4+90.00	21ST ST. N.	47.5' LT.	24"	RCP	149	200.10	199.62																											
5	4	6+40.57	21ST ST. N.	58.17' LT.	5.0 S.F.	RCPHE	24	199.84	199.78																											
4	2	6+37.74	21ST ST. N.	31.75' LT.	48"	RCP	12	195.13	195.11																											
6	2	6+37.74	21ST ST. N.	42.5' RT.	15"	RCP	68	197.25	197.11																											
2	7	6+40.57	21ST ST. N.	22.51' LT.	54"	RCP	290	194.55	193.99																											
7	8	9+30.00	21ST ST. N.	31.97' LT.	10'x54"	RCB	67	193.99	193.87																											
8	10	9+88.5	21ST ST. N.	31.97' LT.	16.5 SF	RCPHE	530	193.87	192.81																											
10A	10	44+98.85	WEBB RD.	45.53' LT.	10.0 SF	RCPHE	12	193.41	193.38																											
11	10	44+98.85	WEBB RD.	29.39' RT.	1.5 S.F.	RCPHE	65	193.49	193.24																											
10	12	44+98.85	WEBB RD.	32.5' LT.	6'x4'	RCB	360	192.81	192.45																											
15	12	41+35.00	WEBB RD.	26.6' LT.	24"	RCP	6	195.0	194.3																											
16	12	41+45.00	WEBB RD.	30.07' RT.	15"	RCP	6	195.0	194.8																											
17	12	41+35.00	WEBB RD.	30.07' RT.	15"	RCP	6	195.0	194.8																											
		TOTAL					80	242	439	12	290	65	24	12	530	360	67	2	1																	

KANSAS DEPARTMENT OF TRANSPORTATION

SCHEDULE OF INLETS AND MANHOLES

STD. NO. 653 G

FHWA APPROVAL	1-17-91	APP'D James O. Brewer
DESIGNED	DETAILED	TRACED
DESIGN CK.	DETAIL CK.	TRACE CK.

R.J.S. JOB. BY APPD.