



STATE	PROJECT NO.	YEAR	SHEET NO.	TOTAL SHEETS
KANSAS	87 N-0673-01	2017	68	99

GENERAL NOTES


1. MINIMUM EMBEDMENT DEPTH AND CONSTRUCTION METHODS ARE SHOWN. MINIMUM EMBEDMENT DEPTH IS BASED ON SOIL PARAMETERS OF DENSITY = 120 PCF $C = 0$ AND $\phi = 20^\circ$. NOTIFY THE ENGINEER AND ITS ENGINEER IMMEDIATELY IF SUBSURFACE CONDITIONS ARE ENCOUNTERED DIFFERING FROM THOSE ASSUMED IN DESIGN.
2. SUBMIT CCTV POLE SHOP DRAWING AND CALCULATIONS, SIGNED AND SEALED BY PE LICENSED IN THE STATE OF KANSAS.
3. SPECIFIC LOCATION OF POLE COUPLING AND LUGS TO BE PROVIDED IN SHOP DRAWINGS, SEE ITS-D13
4. CONCRETE CCTV POLE SHALL HAVE A HINGED HANDHOLE PER CCTV CAMERA DETAIL, SEE ITS-D13.
5. BRACE CONCRETE POLES AFTER PLACEMENT OF FILL FOR A PERIOD OF NO LESS THAN 24 HOURS.



**CCTV CAMERA
CONCRETE POLE DETAIL**
≤ 70 FEET TOTAL LENGTH



**CCTV CAMERA
CONCRETE POLE DETAIL**
> 70 FEET TOTAL LENGTH



**CONCRETE CCTV POLE
EMBEDMENT DETAIL**

Plotted : 14-NOV-2017 10:55

Drawn By : examples
File : ITS-D13A.dgn

NO.	DATE	REVISIONS	BY	APP'D

KANSAS DEPARTMENT OF TRANSPORTATION

**CCTV CAMERA
CONCRETE POLE FOUNDATION
DETAIL**

ITS-D13A VERSION DATE: 05-29-17

APP'D	DESIGNED	DETAILED	QUANTITIES	TRACED
DESIGN CK.	DETAIL CK.	QUAN. CK.	TRACE CK.	