



FHWA REGION NO.	STATE	PROJECT NO.	YEAR	SHEET NO.	TOTAL SHEETS
7	KANSAS	87 N-0092-01	1999	8	75



- ALL STORM DRAINAGE PIPE CONNECTIONS TO STRUCTURES SHALL BE GROUTED WITH NON-SHRINK GROUT TO PROVIDE FOR WATER TIGHT CONNECTION.
- STORM SEWER PIPE MEASURED FROM CENTER OF STRUCTURE TO CENTER OF STRUCTURE.




SCALE:
PLAN 1:200
PROFILE 1:10 VERT.


See Sheet No's. 9-12 for Water Main Replacement.

See Intersection Detail Sheet for intersection grading.


Note:
Southwestern Bell telephone manhole ring and lid to be adjusted by others during construction. Contact Greg Sharpe at 785-268-2245 5 days prior to needed adjustment.




STORM SEWER LINE C



STORM SEWER LINE A



STORM SEWER LINE B

STORM SEWER PLAN & PROFILE	
	PROJ. NO. 97-1827
	DATE JULY 1999
KAW VALLEY ENGINEERING ENGINEERS AND LAND SURVEYORS 2519 NORTH JACKSON P.O. BOX 1304 JUNCTION CITY, KANSAS 66441 (785)762-5040 FAX (785)762-7744 E-MAIL jckve@kc.net	DESIGNER KB/SM
	DRAWN BY JO
	CHECKED BY
	CFN 1827STS
	SHEET 8 OF 75