

HILLSIDE AVE.

I. R. & R. SUBDIVISION

PARKSTONE ADDITION

VICTOR PLACE


I. R. & R. SUBDIVISION

PARKSTONE ADDITION

RUTAN AVE.

PARKSTONE ADDITION

COLLEGE HILL ADDITION




---(1330)--- Existing Grade

Install curb inlet sediment barriers per detail, sheet 17.


Install drive inlet sediment barriers per detail, this sheet.

Install curb inlet sediment barrier per detail, sheet 17.


Install drop inlet sediment barriers per detail, sheet 19.



NOTE:  
PLACE 4" PERFORATED PVC PIPE, FILLED WITH 1/2"-1" DIA. GRAVEL, IN FRONT OF CURB INLET AS SHOWN.



DRIVE INLET PROTECTION  
4" PERFORATED PIPE W/ GRAVEL



EROSION CONTROL MEASURE	INSTALL	MAINTAIN	REMOVE
BACK OF CURB PROTECTION (LF)	0	0	0
CONSTRUCTION ENTRANCE (EA)	0	0	0
CURB/DRIVE INLET BARRIER (EA)	5	0	0
DITCH CHECK (EA)	0	0	0
DROP INLET PROTECTION (EA)	2	0	0
EROSION CONTROL (LS)	0	0	0
EROSION CONTROL BERM (LF)	0	0	0
SILT FENCE (LF)	0	0	0
EROSION CONTROL MAT (SY)	0	0	0

QUANTITIES ARE FOR INFORMATION ONLY! CONTRACTOR SHALL VERIFY QUANTITIES PER FINAL BID QUANTITY SHEET.

\* ALL EXISTING BMPs INCLUDING CONSTRUCTION ENTRANCE, SEDIMENT BARRIERS, SILT FENCE, EROSION CONTROL BERM, AND EROSION CONTROL MAT SHALL BE MAINTAINED AND REPAIRED IF NECESSARY. REPLACEMENT OR REMOVAL OF EROSION CONTROL MEASURES TO BE PAID FOR BY L.S. BID ITEM "MAINTAIN EXISTING EROSION CONTROL BMPs"

