





2 STAIR SECTION


0' 3' 6' 9' 1' 1 1/2"=1'-0"

GENERAL NOTES

- SEE SHEET A10 FOR BRIDGE GUARDRAIL DETAILS
- ALL COMPONENTS OF WALKWAY STRUCTURE TO RECEIVE ABRASIVE BLAST, STAIN, AND SEALER TO MATCH ADJACENT SURFACES. COMPONENTS INCLUDE, BUT ARE NOT LIMITED TO THE FOLLOWING: BOTTOM EDGES AND BACKSIDES OF T-BEAMS, UNDERSIDE OF CONCRETE DECK, DIAPHRAGM BEAMS & UNDERSIDE OF PIER BEAM.

LEGEND

- CONCRETE SURFACES TO RECEIVE MEDIUM ABRASIVE BLAST FINISH WITH STAIN AND SEALER
- CONCRETE SURFACES TO RECEIVE BRUSH ABRASIVE BLAST FINISH WITH STAIN AND SEALER
- CONCRETE SURFACES TO RECEIVE MEDIUM ABRASIVE BLAST FINISH WITH SEALER ONLY



1 PIERS #2 & #3 WEST ELEVATION

0' 2' 4' 8' 3/16"=1'-0"

EAST ELEVATION SIMILAR

1 No.		Revisions		By	Date
 GossenLivingston Architecture 420 South Crystal Wichita, KS 67202 Tel (316) 265-1307 Fax (316) 265-3448 CITY OF WICHITA, KANSAS MICHAEL E. LINDEBAK, P.E.-CITY ENGINEER DOUGLAS AVENUE BRIDGE OVER ARKANSAS RIVER ARCH. PIER ELEVATION CITY OF WICHITA PROJECT NO. 472-82721 PROFESSIONAL ENGINEERING CONSULTANTS, P.A. ENGINEERS WICHITA, KANSAS					
Designed by LBD/JPB	Checked by JPB	Drawn by LBD	Date 11/21/97	Job No. 95088-4	

F:\900\020\DWG\A4