



BENCHMARKS:
 135th St. W. & Pawnee
 City of Wichita Benchmark Disc,
 Northeast Corner of Intersection
 On SW Corner of Concrete Base
 of High Line Pole.
 Elev. = 1359.65 NGVD29

City of Wichita Benchmark Disc,
 0.4 Mi. South of Kellogg On
 135th St. W., West Side of
 Concrete Base for High Line
 Pole, West of K.G.&E.
 Substation, 135± South of
 Railroad Tracks On East Side of
 135th St. W.
 Elev. = 1367.77 NGVD29



= Easements To Be Graded

All Easement have been previously graded with the Storm Water Drain Project. The Contractor of this project shall "fine grade" all designated easements to the specified elevations.

The Contractor shall grade the easements as shown to the elevations given on the easement grading plan.

The Contractor shall "straight" grade the easements between the elevations given. Where a callout designates "Match", the Contractor will grade to the existing ground elevation.

Excess excavation from easement grading and from sanitary sewer construction shall be placed on the lots as indicated to the elevations shown.


All cost to be included in the Lump Sum bid item "Easement Grading"

EROSION CONTROL MEASURE	INSTALL	MAINTAIN
CONSTRUCTION ENTRANCE (EA)	0	1
CURB INLET BARRIER (EA)	7	0
BACK OF CURB PROTECTION (LF)	3,504	0
DROP INLET PROTECTION (EA)	0	3

* ALL EXISTING BMPs INCLUDING CONSTRUCTION ENTRANCE, SEDIMENT BARRIERS, SILT FENCE, CUT-OFF TRENCH, AND EROSION CONTROL MAT SHALL BE MAINTAINED AND REPAIRED IF NECESSARY.

EROSION CONTROL PLAN LEGEND


- DROP INLET PROTECTION
- CURB INLET PROTECTION
- EROSION CONTROL MAT



Existing Ground - - - - - 1364 - - - - -

NOTES:
 Contractor shall make sure all erosion control is in place before project is accepted. This plan represents the minimum standard. Any additional erosion control measures shall be installed by the Contractor as needed.

All areas disturbed during construction shall be seeded, mulched, and fertilized as per Cover Sheet General Notes.



Baughman Turkey Creek 4th Addition - Phase II
EROSION CONTROL
 Street Improvements

Baughman Company, P.A. 315 Ellis St. Wichita, KS 67211 P 316-262-7271 F 316-262-0149
 ENGINEERING | SURVEYING | PLANNING | LANDSCAPE ARCHITECTURE

PROJECT NUMBER: 472-2020-085619
 REVISIONS:

DESIGN: DMV
 DRAWN: JAK
 APPROVED: DATE 8/2020
 SCALE: Noted
 SHEET: **13 OF 23**