FHWA REG NO.	STATE	PROJECT NO.	YEAR	SHEET NO	TOTAL SHEETS
7	KANSAS	87 TE-0156-01	2000	2	6

BY	DATE
REFERENCES NOTED	
REFERENCES CHECKED	

GENERAL NOTES

The Contractor shall give all property owners and/or tenants of developed property abutting the project limits a minimum of ten (10) days advance notice prior to start of construction.

The Contractor shall be responsible for preserving existing property irons shown on the plans. The Contractor will be required to reestablish any property irons shown which are damaged or destroyed by his construction operations. Such irons shall be reestablished by a licensed land surveyor in accordance with state laws.

Utility service lines, poles, valve boxes, meters, etc... are to be adjusted as necessary by others prior to construction unless the plans specifically call for their adjustment by the contractor. The contractor will be required to work around existing utilities within the right-of-way which do not conflict with proposed construction.

Existing utilities and their locations, as shown on the plans represent the best information obtainable for design. Location information has been obtained from the various utility companies and is either from company record drawings or company provided field locations. The plan locations shown are not guaranteed. Additional existing utilities may also be encountered.

All adjacent buildings, structures, site improvements, parking lots, drives, street pavements, utility lines, utility structures and appurtenances other than shown for replacement shall be protected from damage during construction of the project. Damaged items shall be removed and replaced by the contractor at no additional cost to the owner. Sheeting and shoring may be required to protect the items mentioned above. Cost shall be Subsidiary to Site Restoration.

A full depth saw cut of the existing sidewalks shall be provided at locations where proposed replacement sidewalk abuts existing sidewalk. Sawed joint to facilitate removal within three (3) feet of existing joints will not be permitted and for such instances the limits of removal shall extend to the existing joint. Such saw cuts will not be paid for directly, and this cost shall be considered as Subsidiary to other items of work.

Trees in public right-of-way which are in direct conflict with proposed new construction shall be removed by the Contractor as approved by the Engineer. Trees 6" or smaller in diameter within 6' behind the curb, shall be relocated at the direction of the Park Department. The cost shall be Subsidiary to Clearing Right-Of-Way.

Contractor will be required to provide a minimum advance notice of forty eight (48) hours to utility companies prior to starting any excavation as follows:

Kansas One Call	(State)	1-800-344-7233
	(Wichita)	687-2470

The Contractor must notify the following in case of emergency:

CATV-Cox Communications	(316)262-4270
E-KGE and KGS	(316)383-8600
T-Southwestern Bell Telephone Co.	(800)246-8464
G-Peoples Natural Gas	(316)941-1608
	or (800)303-0752
SS & W-City of Wichita Water & Sewer Dept.	(316)268-4940
SWS-City of Wichita Stormwater Utility	(316)268-4071

All structures and/or foundations located within the construction limits shall be removed to a minimum depth of 18" below the subgrade in areas to be paved or to a minimum of 18" below the ground line in areas to be seeded.

Contractor shall adjust sidewalk alignment if necessary to clear existing utilities and improvements and landscaping (gas meters, telephone pedestals, trees, etc.) located at right-of-way, and as approved by the Engineer. Payment for alignment adjustment shall be Subsidiary to the bid item for Sidewalk.

NO.	DATE	REVISIONS	BY	APP'D
2				
1				

KANSAS DEPARTMENT OF TRANSPORTATION

GENERAL NOTES

87 TE-0156-01 SEDGWICK COUNTY

MKEC ENGINEERING CONSULTANTS, INC.
WICHITA, KANSAS

DESIGNED BY:	PAF	CHECKED BY:	MDK
DRAWN BY:	DPG	DATE: JULY 2000	SHEET 2 OF 6

H:\CIVIL\00017\BRIDGE\00017GEN.DWG Thu Feb 15 10:01:35 2001