
BM = 125.91 ~ City Std. Disc. 44' N & 32' E OF E'ly 29th St. N & Hood.



Survey Brewster Bk MP& W
Plan Kleg
Ex.
Checked

THE CONTRACTOR SHALL BE RESPONSIBLE FOR PRESERVING PROPERTY IRONS. THE CONTRACTOR SHALL BE REQUIRED TO RE-ESTABLISH ANY PROPERTY IRONS WHICH ARE DAMAGED OR DESTROYED BY HIS CONSTRUCTION OPERATIONS. SUCH IRONS SHALL BE RE-ESTABLISHED BY A LICENSED LAND SURVEYOR OR A LICENSED PROFESSIONAL ENGINEER IN ACCORDANCE WITH STATE LAWS.

Note: Trees To Be Removed Are Marked This: Except That Any Tree Marked For Removal Which In The Opinion Of The Engineer Can Be Saved Shall Be Spared.

Note: Utility Locations Shown are approximate. Contractor to contact Utilities.

Scale: 1"=20'

EARTHWORK

EXCAVATION

	PROP.	CITY
"X" Section	533.7 C.Y.	50.6 C.Y.
10 %	53.4 C.Y.	5.1 C.Y.
Total	587.3 C.Y.	55.7 C.Y.

SHORTEN PROJECT TO AVOID FENCE REMOVAL

Note: No more than 7 Twenty Ft. Drives or Equivalent to be constructed and charged to this project.

℄ = 51°57'10" 80.00' 38.78' 72.54' L.C. = 70.08'

CURVE DATA BASED ON ℄ RAD. Δ/2 = 25°58'35"

STA.	ANGL.	LONG LENGTH 8" WTR M	LONG LENGTH 8" SWR CB.	DEFLECTION	TOTAL DEFLECTION
2+99.47	—	—	—	0°00'00"	0°00'00"
3+25	25.53'	18.11'	32.73'	9°00'32"	9°00'32"
3+50	25'	17.74'	32.06'	8°57'09"	18°05'41"
3+72.01	22.01'	15.63'	28.25'	7°52'54"	25°58'35"

SUB-GRADE

TYPE OF SUB-GRADE TREATMENT SHALL BE DETERMINED BY THE FIELD ENGINEER. SUB-GRADE TREATMENT MAY CONSIST OF LIME TREATMENT, CEMENT TREATMENT, SUB-GRADE MODIFICATION, OR ANY COMBINATION OF THESE.

CROMWELL DR.

472 76245 81150 000 000 001

3/6