







- ◆ BRACE
1.660" O.D., 0.083" TH. (1.40#/LIN. FT.) PIPE OR
1.660" O.D., 0.140" TH. (2.27#/LIN. FT.) PIPE
- * LINE POST 4'-5/8" LENGTH
2.375" O.D., 0.154" TH. (3.65#/LIN. FT.) PIPE OR
2.375" O.D., 0.130" TH. (3.12#/LIN. FT.) PIPE
- ▲ END, CORNER, GATE, OR PULL POST 4'-5/8" LENGTH.
(A120) 2.875" O.D., 0.203" TH. (5.97#/LIN. FT.) PIPE
OR 2.875" O.D., 0.160" TH. (4.64#/LIN. FT.) PIPE.



GENERAL NOTES:

ALL STEEL POSTS, BRACES, FITTINGS, AND PLATES SHALL BE GALVANIZED AND/OR COATED IN ACCORDANCE WITH K.D.O.T. STANDARD SPEC.
STEEL POSTS SHALL BE PROVIDED WITH FASTENERS TO PREVENT SLIPPAGE OF THE WIRE STRANDS.
OUTSIDE DIAMETERS SHOWN FOR TUBULAR STEEL POSTS, BRACING AND GATE FRAMES ARE NOMINAL. WEIGHT TOLERANCES SHALL BE AS SHOWN IN THE K.D.O.T. STANDARD SPECIFICATIONS. CHAIN LINK FABRIC AND TENSION WIRE SHALL BE EITHER ZINC COATED (GALVANIZED) OR ALUMINUM COATED.



AREA "K" PART 2 - PHASE 2
WICHITA DRAINAGE CANAL
PROJECT NAME

OVERHEAD DRAIN & FENCE DETAILS
SHEET TITLE

JNJ	MLW/RSB	TKM
DESIGN BY:	DRAWN BY:	CHECKED BY:
JAN. 2001	94011	21 / 47
DATE	JOB NO.	SHEET OF