


BENCHMARK:
BM #1: "□" Cut in middle of
N headwall of RCBC on 21st
St. North. 1004.3' W & 22.1'
N of SE Cor., SE 1/4, Sec. 2,
T-27-S, R-2-E.
Elev. = 173.23 City Datum


BM #2: "□" Cut at the SE
corner of the intersection of
Castle Rock & Castle Rock Ct.,
Krug North Addition.
Elev. = 183.50 City Datum




Sta 0+00, Line 5
Core into existing inlet and
extend pipe NW. Seal &
grout around pipe. Reshape
invert if necessary. Cost of
coring, sealing, grouting &
reshaping to be incidental
to pipe cost. Adjust inlet
top from Elev. = 185.27 to
Elev. = 185.64.

Sta 0+00 to Sta 0+42.3
Install 42.3 L.F. flowable
fill per City specs.

RES. "D"



Scale: 1" = 20' Horizontal
1" = 5' Vertical
• = Iron



Baughman		KRUG NORTH 2ND/KRUG NORTH ADD. - PH. II	
ENGINEERING		STORM WATER SEWER IMPROVEMENTS	
PROJECT NUMBER 472-83974		DESIGN TMS	
REVISIONS:		APPROVED DATE 09/05	
		SHEET 19 OF 44	
KrugNorth2ndPhase1 SW54		05-04-E231	