

Maintain Existing Silt Fencing. Replace if missing or damaged.

135TH STREET WEST

Maintain existing sediment barrier.








Maintain existing rip-rap.

Maintain existing sediment barrier.

NOTE: Contractor shall remove & replace existing erosion control measures as necessary for construction. Contractor shall be required to maintain all on-site erosion control items until final acceptance by the City of Wichita.

Maintain one existing construction entrance onto existing paved roadway per detail, sheet 20.


EROSION CONTROL PLAN LEGEND

-  - LIGHT STONE RIP-RAP
-  - DROP INLET PROTECTION
-  - CURB INLET PROTECTION
-  - STRAW BALE BARRIERS
-  - SILT FENCING
-  - EARTH DIKES
-  - CURLEX BLANKET

EROSION CONTROL MEASURE	UNITS	QUANTITY
SILT FENCE	L.F.	Maintain
RIPRAP	S.Y.	125
DROP INLET BARRIER	EA.	5
CURB INLET BARRIER	EA.	0
STRAW BALE DITCH CHECK	EA.	Maintain
TRENCH & BERM	L.F.	Maintain
CURLEX	S.Y.	0
POND E.C. BLANKET	S.Y.	Maintain
Construction Entrance	EA.	Maintain

QUANTITIES ARE FOR INFORMATION ONLY. CONTRACTOR SHALL VERIFY QUANTITIES PER FINAL BID QUANTITY SHEET.

Scale: 1" = 60'



COPPER GATE

Maintain Existing Silt Fencing. Replace if missing or damaged.

COPPER GATE ESTATES

Baughman Engineering & Surveying, P.A. 315 Ellis St. Wichita, KS 67211 P 316-263-7211 F 316-262-0149

Copper Gate North Addition - Phase I
EROSION CONTROL PLAN
STORM WATER DRAIN #241

PROJECT NUMBER	DESIGN	DRAWN
REVISIONS:	JAK	TMS
	APPROVED	DATE
	NBW	9/14/05
	SCALE	Noted
	SHEET	

12 OF 17

Copper Gate North/Phase I/SSWSECplan 0502/E163