

GENERAL NOTES:

- The Contractor shall give all property owners and/or tenants of developed property abutting the project limits a minimum of ten (10) days advance notice prior to start of construction. See Project Special Provisions for additional notification requirements.
- Contractor will be required to provide a minimum advance notice of seventy-two (72) hours to utility companies prior to excavation or working adjacent to utilities. Kansas One-Call: 687-2470
- Existing utilities and their locations, as shown on the plan, represent the best information obtainable at the time of design. The Contractor shall be aware that construction will occur in close proximity to existing utilities, and any conflicts with such utilities shall be reported to the Engineer. The Contractor should also be aware that some utility lines within the Project corridor may have been abandoned in place as new lines are installed. Contractor shall be responsible for notifying the affected utility to determine the status of said lines.
- The Water Department shall field locate water valves one time during construction when requested by the Contractor. It shall be the Contractor's responsibility to preserve such field locations during the construction process. Water valves, water valve boxes or fire hydrant damaged during construction shall be repaired by the Contractor at his own expense.
- All project waste including any trees, milled asphalt, rubble from miscellaneous structures, abandoned pipes, excess excavation & etc. shall be disposed of on sites to be provided by the Contractor. These sites shall be approved by the Engineer as to suitability, appearance and site location. Locations that, in the opinion of the Engineer, will leave an unsightly appearance will not be approved. All disposal sites must be approved by the Kansas Department of Health and Environment. Material either stockpiled or disposed of in a flood plain would require a Kansas State Board of Agriculture permit. Any material dumped in waters of the United States or wetlands is subject to U.S. Corps. of Engineers permitting regulations. Any material buried or stockpiled beyond approved construction limits would require additional archaeological investigations unless buried in a previously approved borrow location.
- Prior to bidding the project, each bidder shall visit the site and satisfy himself of surface & subsurface conditions. Each bidder shall also fully inform himself as to the extent of the scope of work to be performed. Each bidder shall also be aware that no additional compensation will be awarded for extra work that should have been evaluated prior to bidding.
- Irons and monuments found are shown on the Plans. The Contractor shall be responsible for notifying the Engineer prior to excavation or clearing operations that will endanger said irons so that accurate ties can be determined for resetting. The Contractor shall be responsible for replacing shown property irons that are damaged or removed during construction. The Contractor shall procure a licensed Land Surveyor to locate and re-install the property iron.
- The Contractor shall be responsible for implementing erosion control methods during construction to prevent unnecessary silt/sediment discharge through downstream properties and/or storm sewer systems. The Contractor shall install and maintain erosion controls as directed by the Engineer. These controls may include, but not limited to: hay bales; silt fences, temporary seeding, Excelsior I Erosion Control Blanket (Curlex), or approved equal, or other controls necessary to inhibit sediment runoff during construction.
- The Contractor shall not start work on the Project until the Project Inspector is assigned and is present on site. Any work done without inspection will be required to be uncovered for inspection. Staking and inspection for this Project will be the responsibility of the City of Wichita.
- The Contractor shall comply with all applicable safety regulations and City of Wichita Specifications and Standards.

- The Contractor shall be responsible for all traffic control measures to facilitate construction. All Construction Zone markings and signage shall conform to the latest version of the Manual on Uniform Traffic Control Devices (MUTCD) as published by the US Dept. of Transportation, Federal Highway Administration. All costs associated with construction markings and signage shall be SUBSIDIARY to the lump sum Bid Item "Traffic Control".
- The Contractor shall protect utility lines that cross or abut the Project corridor. For larger lines, the Contractor's method of supporting the utility structure shall be provided to the Engineer, as well as the affected Utility Company's representative for review and approval. Any shutdown of a utility line that may be required by construction of this Project shall be coordinated with the said affected utility.
- All Costs associated with dewatering activities shall not be paid for directly, but shall be considered SUBSIDIARY to the RCBC installation.
- Trees that require trimming for the Project construction shall not be done with a back hoe, but only by approved methods concurrent with standard tree trimming methods. All Tree Trimming Operations shall be considered as SUBSIDIARY to "Site Clearing" bid item.
- The Contractor shall remove and stockpile in a central location for the inspector to take to the Central Maintenance Facility, 801 S. McLean, all regulatory signs, street name signs, information signs, and etc. that conflict with the proposed construction.
- The RCBC shall be pre-cast unless otherwise noted. The RCBC shall conform to ASTM C-1433 Standards for loading unless otherwise noted in the plans.
- All pre-cast RCBC sections shall have filter fabric wrapped at each joint to prevent infiltration of fines and other material into the conduit.
- Wingwalls Bid Item shall include all Wingwall Footings & Scour Apron on North Side of RCBC.



RECAPITULATION OF QUANTITIES		
ITEM	QUANTITY TOTAL	UNIT
LUMP SUM BID ITEMS - STORMWATER SEWER		
SITE CLEARING	1	Lump Sum
SITE RESTORATION	1	Lump Sum
SEEDING	1	Lump Sum
REMOVAL OF EXISTING DRAINAGE STRUCTURES	1	Lump Sum
MEASURED QUANTITY BID ITEMS - STORMWATER SEWER		
RCBC (10' x 5') QUADROUPLE	30	L.F.
WINGWALLS	1	Lump Sum
FILL, SAND (Flushed & Vibrated)	120	L.F.
7" REINF. CONC. APRON	22	Sq. Yds.
MEASURED QUANTITY BID ITEMS - PAVING		
GRAVEL STREETS/DRIVES	192	Tons
LUMP SUM BID ITEMS - TRAFFIC		
TRAFFIC CONTROL	1	Lump Sum
SIGNING	1	Lump Sum
MEASURED QUANTITY BID ITEMS - EROSION CONTROL		
BMP, DITCH CHECKS	2	Each
BMP, EROSION CONTROL MAT	34	Sq. Yds.
SANITARY MANHOLE ADJUSTED/ NEW BOLTED RING W/LID	1	Each

LIST OF UTILITY COMPANIES

TYPE	OWNER	CONTACT	TELEPHONE	(ALT.)
Locator Service	Kansas One-Call		687-2470	800-344-7233
TV	Cox Communications (Cable)	James Walburn	260-7491	262-0661
Electric	Evergy	Heidi Bryan	261-6354	
Gas	Kansas Gas Service	Joe Bridgewater	832-3158	888-482-4950
Gas	Black Hills Energy	Jesse Lunsford	941-1607	800-694-8989
Telephone	AT&T	Jason Edwards	268-2008	800-344-7233
Water	Wichita Water Department	Greg Lolley	268-4555	219-8921
Storm Water Sewer	Wichita SWS Maintenance	Darrin Deutscher	268-4037	
Sanitary Sewer	Wichita Sewer Maintenance	Joe Loggins	268-4073	219-8921
Fiber Optic	Sprint/ T-Mobile	Joe Loggins	268-4073	219-8921

UTILITY CONFLICTS

- COX NO CONFLICT CLOSEST LINES ARE EAST SIDE OF GREENWICH RD.
- EVERGY POTENTIAL CONFLICT POWER POLE TO BE RELOCATED AS NECESSARY BY EVERGY
- ONEGAS NO CONFLICT CLOSEST LINES ARE NORTH OF GILBERT NEAR GREENWICH RD.
- AT&T NO CONFLICT CLOSEST LINES ARE EAST OF GREENWICH RD.
- SPRINT / T-MOBILE NO CONFLICT CLOSEST ACTIVE FIBER OPTIC LINE IS 20'± SOUTH FROM EX. KTA PROPERTY LINE
- EX. SPRINT FIBER OPTIC LINE IS ABANDONED AT RCBC AND IS @ 5' DEPTH



**BAUGHMAN
COMPANY**

315 Ellis St.
Wichita, KS 67211
316-262-7271
BaughmanCo.com

GILBERT STREET
DRAINAGE IMPROVEMENTS

**GENERAL
NOTES**

CAPITOL IMPROVEMENTS
PROJECT

PROJECT NUMBER:
458-2022-085509

DESIGN: NBW DRAWN: JSB

DATE: August 16, 2022

SHEET **2** OF **8**