


FHWA REG. NO.	STATE	PROJECT NO.	YEAR	SHEET NO.	SHEETS
7	KANSAS	87N 0064-01	1997	17	130



Sta. 50+71.36 Seneca Ct., Saw Cut & Match Exist. Pav't. Drill and Grout Deformed Tie Bar #5 x 24" @ 24" O.C. Cost is Subsidiary to Concrete Pavement (9" Uniform)(AE)(NRDU)

Sta. 50+62.18 Seneca Ct., Construct Curb Inlet (Type II), 14.67' Lt. L=6'4"-3/8", W=3'4"-3/8" Inlet Top=1288.43 Install 15" x 19' Storm Swr. (RCP)(S) See Sht. No. 38, 48

Sta. 114+09.27 Seneca, Replace Exist. Water Service Line and Relocate Exist. Water Meter. See Sht. No. 53

Sta. 114+45.95 Seneca, Construct Curb Inlet (Type II), 28.93' Lt. L=6'4"-3/8", W=3'4"-3/8" Inlet Top=1288.91 Install 15" x 15' Storm Swr. (RCP)(W) See Sht. No. 38, 48

Sta. 114+53.05 Seneca, Replace Exist. Water Service Line and Relocate Exist. Water Meter. See Sht. No. 53

Sta. 114+88.86 Seneca, Relocate Exist. Water Meter. See Sht. No. 53

Sta. 116+21.66 Seneca, Construct Curb Inlet (Type II), 28.93' Rt. L=6'4"-3/8", W=3'4"-3/8" Inlet Top=1289.23 Install 18" x 38' Storm Swr. (RCP)(W) See Sht. No. 38, 50

Sta. 116+21.66 Seneca, Construct Curb Inlet (Type II), 28.93' Lt. L=6'4"-3/8", W=3'4"-3/8" Inlet Top=1289.23 Install 15" x 15' Storm Swr. (RCP)(E) See Sht. No. 38, 50

Sta. 116+21.66 Seneca, Construct Reinf. Conc. Manhole, 11.50' Lt. L=6'2", W=6'2" Install 24" x 72' Storm Swr. (RCP)(N) See Sht. No. 39, 50

Sta. 114+68.69 Seneca, Relocate Exist. Water Meter 2 See Sht. No. 53

Sta. 116+35.61 Seneca, Relocate Exist. Water Meter. See Sht. No. 53

Sta. 49+05.45 Merton, Construct Curb Inlet (Type II), 14.90' Rt. L=6'4"-3/8", W=3'4"-3/8" Inlet Top=1289.48 Install 15" x 7' Storm Swr. (RCP)(N) See Sht. No. 38, 50

Sta. 48+99.08 Merton, Construct Curb Inlet (Type II), 14.90' Rt. L=6'4"-3/8", W=3'4"-3/8" Inlet Top=1289.48 Install 15" x 2' Storm Swr. (RCP)(E) See Sht. No. 38, 50

Sta. 49+05.45 Merton, Construct Reinf. Conc. Manhole, 3.19' Rt. L=9'6", W=6'2" Manhole Top=1289.16 Install 60" x 79' Storm Swr. (RCP)(E) See Sht. No. 39, 51

Sta. 48+93.40 Merton, Construct Concrete Collar and Connect 60" RCP to Existing 48" RCP Install 60" x 10' Storm Swr. (RCP)(E) See Sht. No. 50, 53

Sta. 116+65.65 Seneca, Replace Exist. Water Service Line and Relocate Exist. Water Meter. See Sht. No. 53

Sta. 117+00.31 Seneca, Construct Reinf. Conc. Manhole, 11.50' Lt. L=11'6", W=6'4" Manhole Top=1289.15 Install 8' x 4' x 50' (RCB) Storm Swr. (E) See Sht. No. 39, 42C, 43, 51

Sta. 116+15.29 Seneca, Construct Curb Inlet (Type II), 28.93' Rt. L=6'4"-3/8", W=3'4"-3/8" Inlet Top=1289.22 Install 18" x 2' Storm Swr. (RCP)(N) See Sht. No. 38, 50

LEGEND
 PAVEMENT, DRIVEWAY AND/OR SIDEWALK REMOVAL.

KANSAS DEPARTMENT OF TRANSPORTATION
SOUTH SENECA STREET
 112+00 TO 117+00
 PROJECT NO. 87N 0064-01 SEDGWICK CO.
 MID-KANSAS ENGINEERING CONSULTANTS, INC.
 WICHITA, KANSAS

- UTILITY OWNERS**
- W - City of Wichita Water & Sewer Department (316)268-4908
 - T - Southwestern Bell Telephone Co. 1-571-2115
 - E - Kansas Gas and Electric (316)832-3169 or 832-3180
 - CATV - Multimedia Cablevision (316)262-4270
 - SS - City of Wichita Water & Sewer Department (316)268-4908
 - SWS - City of Wichita Water & Sewer Department (316)268-4908

BM #14 " cut on SE cor. of light pole base @ SW cor. Merton and Seneca. Sta. 116+67.67 Elev.=1290.18

DESIGNED BY: GJA	CHECKED BY: GJA
DRAWN BY: WNU	DATE: 8/95 SHEET 17 OF 130

H:\CIVIL\SENECA\PAVE\PAVE\84005E16.Fr, MAY 30 11:04:05 1997

84005E16