
FHWA REGION NO.	STATE	PROJECT NO.	YEAR	SHEET NO.	TOTAL SHEETS
7	KANSAS	87 N 0064-01	1997	59	130




TYPICAL PLAN VIEW OF TEMPORARY BERM AND TEMPORARY SLOPE DRAIN

NO SCALE


NOTES:

1) Temporary Slope Drain and Temporary Berm may be used on either project foreslopes or project backslopes.
2) Discharge of Slope Drains shall be into stablized ditch or area, or into Sediment Basin.
3) Pipe shall be secured in place as approved by Engineer.




TYPICAL PROFILE OF TEMPORARY SLOPE DRAIN

NO SCALE



SECTION A-A

NO SCALE




SECTION B-B

NO SCALE


TYPICAL PROFILE OF TEMPORARY BERM

NO SCALE



TEMPORARY MEDIAN INLET SEDIMENT BARRIER

NO SCALE



* NOTE: Quantity, length and diameter of steel pipe to be determined by design flow calculations.

TEMPORARY STREAM CROSSING

NO SCALE

NO.	DATE	REVISIONS	BY	APP'D
3				
2				
1				

KANSAS DEPARTMENT OF TRANSPORTATION

TEMPORARY PROJECT WATER POLLUTION CONTROL

TEMPORARY SLOPE DRAIN, STREAM CROSSING, MEDIAN INLET SEDIMENT BARRIER

LA852C

F.H.W.A. APPROVAL	5-11-95	APP'D	Richard D. Rose
DESIGNED WCL	DETAILED DEL	QUANTITIES	TRACED DEL
DESIGN CK. RDR	DETAIL CK.	WCL QUAN.CK.	TRACE CK. WCL

Drawn By : $$USERNAME$$
DGN File : $$$$$$$$$$$$$$$$DGNSPEC$$$$$$$$$$$$$$$$
Plotted : $$$$$$SYTIME$$$$$$ View= PLOT 1