




Maintain one construction entrance onto existing paved roadway.

NOTE: Contractor shall remove & replace existing erosion control measures as necessary for construction. Contractor shall be required to maintain all on-site erosion control items until final acceptance by the City of Wichita.



Scale: 1" = 60'

**EROSION CONTROL PLAN LEGEND**  
(Installation Details Found in the SWP2 Plan)

- LIGHT STONE RIP-RAP
- DROP INLET PROTECTION
- CURB INLET PROTECTION
- STRAW BALE BARRIERS
- SILT FENCING
- EROSION CONTROL BERM
- CURLEX BLANKET
- EX. GRASSED AREA

NO SCALE

EROSION CONTROL MEASURE	UNITS	QUANTITY
SILT FENCE	L.F.	960
RIPRAP	S.Y.	0
DROP INLET BARRIER	EA.	1
CURB INLET BARRIER	EA.	2
STRAW BALE BARRIER	EA.	1
EROSION CONTROL BERM	L.F.	1090
CURLEX	S.Y.	0
POND E.C. BLANKET	S.Y.	0
Construction Entrance	EA.	1

QUANTITIES ARE FOR INFORMATION ONLY!  
CONTRACTOR SHALL VERIFY QUANTITIES PER FINAL BID QUANTITY SHEET.

**Baughman** Tyler's Landing 3rd Addition Phase 1  
**EROSION CONTROL PLAN**

Baughman Company, P.A. 315 Ella St. Wichita, KS 67211 P.316.263.1271 F.316.262.0149  
ENGINEERING | SURVEYING | PLANNING | LANDSCAPE ARCHITECTURE

PROJECT NUMBER 468-84063	DESIGN AEG	DRAWN TMS
REVISIONS	APPROVED DATE 08/05	SCALE Noted
		SHEET <b>15 OF 21</b>

F:\eng\Tyler's Landing 3rd\WwECplan 05-07-E282