



Delta= 32'55.47" D= 57'17.45" R= 100.00' L= 57.47' T= 29.55'

BL STATION	CURVE DATA BASED ON B.L. RADIUS DELTA/2= 16'27.54"				TOTAL DEFLECTION
	ARC LENGTH	CHORD LENGTH ON CURB (FC)		DEFLECTION ANGLE	
0+23.11 P.C.					
0+25.00	1.89'	2.32'	1.46'	0'32.29"	0'32.29"
0+30.97	5.97'	7.32'	4.61'	1'42.37"	2'15.06"
0+40.63	9.86'	11.85'	7.46'	2'46.03"	5'01.09"
0+50.00	9.37'	11.50'	7.23'	2'41.04"	7'42.13"
0+58.98	8.98'	11.02'	6.94'	2'34.21"	10'16.34"
0+75.00	16.02'	19.65'	12.38'	4'35.22"	14'51.59"
0+80.58 P.T.	5.58'	6.87'	4.30'	1'35.55"	16'27.54"

Delta/Ft. 0.28647890 Minutes

- Construction Limits
- Asphalt Removal
- Sidewalk Removal

	<b>AM CONSULTING</b> Inc.				PROJECT NUMBER	AM NO.	<b>ORME ST. PAVING PLANS COTTONWOOD LANE WICHITA, KANSAS</b>	SHEET
	142 N. Emporia 316/265-2870	Wichita, KS 67202 fax: 316/265-2839	DESIGN <i>my</i>	DRAWN <i>mp</i>	FILE 00102-2	DATE 8/23/02		SCALE 1"=20'
							<b>27</b>	REVISED 8/27/03

F:\APPS\DWG\PROJECTS\001\00102\01\00102-2.dwg Tue Jan 26 11:18:40 2005 Steve Schmitt-Pope & Associates of Kansas, Inc.