

SEE SHEET CU 103 FOR STORM WATER SEWER PLAN AND PROFILE. INSTALL PVMT. UNDERDRAIN & SEDIMENT CONTROL.

CONST. COMB. CURB & GUTTER (FULL, 6 5/8")



CONST. 5" AC PAVEMENT W/5" CRUSHED ROCK BASE ON GEOGRID REINF.

CONST. REVERSED COMB. CURB & GUTTER (FULL, 6 5/8")

CONST. 6" REINF. CONC. VALLEY GUTTER W/ 5" CRUSHED ROCK ON GEOGRID REINF.

CONST. 6" REINF. CONC. VALLEY GUTTER W/ 5" CRUSHED ROCK ON GEOGRID REINF.

**NOTE:**  
TOP OF CURB ELEVATIONS SHOWN ARE FOR FULL CURB.

 <b>GossonLivingston</b> <small>Architects 402 South Ogden Wichita, KS 67208 Tel: (316) 266-1837 Fax: (316) 266-5948</small>	 <b>MKEC</b> <b>ENGINEERING CONSULTANTS</b> <small>411 N. WEBB ROAD WICHITA, KS. 67204 316 - 684 - 9600</small>	<b>GROVE PARK IMPROVEMENTS</b> <small>PROJECT NAME</small>	
		<b>PARKING LOT</b> <small>SHEET TITLE</small>	
<small>DESIGN BY:</small> JTC	<small>DRAWN BY:</small> DM	<small>CHECKED BY:</small> GJA	
<small>DATE:</small> OCTOBER 2001	<small>JOB NO.:</small> 01060E8	<small>SHEET/OF:</small> CP 108 / 50	