EXIST. UTILITIES TO BE ABANDONED BY OTHERS

EXIST. SAN. SEWER & MANHOLE TO BE ABANDONED PER CITY OF WICHITA SPECIFICATIONS

MH 1-6

REMOVE SIDEWALK

WATERMAN ST.

GREIFENSTEIN'S 3rd ADDITION

MH 1-5

MH 1-4

PROP. R/W

N41°55'59"E

29°04'02"

(SEE SHEET SS1.1)
MATCH LINE STA. 15+50

LIGHT STANDARDS & FIXTURES TO BE INSTALLED BY OTHERS (TYPICAL BOTH SIDES OF MAIN ST.

REMOVE BASE

PATTERN CONC

GRASS

7.5'

REMOVE SIDEWALK

MAIN ST.

90' R/W

SANITARY SEWER LINE No. 1
5' DIA. LINED MANHOLE

SANITARY SEWER LINE No. 1
5' DIA. LINED MANHOLE

SANITARY SEWER LINE No. 1B
5' DIA. LINED MANHOLE

PLAN:
SCALE: 1"=20'

PROFILE:
SCALE: 1"=20' (HORIZ.)
1"= 4' (VERT.)

M=9874.98 E=10887.78
STA. 194+74.28, SAN. SEWER LINE
CONST. STD. TYPE P LINED MANHOLE
TOP RIM=1298.00

M=9894.97 E=10663.13
STA. 195+46.00, SAN. SEWER LINE
CONST. STD. TYPE P LINED MANHOLE
TOP RIM=1298.00

M=9894.72 E=10632.18
STA. 200+76.95, SAN. SEWER LINE
CONST. STD. TYPE P LINED MANHOLE
TOP RIM=1298.50

EXIST. GROUND ON CL PIPE

EXIST. 2" TELEPHONE

EXIST. TELEPHONE

EXIST. 18" PVC SAN. SEWER

COMPACTED FILL BACKFILL

395.27 LF 24" @ 0.083%

31.72 LF 24" @ 0.083%

130.95 LF 24" @ 0.083%

(SEE SHEET SS1.1)
MATCH LINE STA. 15+50

1300
1290
1280
1270

16+00
17+00
18+00
19+00
20+00
21+00

FL=1290.70
FL=1290.75
FL=1290.79
FL=1290.83
FL=1290.87
FL=1290.91
FL=1290.95
FL=1290.99
FL=1291.03
FL=1291.04
FL=1291.08
FL=1291.12
FL=OUT=1281.44 (E)
FL Wall 1291.19 (N)
FL 12" IN=1291.17 (N)

GossenLivingston
Architecture
420 South Emporia
Wichita, KS 67202
Tel: (316) 265-9387
Fax: (316) 265-5648
Email: architect@gltel.com

© 2005 Gossen Livingston Associates, Inc.
The drawing and all information herein is the exclusive property of Gossen Livingston Associates, Inc. and is not to be copied or used in any way without the express written consent of Gossen Livingston Associates, Inc. All drawings, specification, ideas, designs and arrangements appearing herein constitute original and unpublished Work of:

Gossen Livingston Associates, Inc.

Johnson & Associates, Inc.
100 E. California Ave. - Third Floor
Oklahoma City, OK 73104
(405) 235-8075 FAX (405) 235-8078
Certificate of Authorization #E-1128 EXP. DATE: 12-31-2006

TIMOTHY W. JOHNSON
LICENSED
10489
KANSAS
PROFESSIONAL ENGINEER

WICHITA WATERWALK

PUBLIC IMPROVEMENTS PHASE 2 PACKAGE 1

Mark	Date:	Description

SANITARY SEWER No. 1

Job No.	
Date	12-30-05
Drawn	SE
Checked	PB

SS1.2
OF
3
Dwg. 16 of 24

X:\2215 Ph 2\221501 Ph 2 Util\[221501-SEWER.dwg, SS1.2, 12/29/2005 10:10:33 AM, 1:1, Plotted by: S.N.E.