



Sta. 11+69.17 17.50' Lt.
Install Subdivision Benchmark
(See Note 10 on Sheet 1)

TRIPLE CROWN

Δ = 57°30'43" L = 498.88' R = 497.00' T = 272.73'

STATION	CL ARC	CHORD LENGTH	8' RT. DEFLECTION	TOTAL DEFLECTION
9+02.71 P.C.				
9+25.00	22.29'	23.43'	22.29'	21.14'
9+27.71	2.71'	2.85'	2.71'	2.57'
9+50.00	22.29'	23.43'	22.29'	21.14'
9+75.00	25.00'	26.28'	25.00'	23.71'
10+00.00	25.00'	26.28'	25.00'	23.71'
10+25.00	25.00'	26.28'	25.00'	23.71'
10+50.00	25.00'	26.28'	25.00'	23.71'
10+75.00	25.00'	26.28'	25.00'	23.71'
11+00.00	25.00'	26.28'	25.00'	23.71'
11+25.00	25.00'	26.28'	25.00'	23.71'
11+50.00	25.00'	26.28'	25.00'	23.71'
11+75.00	25.00'	26.28'	25.00'	23.71'
12+00.00	25.00'	26.28'	25.00'	23.71'
12+25.00	25.00'	26.28'	25.00'	23.71'
12+50.00	25.00'	26.28'	25.00'	23.71'
12+66.47	16.47'	17.31'	16.47'	15.62'
12+75.00	8.53'	8.97'	8.53'	8.09'
13+00.00	25.00'	26.28'	25.00'	23.71'
13+25.00	25.00'	26.28'	25.00'	23.71'
13+50.00	25.00'	26.28'	25.00'	23.71'
13+75.00	25.00'	26.28'	25.00'	23.71'
14+00.00	25.00'	26.28'	25.00'	23.71'
14+01.58 P.T.	1.59'	1.67'	1.59'	1.50'

DEFLECTION/FOOT = 0.057641629 DEGREES 3.458497757 MINUTES

No.	Street and Station	From CL	Description	Elevation
6	Triple Crown, 11+69.17	17.50' W.	Top of Curb (W), Perpendicular to FH	1325.97

Revision
Approved
Date
No.

EOUSTRIAN ESTATES - PHASE 1
STREET IMPROVEMENTS
TRIPLE CROWN
CITY OF WICHITA, KANSAS
MICHAEL E. LINDEBAK, P.E. - CITY ENGINEER
C.O.M. Project # 472-83424 O.C.A. # 765705

POE & ASSOCIATES OF KANSAS, INC.
CONSULTING ENGINEERS
5940 E. Central, Suite 200 Wichita, KS 67208-4282
Phone 316 685-1114 FAX 316 685-4444

FINAL
Designed By: J. Ubert / J. Dickman
Drawn By: J. Dickman
Poe Job No.: 1694A
Date: March, 2002

Sheet
10 of 112

G:\APPS\DOCA\PL\684\BASE-ST11u.dwg Thu Mar 14 16:13:20 2002