

PLAN
NOTE BOOK NO.
SURVEYED
PLOTTED
ALIGNMENT CHECKED
RT. OF WAY CHECKED
BY
DATE
PROFILE
NOTE BOOK NO.
SURVEYED
PLOTTED
GRADES CHECKED
B.M.s NOTED
STRUCTURE NOTES CH'KD
BY
DATE
DSNR: BER OPER: DEP SCALE: 1=20.00
O:\1999\99773\000\Sprofile 06-04-2001 08:20:30 am
19 Sta.0+00.0 Line No.8 Const.
24" Conc. Headwall
Top Elev.=111.18
Exist. 4" Force Main
℄ Elev.=106.9±
20 Sta.0+50.0 Line No.8 Const.
Spec.Curb Inlet/Manhole
Top Elev.=113.75
21 Sta.1+60.8 Line No.8 Const.
Spec.Curb Inlet/Manhole
Top Elev.=113.87
Buried Telephone
22 Sta.2+34.4 Line No.8 Const.
Spec.Curb Inlet/Manhole
Top Elev.=112.90
Exist. Ground
Prop. Ground
Static Pool 108.7
50.0 L.F. 24" RCP @ 1.00%
110.8 L.F. 18" RCP @ 0.31%
73.6 L.F. 15" RCP @ 0.40%
SWS LINE NO. 8
℄ Out=108.01
℄ In=108.26
℄ Out=108.76
℄ In=108.82
℄=108.98
℄=109.13
℄ Out=109.16
℄ In=109.22
℄=109.58
℄ Out=109.51
0+00
1+00
2+00
3+00
23 Sta.0+00.0 Line No.9 Const.
24" Conc. Headwall
Top Elev.=111.18
Exist. 4" Force Main
℄ Elev.=106.7±
Buried Telephone
24 Sta.1+03.4 Line No.9 Const.
Spec.Inlet/Manhole (Type 2)
Top Elev.=114.05
Excavatable Flowable Fill
Prop. Ground
Exist. Ground
Static Pool 108.7
103.4 L.F. 24" RCP @ 0.76%
SWS LINE NO. 9
℄ Out=108.26
℄ In=108.51
℄=108.89
℄ Out=109.30
0+00
1+00
28 Sta.0+00.0 Line No.11 Const.
Reinf. Conc. Manhole
Top Elev.=113.20
4" Gas
Top Pipe=107.1±
29 Sta.0+35.7 Line No.11 Const.
Area Inlet (Type 6a)
Top Elev.=109.50
Prop. Ground
Exist. Ground
℄=103.10 (36" E&W)
35.7 L.F. 15" RCP @ 3.00%
SWS LINE NO. 11
℄ In=105.12
℄ Out=106.19
0+00
1+00
120
115
110
105
100
MUSEUM DISTRICT
STORM WATER SEWER LINES #8-#11