



EROSION CONTROL PLAN LEGEND
 (Installation Details Found in the SWP2 Plan)

- DROP INLET PROTECTION
- CURB INLET PROTECTION
- DITCH CHECKS
- SILT FENCING
- CUT-OFF TRENCH
- BACK OF CURB PROTECTION
- EROSION CONTROL MAT
- TEMPORARY DITCH
NO SCALE



= Easements To Be Graded

The contractor shall grade the easements as shown to the elevations given on the easement grading plan. All costs for grading shall be incidental to the Easement Grading Bid Item.

The contractor shall 'straight' grade the easements between the elevations given. Where a callout designates 'Match', the contractor will grade to the existing ground elevation.

All easements have been graded prior to construction with the mass grading plan, however, all easements shall be fine graded with this project after street & sws construction has been completed. All cost associated with the fine grading shall be included in the lump sum bid item "Easement Grading".

Regrade existing ditch to grades shown, (4:1 Sideslopes **MAXIMUM**) matching existing cross section.

Install back of curb protection per detail, sheet 30.

Install curb inlet sediment barrier per detail, sheet 30.

Install drop inlet sediment barrier per detail, sheet 28.

Regrade existing ditch to grades shown, matching existing cross section.

Remove Existing Straw Bale Ditch Checks

Fill & grade existing Temporary Drainage Swale to elevations shown.

Maintain 1340 LF Existing Silt Fence

		Silverton Addition - Phase I	
		EROSION CONTROL	
		ESMT. GRADING PLAN	
		STREET IMPROVEMENTS	
Baughman Company, P.A. 315 Ellis St. Wichita, KS 67211 P 316-262-7271 F 316-262-0149			
ENGINEERING SURVEYING PLANNING LANDSCAPE ARCHITECTURE			
PROJECT NUMBER 472-84459	DESIGN NBW/JAK	DRAWN JAK	
REVISIONS:	APPROVED	DATE 7/18/07	
	SCALE Noted		
	SHEET		
		26 OF 44	
Silverton\Phase I\StrErosion		06-08-E621	