





Pond data:
 Static ws elev. = 132.0
 100-yr ws elev. is
 Variable along reach



SECTION A-A

SECTION B-B

Maintain silt fence sediment barriers, typ.

Maintain/Establish hay bale sediment barriers, typ.

Maintain/Establish hay bale sediment barriers, typ.

Remove existing driveway and culvert pipe into field. Regrade ditch to ensure smooth flowline. Drive is approx. 205' north of centerline of Jewell St. Incidental to bid item 'Site Clearing and Restoration'.

All areas disturbed during construction not under proposed pavement are to be seeded as follows:
 Seed - Rye Grass (PLS) - 5#/1000 Sq. Ft.
 Cost of seeding shall be incidental to "Project Seeding".

EROSION CONTROL MEASURE	UNITS	QUANTITY
SILT FENCE	L.F.	2,210
POPPAP	S.F.	600
DROP INLET BARRIER	EA	9
CURB INLET BARRIER	EA	9
Construction Entrance	EA	1

QUANTITIES ARE FOR INFORMATION ONLY
 CONTRACTOR SHALL VERIFY QUANTITIES PER
 SPECIFIC ENGINEERING PLAN SHEET.

EROSION CONTROL PLAN LEGEND
(Notation Details Found in the SWP2 Plan)

- LIGHT STONE RIP-RAP
- DROP INLET PROTECTION
- CURB INLET PROTECTION
- STRAW BALE BARRIERS
- SILT FENCING

NO SCALE

Baughman TURKEY CREEK ADDITION - PH. I
Erosion Control Plan
 WICHITA, KANSAS

Baughman Company, P.A. 315 E. 11th St., Wichita, KS 67211 P 316-263-7771 F 316-263-0149
 ENGINEERING | SURVEYING | PLANNING | LANDSCAPE ARCHITECTURE

PROJECT NUMBER 472-24028	DESIGN LRAWN
REVISIONS	APPROVED DATE 12/04
	SCALE Noted
	SHEET 31 OF 48

TurkeyCreek/EmuGrade 04-06-E931