

**PROFESSIONAL  
ENGINEERING CONSULTANTS, PA**

303 South Topeka  
WICHITA, KANSAS 67202

(316) 262-2691

**LETTER OF TRANSMITTAL**

DATE	September 7, 1990	JOB NO.	36-90449-2108
ATTENTION	Ms. Vicky Huang, P.E.		
RE:	Northwest Village 5th Add.		

TO Michael E. Lindebak, P.E.  
City Engineer  
455 North Main  
Wichita, Ks

WE ARE SENDING YOU  Attached  Under separate cover via \_\_\_\_\_ the following items:

- Shop drawings       Prints       Plans       Samples       Specifications  
 Copy of letter       Change order       \_\_\_\_\_

COPIES	DATE	NO.	DESCRIPTION
2	9/7/90		Drainage Plan & Supporting Calculations.

THESE ARE TRANSMITTED as checked below:

- For approval       Approved as submitted       Resubmit \_\_\_\_\_ copies for approval  
 For your use       Approved as noted       Submit \_\_\_\_\_ copies for distribution  
 As requested       Returned for corrections       Return \_\_\_\_\_ corrected prints  
 For review and comment       \_\_\_\_\_  
 FOR BIDS DUE \_\_\_\_\_ 19 \_\_\_\_\_       PRINTS RETURNED AFTER LOAN TO US

REMARKS The final plat will be submitted this date  
for hearing by the Subdivision Committee  
on September 20, 1990

\_\_\_\_\_

\_\_\_\_\_


\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

COPY TO File  
Steven Dobbs.

SIGNED: Charles Brown



**P**ROFESSIONAL  
**E**NGINEERING  
**C**ONSULTANTS  
PROFESSIONAL ASSOCIATION

DRAINAGE PLAN  
AND  
SUPPORTING CALCULATIONS

FOR  
NORTHWEST VILLAGE 5TH ADDITION  
TO  
WICHITA, SEDGWICK COUNTY, KANSAS

PREPARED BY  
PROFESSIONAL ENGINEERING CONSULTANTS, P.A.  
ENGINEERS  
WICHITA, KANSAS

SEPTEMBER 7, 1990

303 S. TOPEKA  
WICHITA, KANSAS 67202  
(316) 262-2691  
FAX (316) 262-2692



Date 9/6/90 Page 1 of 9  
 Project Northwest Village 5th Add.  
 Item Drainage Plan.

I HYDROLOGY

Use Rational Method  $Q = cIA$

Determine "c"

<u>Node</u>	<u>Soil Type</u>	<u>Hyd. Group</u>	<u>Land Use</u>	<u>C<sub>5</sub></u>	<u>C<sub>100</sub></u>
103	Ma	B	"BB" Office	0.70	0.80
102	Ma	B	"	0.70	0.80
101	Ma	B	"	0.70	0.80
100					

Determine "I"

Assume  $t_c = 15$  minutes

$\therefore I_5 = 4.56$

$I_{100} = 7.37$

Determine "A"

<u>Node</u>	<u>Plan. Units</u>	<u>Area (SF)</u>	<u>Area (Ac)</u>
103	25.36	253,600	5.82
102	37.12	371,200	8.52
101	0.96	9,600	0.22
100	-		



Date 9/6/90 Page 2 of 9  
 Project Northwest Village 5th Add.  
 Item Drainage Plan.

Determine "Q<sub>5</sub>"

<u>Node</u>	<u>C<sub>5</sub></u>	<u>I<sub>5</sub></u>	<u>A</u>	<u>Q<sub>5</sub></u>
103	0.70	4.56	5.82	18.6
102	0.70	4.56	8.52	27.2
101	0.70	4.56	0.22	0.7
100	-			

Determine "Q<sub>100</sub>"

<u>Node</u>	<u>C<sub>100</sub></u>	<u>I<sub>100</sub></u>	<u>A</u>	<u>Q<sub>100</sub></u>
103	0.80	7.37	5.82	34.3
102	0.80	7.37	8.52	50.2
101	0.80	7.37	0.22	1.3
100	-			



Date 9/6/90 Page 3 of 9  
 Project Northwest Village 5th  
 Item Drainage Plan.

II INLET SIZING / FLOOD ROUTING (5 YR)

<u>Node</u>	<u>Inlet Condition</u>	<u>Inlet Type</u>	<u>Q<sub>s</sub></u>	<u>Q<sub>int.</sub><sup>*</sup></u>	<u>Q<sub>bypass</sub></u>	<u>Inlet Size</u>
103	Sump	Area Inlet w/ stub.	18.6	18.6	0.0	
102	Sump	Curb Inlet	27.2	27.2	0.0	{ 1 = 10' 1 = 5'
101	Sump	Curb Inlet	0.7	0.7	0.0	

\* input in "storm" program.  
 For curb inlet sizing, see attach graphs.  
 For area inlet sizing, see page 4.



Date 9/6/90 Page 4 of 9  
Project Northwest Village 5th Addition.  
Item Drainage Plan.

### Area Inlet Sizing

At this writing, the final grading plan for HCA Wesley (Lot 1) has not been completed.

It is proposed that this site drain to Node 103 via private storm sewer & via surface. For the purposes of this report, it is assumed that 60% will be in private SWS & 40% will be on surface.

∴ Design area inlet for  $40\% \times 18.6 \text{ cfs} = 7.4 \text{ cfs}$   
Design SWS stub for  $60\% \times 18.6 = 11.2 \text{ cfs}$ .

### Check Area Inlet for Weir flow:

Assume allowable head = 0.5'

$$Q = C L H^{3/2}$$

$$7.4 = 3.0 \times L \times 0.5^{3/2}$$

$$7.4 = 3.0 \times L \times 0.3536$$

$$L = 6.98'$$

w/ S.F. = 1.5, Req'd L = 10.47'

### Check Area Inlet for Orifice Flow.


$$Q = C A \sqrt{2gh}$$

$$7.4 = 0.6 \times A \times \sqrt{2 \times 32.2 \times 0.5}$$

$$7.4 = 0.6 \times A \times 5.67$$

$$A = 2.17 \text{ SF}$$

w/ S.F. = 1.5, Req'd A = 3.26 SF



Date 9/7/90 Page 5 of 9  
Project Northwest Village 5th Addition  
Item Drainage Plan

Area Inlet (cont'd)

USE	1	C.O.W. Std 2'x4' Area Inlet (L=12' ; A= 2.56 SF)
PLUS	1	C.O.W. Std 2'x2' Area Inlet (L=8' ; A= 1.28 SF)
		TOTAL L= 20' A= 3.84 SF

NOTE: FINAL SIZING & LOCATION OF INLETS  
MAY VARY FROM ABOVE BASED ON  
FINAL DEVELOPMENT & GRADING PLANS.



Date 9/7/90 Page 6 of 9  
 Project Northwest Village 5th Addition  
 Item Drainage Plan

CHECK STREET FLOW: (13th St.)

Assume that Street Flow =  $Q_{100} - Q_s$

<u>Node</u>	<u><math>Q_{100}</math></u>	<u><math>Q_s</math></u>	<u><math>Q_{street}</math></u>
103	34.3	18.6	15.7 cfs
102	37.7	27.2	10.5 cfs
			<u>26.2</u> ← $Q_{100}$ in 13th.


\* Assumed 75% of  $Q_{100}$  to 13th St.; 25% to east.

w/ long. slope = 1.64% ±

cross slope = 3/8" / ft

$d = 0.53'$

see attach chart



$$W = \frac{0.53'}{3/8" / ft} = \frac{0.53'}{0.03125"} = 17.0'$$

clear = 26' - 17' = 9.0' OK

Note: In the future, an additional 12' decel lane will be provided, resulting in 21' of clear roadway.

100 i, 1343.7000 100 3 4 3

110 t,northwest village 5th addition

120 t,drainage plan

130 t,storm water sewer system analysis

140 i, 100 0.70 5.52 0.00 0.00 10.00 15.00 1349.50

150 i, 102 0.70 8.52 0.00 0.00 27.23 15.00 1346.00

160 i, 101 0.70 8.22 0.00 0.00 0.70 15.00 1346.00

170 e, 100 1343.70

180 p, 103 102 660.00 24 0.013 0.00 0.00

190 p, 102 101 40.00 48 0.013 0.00 0.00

200 p, 101 100 140.00 48 0.013 0.00 0.00

210 e

8/9

Date: 89-07-1998  
Time: 09:01:15

Input File: nrv5

northwest village 5th addition  
drainage plan  
storm water sewer system analysis

Storm Frequency = 5-Year

\*\*\* HYDROLOGY \*\*\*

Tributary Area				Hydrology Summation				Conduit Data									
Node to	C	Area	Slope	Length	TC(0)	I(0)	Q(0)	TC	I	Q	Sum Q	Size	Velocity	Length	TT	TT+TC	
Node		(Ac)	(%)	(Ft)	(Min)	(In/Hr)	(CFS)	(Min)	(In/Hr)	(CFS)	(CFS)	(In)	(Ft/Sec)	(Ft)	(Min)	(Min)	
103	102	0.70	5.82	0.00	0.0	15.00	3.22	10.60	15.00	3.22	10.60	18.60	24"	5.72	660.00	1.53	16.86
102	101	0.70	8.52	0.00	0.0	15.00	5.22	27.20	16.86	4.98	25.99	44.59	48"	3.55	40.00	0.19	17.05
101	100	0.70	0.22	0.00	0.0	15.00	3.22	0.70	17.05	4.96	0.67	45.26	48"	3.60	140.00	0.65	17.69





Date 9/7/90 Page 1 of 1  
Project Northwest Village 5th.  
Item Drainage Plan. Summary


## SUMMARY

As seen on the Drainage Plan drawing, the Northwest Village 5th Addition comprises approximately 11.7 acres out of the total basin of 47.3 acres ( $\approx 25\%$ ).

It is proposed that NW Village 5th. install internal private storm sewers as needed and the 24" line running parallel to 13th St. This line would discharge into a temporary ditch which would drain to an existing field inlet located near the southeast corner, SW 1/4, Sec. 9-275-1W.

It is further proposed that the detention area not be required until the remaining portion of the drainage basin is platted.

R. 1 W.



## EXHIBIT NO. 1

## SOIL LEGEND

<u>SYMBOL</u>	<u>HYDROLOGIC GROUP</u>	<u>NAME</u>
Aa	B	Albion-Shellabarger sandy loams, 1 to 4 percent slopes
Ab	B	Albion and Shellabarger sandy loams, 7 to 15 percent slopes
Ba	C -	Blanket silt loam, 0 to 1 percent slopes
Bb	C -	Blanket silt loam, 1 to 3 percent slopes
Ca	B	Canadian fine sandy loam
Cb	B	Canadian-Waldeck fine sandy loams
Cc	D	Carwile fine sandy loam
Cd	B	Clark-Ost clay loams, 1 to 4 percent slopes
Ce	C	Cline silty clay, 3 to 6 percent slopes
Ea	B	Elandco silt loam
Eb	B	Elandco silt loam, occasionally flooded
Ec	B	Elandco silt loam, frequently flooded
Fa	B	Farnum loam, 0 to 1 percent slopes
Fb	B	Farnum loam, 1 to 3 percent slopes
Fc	B	Farnum loam, sandy substratum, 0 to 1 percent slopes
Ga	D	Goessel silty clay, 0 to 1 percent slopes
Gb	D	Goessel silty clay, 1 to 2 percent slopes
Ia	D	Irwin silty clay loam, 1 to 3 percent slopes
Ib	D	Irwin silty clay loam, 3 to 6 percent slopes
Ic	D	Irwin silty clay loam, 2 to 6 percent slopes, eroded
La	C	Lesho loam
Lb	A	Lincoln soils
Ma	B	Milan loam, 1 to 3 percent slopes
Mb	B	Milan form, 3 to 6 percent slopes
Mc	B	Milan clay loam, 2 to 6 percent slopes, eroded
Na	B	Naron fine sandy loam
Oc	D	Owens clay loam, 1 to 3 percent slopes
Od	D	Owens-Rock outcrop complex, 3 to 10 percent slopes
Pa		Pits
Pb	D	Plevna fine sandy loam
Pc	A	Pratt loamy fine sand, undulating
Pd	A	Pratt-Tivoli complex, rolling
Ra	D	Renfrow silty clay loam, 1 to 3 percent slopes
Rb	D	Renfrow silty clay loam, 3 to 6 percent slopes
Rc	D	Renfrow-Owens clay loams, 1 to 4 percent slopes
Rd	D	Rosehill silty clay, 1 to 3 percent slopes
Sa	B	Shellabarger sandy loam, 1 to 3 percent slopes
Sb	B	Shellabarger sandy loam, 3 to 6 percent slopes
Sc-	B	Shellabarger sandy loam, 3 to 6 percent slopes, eroded
Ta	D	Tabler silty clay loam
Tb	D	Tabler-Drummond complex
Ua	B	Urban land-Canadian complex
Ub	B	Urban land-Elandco complex
Uc	B	Urban land-Farnum complex, 0 to 3 percent slopes
Ud	D	Urban land-Irwin complex, 1 to 3 percent slopes
Ue	D	Urban land-Tabler complex
Va	B	Vanoss silt loam, 0 to 1 percent slopes
Vb	B	Vanoss silt loam, 1 to 3 percent slopes
Vc	B	Vanoss silt loam, 3 to 6 percent slopes
Vd	B	Vanoss silt loam, 3 to 6 percent slopes, eroded
Ve	D	Vernon sandy loam, 1 to 3 percent slopes
Vf	D	Vernon sandy loam, 3 to 6 percent slopes
Wa	C	Waldeck sandy loam
Wb	D	Waurika silt loam

## ATTACHMENT D

## DRAINAGE CRITERIA

## CITY OF WICHITA, KANSAS

RECOMMENDED RUNOFF COEFFICIENTS FOR RATIONAL METHOD  
AND PERCENT IMPERVIOUS FOR UNIT HYDROGRAPH METHOD

Land Use or Surface Characteristics	Percent Impervious	Frequency			
		<u>2</u>	<u>5</u>	<u>10</u>	<u>100</u>
1. Business:					
Downtown Areas	95	0.84	0.85	0.87	0.91
Neighborhood Areas	70	0.68	0.69	0.73	0.80
2. Residential:					
<u>Single Family (Soil Group D)</u>					
1/8 Acre	50	0.57	0.61	0.66	0.79
1/4 Acre	38	0.50	0.54	0.62	0.76
1/3 Acre	30	0.46	0.50	0.59	0.73
1/2 Acre	25	0.42	0.48	0.56	0.72
3/4 Acre	22	0.42	0.46	0.55	0.71
1 Acre	20	0.41	0.45	0.54	0.71
<u>Multi-Family (Soil Group D)</u>					
Multi-Unit (detached)	60	0.62	0.66	0.72	0.82
Multi-Unit (attached)	65	0.64	0.68	0.73	0.83
Apartments	75	0.70	0.73	0.79	0.86
<u>Single Family (Soil Group C)</u>					
1/8 Acre	50	0.55	0.58	0.64	0.73
1/4 Acre	38	0.48	0.51	0.57	0.68
1/3 Acre	30	0.43	0.46	0.53	0.65
1/2 Acre	25	0.40	0.43	0.50	0.63
3/4 Acre	22	0.39	0.42	0.49	0.62
1 Acre	20	0.37	0.40	0.48	0.61
<u>Multi-Family (Soil Group C)</u>					
Multi-Unit (detached)	60	0.60	0.63	0.69	0.77
Multi-Unit (attached)	65	0.63	0.66	0.71	0.79
Apartments	75	0.68	0.72	0.77	0.83
<u>Single-Family (Soil Group B)</u>					
1/8 Acre	50	0.52	0.54	0.59	0.67
1/4 Acre	38	0.44	0.46	0.52	0.61
1/3 Acre	30	0.39	0.41	0.47	0.57
1/2 Acre	25	0.36	0.38	0.44	0.54
3/4 Acre	22	0.34	0.36	0.42	0.52
1 Acre	20	0.33	0.35	0.40	0.51
<u>Multi-Family (Soil Group B)</u>					
Multi-Unit (detached)	60	0.58	0.60	0.65	0.72
Multi-Unit (attached)	65	0.61	0.64	0.68	0.75
Apartments	75	0.67	0.70	0.74	0.80

Land Use or Surface Characteristics	Percent Impervious	Frequency			
		<u>2</u>	<u>5</u>	<u>10</u>	<u>100</u>
<u>Single Family (Soil Group A)</u>					
1/8 Acre	50	0.47	0.50	0.54	0.60
1/4 Acre	38	0.39	0.41	0.45	0.52
1/3 Acre	30	0.33	0.35	0.39	0.47
1/2 Acre	25	0.30	0.31	0.35	0.44
3/4 Acre	22	0.28	0.29	0.33	0.42
1 Acre	20	0.26	0.28	0.32	0.40
<u>Multi-Family (Soil Group A)</u>					
Multi-Unit (detached)	60	0.55	0.57	0.61	0.67
Multi-Unit (attached)	65	0.58	0.60	0.64	0.70
Apartments	75	0.65	0.68	0.72	0.77
3. Industrial:					
Light Areas	70	0.68	0.69	0.73	0.80
Heavy Areas	80	0.74	0.76	0.79	0.84
4. Playgrounds:					
	15	0.33	0.35	0.42	0.55
5. Schools:					
	40	0.49	0.51	0.56	0.66
6. Railroad Yard Areas:					
	30	0.43	0.45	0.50	0.62
7. Undeveloped Urban Areas: Offsite Flow Analysis (when land use not defined)					
	45	0.52	0.54	0.59	0.68
8. Streets:					
Paved	99	0.87	0.88	0.90	0.93
Gravel	00	0.24	0.26	0.33	0.48
9. Drive, Parking Lots and Walks:					
	96	0.87	0.87	0.88	0.89
10. Roofs:					
	90	0.80	0.85	0.90	0.93
11. Urban Lawn Areas (See Note No. 1 below):					
<u>Soil Group A</u>					
Slope less than 1%	00	0.08	0.09	0.13	0.23
Slope 1% to 4%	00	0.12	0.13	0.17	0.27
Slope more than 4%	00	0.16	0.17	0.21	0.31
<u>Soil Group B</u>					
Slope less than 1%	00	0.16	0.18	0.24	0.37
Slope 1% to 4%	00	0.20	0.22	0.28	0.41
Slope more than 4%	00	0.24	0.26	0.32	0.45
<u>Soil Group C</u>					
Slope less than 1%	00	0.24	0.27	0.35	0.51
Slope 1% to 4%	00	0.26	0.29	0.37	0.53
Slope more than 4%	00	0.28	0.31	0.39	0.55

Land Use or Surface Characteristics	Percent Impervious	Frequency			
		<u>2</u>	<u>5</u>	<u>10</u>	<u>100</u>
<u>Soil Group D</u>					
Slope less than 1%	00	0.28	0.33	0.43	0.63
Slope 1% to 4%	00	0.30	0.35	0.45	0.65
Slope more than 4%	00	0.32	0.37	0.47	0.67

Note No. 1: Coefficients shown in the above table are for pervious open space areas with thick turf which includes pervious areas in parks and cemeteries. Coefficients shown above must be increased 0.02 for use with agricultural pasture areas. Coefficients shown above must be reduced by 0.04 for use with agricultural cultivated areas. Group A soils are well-drained, coarse textured sands with high infiltration rates. Group B soils are moderately well-drained, moderately coarse textured soils with moderate infiltration rates. Group C soils are moderately poor-drained, moderately fine textured soils with slow infiltration rates. Group D soils are poor-drained, fine textured soils with very slow infiltration rates.

GENERAL NOTE: These Rational Formula Coefficients may not be valid for basins 320 acres or larger.

ATTACHMENT A  
DRAINAGE CRITERIA MANUAL

CITY OF WICHITA, KANSAS

RAINFALL INTENSITY TABLE FOR SEDGWICK COUNTY, KANSAS

The following tabulation contains rainfall intensity in inches per hour as derived from ESSA Weather Bureau Technical Paper 40 Modified to NWS Hydro-35, 1977 During First Hour


DURATION IN MINUTES	RETURN PERIODS OF						
	1-YR	2-YR	5-YR	10-YR	25-YR	50-YR	100-YR
5	4.18	5.57	6.53	7.41	8.52	9.48	10.32
6	3.99	5.32	6.25	7.09	8.16	9.09	9.89
7	3.81	5.09	5.99	6.81	7.84	8.74	9.50
8	3.66	4.89	5.75	6.55	7.55	8.42	9.15
9	3.52	4.70	5.54	6.31	7.28	8.13	8.83
10	3.39	4.52	5.34	6.09	7.04	7.86	8.54
11	3.27	4.36	5.16	5.89	6.81	7.61	8.27
12	3.18	4.21	4.99	5.71	6.60	7.38	8.02
13	3.05	4.08	4.84	5.53	6.41	7.17	7.79
14	2.96	3.95	4.69	5.37	6.23	6.97	7.57
15	2.87	3.83	4.56	5.22	6.06	6.78	7.37
16	2.78	3.72	4.43	5.08	5.90	6.60	7.18
17	2.71	3.61	4.31	4.95	5.75	6.44	7.00
18	2.63	3.51	4.20	4.83	5.61	6.29	6.84
19	2.56	3.42	4.10	4.71	5.47	6.14	6.68
20	2.50	3.33	4.00	4.60	5.35	6.00	6.53
21	2.44	3.25	3.90	4.50	5.23	5.87	6.39
22	2.38	3.17	3.81	4.40	5.12	5.75	6.26
23	2.32	3.10	3.73	4.31	5.01	5.63	6.13
24	2.27	3.03	3.65	4.22	4.91	5.52	6.01
25	2.22	2.96	3.57	4.13	4.81	5.41	5.90
26	2.20	2.90	3.50	4.05	4.72	5.31	5.79
27	2.16	2.84	3.43	3.98	4.63	5.21	5.69
28	2.14	2.78	3.37	3.90	4.55	5.12	5.59
29	2.11	2.72	3.30	3.83	4.47	5.03	5.49
30	2.08	2.67	3.24	3.76	4.39	4.94	5.40
31	2.05	2.62	3.19	3.70	4.32	4.86	5.32
32	2.02	2.57	3.10	3.63	4.25	4.79	5.22
33	1.99	2.52	3.05	3.57	4.18	4.71	5.14
34	1.96	2.48	3.01	3.51	4.11	4.63	5.07
35	1.93	2.44	2.98	3.46	4.05	4.56	5.00
36	1.91	2.39	2.93	3.41	3.99	4.50	4.93
37	1.89	2.35	2.88	3.36	3.93	4.43	4.86
38	1.87	2.32	2.84	3.31	3.87	4.37	4.79
39	1.85	2.28	2.80	3.26	3.82	4.31	4.73
40	1.83	2.24	2.76	3.22	3.76	4.25	4.66
41	1.81	2.21	2.72	3.17	3.71	4.19	4.60
42	1.79	2.18	2.68	3.13	3.66	4.13	4.54
43	1.77	2.14	2.64	3.09	3.61	4.08	4.49
44	1.75	2.11	2.61	3.05	3.57	4.03	4.43
45	1.73	2.08	2.57	3.01	3.52	3.98	4.38

ATTACHMENT A CONTINUED  
Page 2

<u>DURATION IN MINUTES</u>	<u>RETURN PERIODS OF</u>						
	<u>1-YR</u>	<u>2-YR</u>	<u>5-YR</u>	<u>10-YR</u>	<u>25-YR</u>	<u>50-YR</u>	<u>100-YR</u>
46	1.70	2.05	2.54	2.97	3.48	3.93	4.33
47	1.67	2.02	2.50	2.93	3.44	3.88	4.28
48	1.66	2.00	2.47	2.90	3.39	3.84	4.23
49	1.64	1.97	2.44	2.86	3.35	3.79	4.18
50	1.61	1.95	2.41	2.83	3.32	3.75	4.13
51	1.59	1.92	2.38	2.79	3.28	3.71	4.09
52	1.56	1.89	2.35	2.76	3.24	3.67	4.05
53	1.54	1.86	2.33	2.73	3.20	3.63	4.00
54	1.52	1.84	2.30	2.70	3.17	3.59	3.96
55	1.50	1.81	2.27	2.67	3.14	3.55	3.92
56	1.47	1.79	2.25	2.64	3.10	3.51	3.88
57	1.45	1.76	2.22	2.61	3.07	3.48	3.84
58	1.43	1.74	2.20	2.59	3.04	3.44	3.81
59	1.42	1.72	2.18	2.56	3.01	3.41	3.77
60	1.40	1.69	2.15	2.53	2.98	3.37	3.73
61	1.38	1.67	2.13	2.51	2.95	3.34	3.70
62	1.36	1.65	2.11	2.48	2.92	3.31	3.67
63	1.34	1.63	2.09	2.46	2.89	3.28	3.63
64	1.33	1.61	2.07	2.44	2.86	3.25	3.60
65	1.31	1.59	2.05	2.41	2.84	3.22	3.57
66	1.30	1.57	2.03	2.39	2.81	3.19	3.54
67	1.28	1.56	2.01	2.37	2.79	3.16	3.51
68	1.26	1.54	1.99	2.35	2.76	3.13	3.48
69	1.25	1.52	1.97	2.33	2.74	3.10	3.45
70	1.24	1.50	1.95	2.31	2.71	3.08	3.42
71	1.22	1.49	1.93	2.28	2.69	3.05	3.39
72	1.21	1.47	1.92	2.26	2.67	3.02	3.36
73	1.20	1.46	1.90	2.25	2.64	3.00	3.34
74	1.18	1.44	1.88	2.23	2.63	2.98	3.31
75	1.17	1.43	1.86	2.21	2.61	2.95	3.29
76	1.16	1.41	1.85	2.19	2.58	2.93	3.26
77	1.15	1.40	1.83	2.17	2.55	2.90	3.24
78	1.13	1.38	1.82	2.15	2.53	2.88	3.22
79	1.12	1.37	1.80	2.14	2.50	2.86	3.19
80	1.11	1.36	1.79	2.12	2.48	2.84	3.16
81	1.10	1.34	1.77	2.10	2.46	2.82	3.13
82	1.09	1.33	1.76	2.08	2.43	2.79	3.10
83	1.08	1.32	1.74	2.06	2.41	2.76	3.07
84	1.07	1.31	1.73	2.04	2.39	2.74	3.04
85	1.06	1.30	1.72	2.02	2.37	2.71	3.01
86	1.05	1.28	1.70	2.00	2.34	2.69	2.99
87	1.04	1.27	1.69	1.99	2.32	2.66	2.96
88	1.03	1.26	1.68	1.97	2.30	2.64	2.93
89	1.02	1.25	1.68	1.95	2.28	2.62	2.91
90	1.01	1.24	1.66	1.93	2.26	2.59	2.88

<u>DURATION IN MINUTES</u>	<u>RETURN PERIODS OF</u>						
	<u>1-YR</u>	<u>2-YR</u>	<u>5-YR</u>	<u>10-YR</u>	<u>25-YR</u>	<u>50-YR</u>	<u>100-YR</u>
91	1.00	1.23	1.65	1.92	2.24	2.57	2.86
92	1.00	1.22	1.63	1.90	2.22	2.55	2.83
93	0.99	1.21	1.62	1.89	2.20	2.53	2.81
94	0.98	1.20	1.61	1.87	2.19	2.51	2.79
95	0.97	1.19	1.59	1.85	2.17	2.49	2.76
96	0.96	1.18	1.58	1.84	2.15	2.46	2.74
97	0.96	1.17	1.57	1.82	2.13	2.44	2.72
98	0.95	1.16	1.56	1.81	2.12	2.42	2.70
99	0.94	1.15	1.54	1.80	2.10	2.41	2.67
100	0.93	1.14	1.53	1.78	2.08	2.39	2.65
101	0.93	1.13	1.52	1.77	2.07	2.39	2.65
102	0.92	1.13	1.51	1.75	2.05	2.35	2.61
103	0.91	1.12	1.50	1.74	2.04	2.33	2.59
104	0.90	1.11	1.49	1.73	2.02	2.31	2.57
105	0.90	1.10	1.47	1.72	2.01	2.30	2.55
106	0.89	1.09	1.46	1.70	1.99	2.28	2.54
107	0.88	1.09	1.45	1.69	1.98	2.26	2.52
108	0.88	1.08	1.44	1.68	1.96	2.25	2.50
109	0.87	1.07	1.43	1.67	1.95	2.23	2.48
110	0.87	1.06	1.42	1.65	1.93	2.21	2.46
111	0.86	1.06	1.41	1.64	1.92	2.20	2.45
112	0.85	1.05	1.40	1.63	1.91	2.18	2.43
113	0.85	1.04	1.39	1.62	1.89	2.17	2.41
114	0.84	1.03	1.38	1.61	1.88	2.15	2.40
115	0.84	1.03	1.37	1.60	1.87	2.14	2.38
116	0.83	1.02	1.36	1.59	1.86	2.12	2.36
117	0.82	1.01	1.36	1.58	1.84	2.11	2.35
118	0.82	1.01	1.35	1.57	1.83	2.09	2.33
119	0.81	1.00	1.34	1.56	1.82	2.08	2.32
120	0.81	0.99	1.33	1.55	1.81	2.07	2.30

<u>DURATION IN HOURS</u>	<u>RETURN PERIODS OF</u>						
	<u>1-YR</u>	<u>2-YR</u>	<u>5-YR</u>	<u>10-YR</u>	<u>25-YR</u>	<u>50-YR</u>	<u>100-YR</u>
2	0.81	0.99	1.33	1.55	1.81	2.07	2.30
3	0.59	0.72	0.97	1.13	1.32	1.51	1.68
4	0.47	0.58	0.78	0.91	1.06	1.21	1.35
5	0.40	0.49	0.66	0.77	0.89	1.02	1.14
6	0.35	0.42	0.57	0.67	0.78	0.89	0.99
8	0.28	0.34	0.46	0.53	0.62	0.71	0.79
10	0.23	0.29	0.39	0.45	0.52	0.60	0.67
12	0.20	0.25	0.33	0.39	0.45	0.52	0.58
18	0.15	0.18	0.24	0.28	0.33	0.38	0.42
24	0.12	0.15	0.20	0.23	0.27	0.31	0.34



DEF. SKETCH, C.O.W. TYPE 1A INLET




CHART 12. Depressed curb-opening inlet capacity in sump locations.

FROM: HEC-12, DRAINAGE OF HIGHWAY PAVEMENTS, F.H.W.A., MAR, 1974





CHART 12. Depressed curb-opening inlet capacity in sump locations.

FROM: HEC-12, DRAINAGE OF HIGHWAY PAVEMENTS, FHWA, MAR, 1974


$x\text{-slope} = 3/8 \text{ "/ft} = 0.03125$

$Z = 1/x\text{-slope} = 1/0.03125 = 32$

$n = 0.016$

$Z/n = 32/0.016 = 2000$

Chart 1




EQUATION:  $Q = 0.56 \left(\frac{Z}{n}\right)^{3/2} d^{5/2}$   
 $n$  IS ROUGHNESS COEFFICIENT IN MANNING  
 FORMULA APPROPRIATE TO MATERIAL IN  
 BOTTOM OF CHANNEL  
 $Z$  IS RECIPROCAL OF GROSS SLOPE  
 REFERENCE: H. R. B. PROCEEDINGS 1948,  
 PAGE 150, EQUATION (14)




EXAMPLE (SEE INSTRUCTION 1)

GIVEN:  $B = 0.03$   
 $Z = 32$   
 $n = .02$   $Z/n = 1200$   
 $Q = 20 \text{ CFS}$

FIND:  $d = 0.22$  BY FOLLOWING  
 DASHED LINES




TURNING LINE



INSTRUCTIONS

1. CONNECT  $Z/n$  RATIO WITH SLOPE (S) AND CONNECT DISCHARGE (Q) WITH POINT WHERE LINE CROSSES TURNING LINE READ DEPTH AT CURB (d) Q CAN BE FOUND FROM d BY CONNECTING d WITH CROSSING OF TURNING LINE.

2. FOR SHALLOW V-SHAPED CHANNEL AS SHOWN USE NOMOGRAPH AS EXPLAINED IN INSTRUCTION 1 BUT WITH  $Z = \frac{T}{d}$ .



3. TO DETERMINE DISCHARGE  $Q_2$  IN PORTION OF CHANNEL HAVING WIDTH  $x$ : DETERMINE DEPTH  $d$  FOR TOTAL DISCHARGE IN ENTIRE SECTION AS EXPLAINED IN 1. THEN USE NOMOGRAPH TO DETERMINE  $Q_0$  IN SECTION OF WIDTH  $d$  FOR DEPTH  $d' = d \left(\frac{x}{d}\right)$  THEN  $Q_2 = Q_0 \cdot Q_0$ .



4. TO DETERMINE DISCHARGE ( $Q_1$ ) IN COMPOSITE SECTION: FOLLOW INSTRUCTION 3. TO OBTAIN DISCHARGE ( $Q_0$ ) IN SECTION  $a$  AT ASSUMED DEPTH  $d$  BASED ON AN EXTENSION OF SLOPE RATIO  $Z_0$  TO INTERSECT WATER SURFACE; OBTAIN  $Q_0$  FOR SLOPE RATIO  $Z_1$  AND DEPTH  $d'$ ;  $d' = d \cdot \frac{Z_0}{Z_1}$  THEN  $Q_1 = Q_0 + Q_0$ .

