


AUSTIN MILLER P.A.
ENGINEERING SERVICES



**Hoskinson 2nd Addition
Drainage Report
Wichita, Sedgwick County, Kansas
December, 1999**



Hoskinson 2nd Addition Drainage Report

The Hoskinson 2nd Addition is a commercial development covering 17.22 Acres in northwest Wichita. The land is pasture surrounding a large lake that was at one time used as a sandpit. The Big Slough runs through this lake. This property is located in the lower 1/3 of the Big Slough drainage basin. The depth of the lake is controlled by a small weir at the south end of the subject property. Typically, the water level in the lake is at or near the top of the weir. Including the flow of the Big Slough, the weir will provide no detention capabilities for increased runoff during a 100-year storm event.

This report will show that detention for the increased runoff due to development should not be required for this site, and would actually make conditions worse during the 100-year storm event.

The existing land is relatively flat, with runoff either ponding in the pasture areas or draining to the lake. (Under existing conditions, the runoff from the property is 57.1 cfs for a 100-year storm. Under the proposed developed conditions, the runoff will be approx. 108.1 cfs according to the rational method.) The attached drainage plan for this site shows the lots draining into the existing lake.

A hydrograph for the Big Slough was created based on the SCS method for a 100-year storm with a 24-hour duration. The peak outflow for these conditions at the site is 2403 cfs. The peak flow used by Sedgwick County for the Flood Insurance Study was 2375 cfs. The time to reach this peak for the Big Slough drainage basin is 26.60 hours (1596 min.).

Several hydrographs for Hoskinson 2nd Addition were created for undeveloped and developed conditions. Hydrographs for the on-site drainage were created using the rational method with a 100-year storm for both undeveloped and developed conditions. Hydrographs were also created using the SCS method with a 24-hour, 100-year storm for both undeveloped and developed conditions. The SCS method shows slightly higher runoff values than that of the rational method. Both results will be considered in this report. The hydrographs were then combined to determine the effect of the 17.22 Ac. development on the Big Slough basin.

The hydrograph calculations are included as part of this report. The hydrographs show that runoff from the proposed development peaks at 12.00 hours, well before the Big Slough peaks at 26.60 hours. Not only does the runoff from the development peak well before the Big Slough, but all the runoff is already downstream, and no runoff is added to the Big Slough peak. (See Graphs 1&2)

If detention is required with the development of Hoskinson 2nd, the peak runoff from the site will be later than the 12.00 hours calculated. This means that some flow will be added





AUSTIN MILLER, P.A.


to the Big Slough peak flow at 26.60 hours, and the water surface elevation may increase. However, by not detaining runoff from the site, the development of this property actually decreases the time to peak (12.40 hours to 12.00 hours). This will allow more of the site runoff to be downstream well before the Big Slough peaks as it passes through this site, reducing the effect of the increased runoff from the site on the overall drainage basin.

In summary, detention should not be required on this site because it is in the lower 1/3 of the drainage basin, and without detention, the peak runoff is downstream well before the Big Slough reaches peak flow at this location. Detaining runoff from the development could have a negative effect on the overall drainage basin and the subject property by adding to the Big Slough peak flow as it passes through the site.

HOSKINSON 2ND ADDITION DRAINAGE PLAN




Lot #	Area	Undeveloped				Developed	
		5	100	Q _s	Q ₁₀₀	Q _s	Q ₁₀₀
1	3.14	4.56	7.37	6.4	10.4	12.2	19.7
2	0.92	4.56	7.37	1.9	3.1	3.6	5.8
3	0.92	4.56	7.37	1.9	3.1	3.6	5.8
4	0.92	4.56	7.37	1.9	3.1	3.6	5.8
5	5.31	4.56	7.37	10.9	17.6	20.6	33.3
6	1.07	4.56	7.37	2.2	3.5	4.1	6.7
7	0.52	4.56	7.37	1.1	1.7	2.0	3.3
8	1.16	4.56	7.37	2.4	3.8	4.5	7.3
9	3.26	4.56	7.37	6.7	10.8	12.6	20.4
Total	17.22	4.56	7.37	35.4	57.1	66.8	108.1




ALSTIN ENGINEERING SERVICES, INC.
ENGINEERING SERVICES
2515/2517-12011 Tel. 317/251-1201

30172 DRAWING


Graph 1: Undeveloped Conditions




Graph 2: Developed Conditions



Graph 3: Detention Provided



Graph 4: Runoff vs. Time





AUSTIN MILLER, P.A.

Appendix 1:

SCS Hydrograph Calculations

Big Slough

Hydrograph Report

Page 1

Hyd. No. 1

SCS - 1 - BIG SLOUGH

Hydrograph type = SCS Runoff
Storm frequency = 100 yrs
Drainage area = 12000 ac
Basin Slope = .5 %
Tc method = LAG
Total precip. = 8.16 in
Storm duration = 24 hrs

Peak discharge = 2403.13 cfs
Time interval = 6 min
Curve number = 67
Hydraulic length = 46800 ft
Time of conc. (Tc) = 1411.6 min
Distribution = Type II
Shape factor = 484

Total Volume = 185,488,400 cuft, 4258.227 acft

Hydrograph Discharge Table

Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)
8.90 0.11	12.20 57.33	15.50 520.69	18.80 1080.94
9.00 0.15	12.30 68.57	15.60 536.60	18.90 1098.90
9.10 0.20	12.40 80.16	15.70 552.59	19.00 1116.91
9.20 0.26	12.50 92.04	15.80 568.66	19.10 1134.97
9.30 0.34	12.60 104.16	15.90 584.80	19.20 1153.07
9.40 0.43	12.70 116.51	16.00 601.01	19.30 1171.22
9.50 0.54	12.80 129.08	16.10 617.30	19.40 1189.42
9.60 0.66	12.90 141.84	16.20 633.65	19.50 1207.67
9.70 0.80	13.00 154.80	16.30 650.07	19.60 1225.95
9.80 0.96	13.10 167.93	16.40 666.56	19.70 1244.28
9.90 1.15	13.20 181.23	16.50 683.12	19.80 1262.66
10.00 1.36	13.30 194.69	16.60 699.75	19.90 1281.08
10.10 1.60	13.40 208.30	16.70 716.44	20.00 1299.53
10.20 1.87	13.50 222.05	16.80 733.19	20.10 1318.03
10.30 2.17	13.60 235.95	16.90 750.02	20.20 1336.57
10.40 2.51	13.70 249.97	17.00 766.90	20.30 1355.15
10.50 2.90	13.80 264.12	17.10 783.85	20.40 1373.78
10.60 3.34	13.90 278.39	17.20 800.86	20.50 1392.44
10.70 3.83	14.00 292.78	17.30 817.93	20.60 1411.14
10.80 4.38	14.10 307.27	17.40 835.07	20.70 1429.88
10.90 5.00	14.20 321.88	17.50 852.26	20.80 1448.66
11.00 5.70	14.30 336.59	17.60 869.52	20.90 1467.48
11.10 6.47	14.40 351.40	17.70 886.83	21.00 1486.34
11.20 7.35	14.50 366.32	17.80 904.20	21.10 1505.24
11.30 8.35	14.60 381.34	17.90 921.63	21.20 1524.18
11.40 9.49	14.70 396.45	18.00 939.11	21.30 1543.16
11.50 10.79	14.80 411.67	18.10 956.65	21.40 1562.18
11.60 12.47	14.90 426.97	18.20 974.25	21.50 1581.24
11.70 14.97	15.00 442.37	18.30 991.90	21.60 1600.33
11.80 19.00	15.10 457.86	18.40 1009.60	21.70 1619.47
11.90 26.29	15.20 473.44	18.50 1027.36	21.80 1638.64
12.00 36.13	15.30 489.11	18.60 1045.17	21.90 1657.85
12.10 46.50	15.40 504.86	18.70 1063.03	22.00 1677.10

Continues on next page...

Hydrograph Discharge Table

Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)
22.10 1696.39	27.10 2399.55	32.10 2130.53	37.10 1631.64
22.20 1715.71	27.20 2398.01	32.20 2122.29	37.20 1620.07
22.30 1735.07	27.30 2396.22	32.30 2113.96	37.30 1608.44
22.40 1754.45	27.40 2394.21	32.40 2105.55	37.40 1596.75
22.50 1773.87	27.50 2391.97	32.50 2097.06	37.50 1585.00
22.60 1793.32	27.60 2389.53	32.60 2088.48	37.60 1573.20
22.70 1812.79	27.70 2386.88	32.70 2079.82	37.70 1561.34
22.80 1832.29	27.80 2384.05	32.80 2071.08	37.80 1549.43
22.90 1851.81	27.90 2381.02	32.90 2062.26	37.90 1537.45
23.00 1871.35	28.00 2377.83	33.00 2053.37	38.00 1525.48
23.10 1890.91	28.10 2374.46	33.10 2044.40	38.10 1513.51
23.20 1910.48	28.20 2370.92	33.20 2035.35	38.20 1501.54
23.30 1930.07	28.30 2367.21	33.30 2026.24	38.30 1489.56
23.40 1949.67	28.40 2363.34	33.40 2017.05	38.40 1477.59
23.50 1969.27	28.50 2359.30	33.50 2007.78	38.50 1465.62
23.60 1988.89	28.60 2355.11	33.60 1998.45	38.60 1453.65
23.70 2008.51	28.70 2350.77	33.70 1989.05	38.70 1441.67
23.80 2028.12	28.80 2346.27	33.80 1979.58	38.80 1429.70
23.90 2047.74	28.90 2341.63	33.90 1970.05	38.90 1417.73
24.00 2067.34	29.00 2336.84	34.00 1960.45	39.00 1405.76
24.10 2086.89	29.10 2331.91	34.10 1950.78	39.10 1393.78
24.20 2106.39	29.20 2326.84	34.20 1941.05	39.20 1381.81
24.30 2125.82	29.30 2321.64	34.30 1931.26	39.30 1369.84
24.40 2145.18	29.40 2316.30	34.40 1921.40	39.40 1357.87
24.50 2164.47	29.50 2310.84	34.50 1911.48	39.50 1345.90
24.60 2183.67	29.60 2305.25	34.60 1901.49	39.60 1333.92
24.70 2202.77	29.70 2299.54	34.70 1891.44	39.70 1321.95
24.80 2221.76	29.80 2293.71	34.80 1881.32	39.80 1309.98
24.90 2240.63	29.90 2287.77	34.90 1871.14	39.90 1298.01
25.00 2259.37	30.00 2281.71	35.00 1860.90	40.00 1286.03
25.10 2277.95	30.10 2275.54	35.10 1850.60	40.10 1274.06
25.20 2296.33	30.20 2269.26	35.20 1840.23	40.20 1262.09
25.30 2314.49	30.30 2262.88	35.30 1829.80	40.30 1250.12
25.40 2332.39	30.40 2256.38	35.40 1819.31	40.40 1238.14
25.50 2349.69	30.50 2249.78	35.50 1808.75	40.50 1226.17
25.60 2365.67	30.60 2243.07	35.60 1798.14	40.60 1214.20
25.70 2379.21	30.70 2236.25	35.70 1787.46	40.70 1202.23
25.80 2387.53	30.80 2229.34	35.80 1776.72	40.80 1190.25
25.90 2391.79	30.90 2222.32	35.90 1765.92	40.90 1178.28
26.00 2395.20	31.00 2215.20	36.00 1755.06	41.00 1166.31
26.10 2397.85	31.10 2207.98	36.10 1744.14	41.10 1154.34
26.20 2399.85	31.20 2200.66	36.20 1733.16	41.20 1142.36
26.30 2401.30	31.30 2193.24	36.30 1722.11	41.30 1130.39
26.40 2402.29	31.40 2185.73	36.40 1711.01	41.40 1118.42
26.50 2402.89	31.50 2178.12	36.50 1699.85	41.50 1106.45
26.60 2403.13 <<	31.60 2170.42	36.60 1688.63	41.60 1094.47
26.70 2403.02	31.70 2162.62	36.70 1677.35	41.70 1082.50
26.80 2402.58	31.80 2154.74	36.80 1666.01	41.80 1070.53
26.90 2401.85	31.90 2146.76	36.90 1654.61	41.90 1058.56
27.00 2400.83	32.00 2138.69	37.00 1643.16	42.00 1046.58

Continues on next page...

Hydrograph Discharge Table

Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)
42.10 1034.61	47.10 436.80	52.10 102.41	57.10 17.35
42.20 1022.64	47.20 424.97	52.20 99.72	57.20 16.46
42.30 1010.67	47.30 413.16	52.30 97.08	57.30 15.59
42.40 998.69	47.40 401.37	52.40 94.50	57.40 14.75
42.50 986.72	47.50 389.61	52.50 91.96	57.50 13.94
42.60 974.75	47.60 377.87	52.60 89.47	57.60 13.15
42.70 962.78	47.70 366.15	52.70 87.03	57.70 12.38
42.80 950.80	47.80 354.48	52.80 84.64	57.80 11.63
42.90 938.83	47.90 342.83	52.90 82.30	57.90 10.92
43.00 926.86	48.00 331.23	53.00 79.99	58.00 10.22
43.10 914.89	48.10 319.68	53.10 77.74	58.10 9.55
43.20 902.91	48.20 308.17	53.20 75.52	58.20 8.90
43.30 890.94	48.30 296.72	53.30 73.34	58.30 8.27
43.40 878.97	48.40 285.35	53.40 71.21	58.40 7.67
43.50 867.00	48.50 274.06	53.50 69.12	58.50 7.09
43.60 855.03	48.60 262.87	53.60 67.07	58.60 6.54
43.70 843.05	48.70 251.90	53.70 65.05	58.70 6.01
43.80 831.08	48.80 241.43	53.80 63.08	58.80 5.50
43.90 819.11	48.90 231.87	53.90 61.15	58.90 5.02
44.00 807.14	49.00 224.27	54.00 59.26	59.00 4.55
44.10 795.16	49.10 218.19	54.10 57.40	59.10 4.11
44.20 783.19	49.20 212.43	54.20 55.58	59.20 3.70
44.30 771.22	49.30 206.95	54.30 53.80	59.30 3.30
44.40 759.25	49.40 201.71	54.40 52.06	59.40 2.93
44.50 747.27	49.50 196.68	54.50 50.35	59.50 2.58
44.60 735.30	49.60 191.82	54.60 48.68	59.60 2.26
44.70 723.33	49.70 187.11	54.70 47.05	59.70 1.95
44.80 711.36	49.80 182.54	54.80 45.45	59.80 1.67
44.90 699.38	49.90 178.10	54.90 43.88	59.90 1.41
45.00 687.41	50.00 173.77	55.00 42.35	60.00 1.18
45.10 675.44	50.10 169.56	55.10 40.85	60.10 0.96
45.20 663.47	50.20 165.46	55.20 39.39	60.20 0.77
45.30 651.49	50.30 161.45	55.30 37.96	60.30 0.60
45.40 639.52	50.40 157.54	55.40 36.56	60.40 0.45
45.50 627.55	50.50 153.73	55.50 35.20	60.50 0.32
45.60 615.59	50.60 150.00	55.60 33.86	60.60 0.21
45.70 603.62	50.70 146.35	55.70 32.56	60.70 0.13
45.80 591.66	50.80 142.78	55.80 31.29	
45.90 579.70	50.90 139.28	55.90 30.05	
46.00 567.75	51.00 135.86	56.00 28.84	...End
46.10 555.80	51.10 132.51	56.10 27.65	
46.20 543.86	51.20 129.22	56.20 26.50	
46.30 531.93	51.30 126.00	56.30 25.38	
46.40 520.00	51.40 122.84	56.40 24.28	
46.50 508.08	51.50 119.74	56.50 23.21	
46.60 496.17	51.60 116.71	56.60 22.17	
46.70 484.28	51.70 113.73	56.70 21.15	
46.80 472.39	51.80 110.82	56.80 20.16	
46.90 460.51	51.90 107.96	56.90 19.20	
47.00 448.65	52.00 105.16	57.00 18.26	



AUSTIN MILLER, P.A.

Appendix 2:

SCS Hydrograph Calculations

Hoskinson 2nd Addition – Existing Conditions

Hydrograph Report

Page 1

Hyd. No. 4

EXIST. CONDITIONS

Hydrograph type = SCS Runoff
Storm frequency = 100 yrs
Drainage area = 17.22 ac
Basin Slope = .5 %
Tc method = LAG
Total precip. = 8.16 in
Storm duration = 24 hrs

Peak discharge = 65.09 cfs
Time interval = 6 min
Curve number = 74
Hydraulic length = 500 ft
Time of conc. (Tc) = 30.9 min
Distribution = Type II
Shape factor = 484

Total Volume = 326,759 cuft, 7.501 acft

Hydrograph Discharge Table

Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)
7.20 0.10	10.50 2.06	13.80 6.45	17.10 2.75
7.30 0.13	10.60 2.23	13.90 6.13	17.20 2.71
7.40 0.16	10.70 2.43	14.00 5.84	17.30 2.68
7.50 0.18	10.80 2.65	14.10 5.57	17.40 2.65
7.60 0.21	10.90 2.90	14.20 5.32	17.50 2.62
7.70 0.24	11.00 3.18	14.30 5.09	17.60 2.59
7.80 0.26	11.10 3.46	14.40 4.90	17.70 2.56
7.90 0.29	11.20 3.80	14.50 4.74	17.80 2.53
8.00 0.32	11.30 4.21	14.60 4.60	17.90 2.50
8.10 0.35	11.40 4.71	14.70 4.49	18.00 2.47
8.20 0.38	11.50 5.36	14.80 4.38	18.10 2.44
8.30 0.41	11.60 6.55	14.90 4.29	18.20 2.40
8.40 0.45	11.70 9.22	15.00 4.20	18.30 2.37
8.50 0.49	11.80 14.75	15.10 4.12	18.40 2.34
8.60 0.54	11.90 26.48	15.20 4.03	18.50 2.31
8.70 0.59	12.00 41.95	15.30 3.95	18.60 2.28
8.80 0.64	12.10 55.62	15.40 3.86	18.70 2.25
8.90 0.70	12.20 65.09 <<	15.50 3.77	18.80 2.22
9.00 0.77	12.30 64.95	15.60 3.69	18.90 2.18
9.10 0.83	12.40 57.73	15.70 3.60	19.00 2.15
9.20 0.90	12.50 49.63	15.80 3.51	19.10 2.12
9.30 0.97	12.60 40.80	15.90 3.43	19.20 2.09
9.40 1.03	12.70 31.67	16.00 3.34	19.30 2.06
9.50 1.09	12.80 22.97	16.10 3.25	19.40 2.03
9.60 1.14	12.90 15.70	16.20 3.17	19.50 1.99
9.70 1.20	13.00 11.89	16.30 3.09	19.60 1.96
9.80 1.26	13.10 10.60	16.40 3.03	19.70 1.93
9.90 1.34	13.20 9.56	16.50 2.97	19.80 1.90
10.00 1.42	13.30 8.75	16.60 2.92	19.90 1.87
10.10 1.52	13.40 8.12	16.70 2.88	20.00 1.83
10.20 1.63	13.50 7.63	16.80 2.84	20.10 1.80
10.30 1.75	13.60 7.20	16.90 2.81	20.20 1.77
10.40 1.90	13.70 6.81	17.00 2.78	20.30 1.75

Continues on next page...

Hydrograph Discharge Table**Time -- Outflow
(hrs cfs)**

20.40	1.72
20.50	1.71
20.60	1.69
20.70	1.68
20.80	1.67
20.90	1.66
21.00	1.66
21.10	1.65
21.20	1.64
21.30	1.64
21.40	1.63
21.50	1.63
21.60	1.62
21.70	1.61
21.80	1.61
21.90	1.60
22.00	1.60
22.10	1.59
22.20	1.58
22.30	1.58
22.40	1.57
22.50	1.56
22.60	1.56
22.70	1.55
22.80	1.55
22.90	1.54
23.00	1.53
23.10	1.53
23.20	1.52
23.30	1.51
23.40	1.51
23.50	1.50
23.60	1.50
23.70	1.49
23.80	1.48
23.90	1.48
24.00	1.47
24.10	1.40
24.20	1.26
24.30	1.06
24.40	0.79
24.50	0.57
24.60	0.38
24.70	0.23
24.80	0.11

...End



AUSTIN MILLER, P.A.

Appendix 3:

SCS Hydrograph Calculations

Hoskinson 2nd Addition – Developed Conditions

Hydrograph Report

Page 1

Hyd. No. 2

SCS-HOSK2

Hydrograph type = SCS Runoff
Storm frequency = 100 yrs
Drainage area = 17.22 ac
Basin Slope = 1 %
Tc method = LAG
Total precip. = 8.16 in
Storm duration = 24 hrs

Peak discharge = 131.52 cfs
Time interval = 6 min
Curve number = 95
Hydraulic length = 500 ft
Time of conc. (Tc) = 10.2 min
Distribution = Type II
Shape factor = 484

Total Volume = 443,071 cuft, 10.172 acft

Hydrograph Discharge Table

Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)
1.60 0.10	4.90 1.35	8.20 2.56	11.50 13.03
1.70 0.15	5.00 1.38	8.30 2.66	11.60 17.46
1.80 0.20	5.10 1.42	8.40 2.78	11.70 30.72
1.90 0.24	5.20 1.46	8.50 2.91	11.80 54.84
2.00 0.29	5.30 1.50	8.60 3.04	11.90 96.22
2.10 0.33	5.40 1.53	8.70 3.17	12.00 131.52 <<
2.20 0.38	5.50 1.57	8.80 3.30	12.10 116.22
2.30 0.42	5.60 1.61	8.90 3.43	12.20 71.74
2.40 0.46	5.70 1.64	9.00 3.56	12.30 35.96
2.50 0.50	5.80 1.68	9.10 3.68	12.40 19.99
2.60 0.54	5.90 1.71	9.20 3.76	12.50 16.99
2.70 0.58	6.00 1.75	9.30 3.81	12.60 14.21
2.80 0.62	6.10 1.79	9.40 3.83	12.70 12.14
2.90 0.66	6.20 1.82	9.50 3.84	12.80 10.83
3.00 0.69	6.30 1.86	9.60 3.88	12.90 9.99
3.10 0.73	6.40 1.89	9.70 3.97	13.00 9.31
3.20 0.76	6.50 1.93	9.80 4.12	13.10 8.66
3.30 0.80	6.60 1.97	9.90 4.31	13.20 8.10
3.40 0.83	6.70 2.00	10.00 4.52	13.30 7.64
3.50 0.87	6.80 2.04	10.10 4.74	13.40 7.25
3.60 0.90	6.90 2.07	10.20 4.99	13.50 6.88
3.70 0.93	7.00 2.11	10.30 5.27	13.60 6.53
3.80 0.96	7.10 2.14	10.40 5.58	13.70 6.20
3.90 0.99	7.20 2.18	10.50 5.89	13.80 5.91
4.00 1.02	7.30 2.21	10.60 6.22	13.90 5.64
4.10 1.06	7.40 2.24	10.70 6.62	14.00 5.37
4.20 1.09	7.50 2.28	10.80 7.09	14.10 5.12
4.30 1.12	7.60 2.31	10.90 7.59	14.20 4.93
4.40 1.16	7.70 2.35	11.00 8.12	14.30 4.79
4.50 1.20	7.80 2.38	11.10 8.46	14.40 4.69
4.60 1.24	7.90 2.41	11.20 9.02	14.50 4.60
4.70 1.27	8.00 2.45	11.30 10.24	14.60 4.50
4.80 1.31	8.10 2.49	11.40 11.61	14.70 4.41

Continues on next page...

Hydrograph Discharge Table

Time -- (hrs	Outflow cfs)	Time -- (hrs	Outflow cfs)
14.80	4.32	19.80	1.85
14.90	4.23	19.90	1.81
15.00	4.13	20.00	1.78
15.10	4.04	20.10	1.75
15.20	3.95	20.20	1.73
15.30	3.86	20.30	1.71
15.40	3.76	20.40	1.71
15.50	3.67	20.50	1.70
15.60	3.58	20.60	1.69
15.70	3.49	20.70	1.69
15.80	3.39	20.80	1.68
15.90	3.30	20.90	1.67
16.00	3.21	21.00	1.67
16.10	3.12	21.10	1.66
16.20	3.05	21.20	1.65
16.30	3.01	21.30	1.65
16.40	2.97	21.40	1.64
16.50	2.94	21.50	1.63
16.60	2.90	21.60	1.63
16.70	2.87	21.70	1.62
16.80	2.84	21.80	1.61
16.90	2.80	21.90	1.61
17.00	2.77	22.00	1.60
17.10	2.74	22.10	1.59
17.20	2.71	22.20	1.59
17.30	2.67	22.30	1.58
17.40	2.64	22.40	1.57
17.50	2.61	22.50	1.57
17.60	2.57	22.60	1.56
17.70	2.54	22.70	1.55
17.80	2.51	22.80	1.55
17.90	2.47	22.90	1.54
18.00	2.44	23.00	1.53
18.10	2.41	23.10	1.53
18.20	2.37	23.20	1.52
18.30	2.34	23.30	1.51
18.40	2.31	23.40	1.51
18.50	2.28	23.50	1.50
18.60	2.24	23.60	1.49
18.70	2.21	23.70	1.49
18.80	2.18	23.80	1.48
18.90	2.14	23.90	1.47
19.00	2.11	24.00	1.47
19.10	2.08	24.10	1.17
19.20	2.04	24.20	0.58
19.30	2.01	24.30	0.19
19.40	1.98		
19.50	1.95		
19.60	1.91	...End	
19.70	1.88		



AUSTIN MILLER, P.A.

Appendix 4:

Combined SCS Hydrograph Calculations

Big Slough &

Hoskinson 2nd Addition – Existing Conditions

Hydrograph Report

Page 1

Hyd. No. 3

COMBINED - Exist. Conditions

Hydrograph type = Combine
Storm frequency = 100 yrs
1st inflow hyd. No. = 1

Peak discharge = 2403.13 cfs
Time interval = 6 min
2nd inflow hyd. No. = 2

Total Volume = 185,815,100 cuft, 4265.728 acft

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
7.20	0.00		0.10		0.10
7.30	0.00		0.13		0.13
7.40	0.00		0.16		0.16
7.50	0.00		0.18		0.18
7.60	0.00		0.21		0.21
7.70	0.00		0.24		0.24
7.80	0.00		0.26		0.26
7.90	0.00		0.29		0.29
8.00	0.00		0.32		0.32
8.10	0.00		0.35		0.35
8.20	0.00		0.38		0.38
8.30	0.00		0.41		0.42
8.40	0.01		0.45		0.46
8.50	0.02		0.49		0.51
8.60	0.03		0.54		0.57
8.70	0.05		0.59		0.64
8.80	0.07		0.64		0.72
8.90	0.11		0.70		0.81
9.00	0.15		0.77		0.91
9.10	0.20		0.83		1.03
9.20	0.26		0.90		1.16
9.30	0.34		0.97		1.31
9.40	0.43		1.03		1.46
9.50	0.54		1.09		1.63
9.60	0.66		1.14		1.80
9.70	0.80		1.20		2.00
9.80	0.96		1.26		2.23
9.90	1.15		1.34		2.48
10.00	1.36		1.42		2.78
10.10	1.60		1.52		3.11
10.20	1.87		1.63		3.49
10.30	2.17		1.75		3.92
10.40	2.51		1.90		4.41
10.50	2.90		2.06		4.96
10.60	3.34		2.23		5.57
10.70	3.83		2.43		6.26
10.80	4.38		2.65		7.03

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
10.90	5.00		2.90		7.90
11.00	5.70		3.18		8.87
11.10	6.47		3.46		9.93
11.20	7.35		3.80		11.15
11.30	8.35		4.21		12.56
11.40	9.49		4.71		14.20
11.50	10.79		5.36		16.15
11.60	12.47		6.55		19.03
11.70	14.97		9.22		24.19
11.80	19.00		14.75		33.76
11.90	26.29		26.48		52.77
12.00	36.13		41.95		78.08
12.10	46.50		55.62		102.12
12.20	57.33		65.09 <<		122.42
12.30	68.57		64.95		133.53
12.40	80.16		57.73		137.90
12.50	92.04		49.63		141.67
12.60	104.16		40.80		144.96
12.70	116.51		31.67		148.18
12.80	129.08		22.97		152.04
12.90	141.84		15.70		157.54
13.00	154.80		11.89		166.68
13.10	167.93		10.60		178.53
13.20	181.23		9.56		190.79
13.30	194.69		8.75		203.44
13.40	208.30		8.12		216.42
13.50	222.05		7.63		229.68
13.60	235.95		7.20		243.14
13.70	249.97		6.81		256.78
13.80	264.12		6.45		270.58
13.90	278.39		6.13		284.53
14.00	292.78		5.84		298.62
14.10	307.27		5.57		312.84
14.20	321.88		5.32		327.19
14.30	336.59		5.09		341.68
14.40	351.40		4.90		356.30
14.50	366.32		4.74		371.06
14.60	381.34		4.60		385.94
14.70	396.45		4.49		400.94
14.80	411.67		4.38		416.05
14.90	426.97		4.29		431.26
15.00	442.37		4.20		446.58
15.10	457.86		4.12		461.98
15.20	473.44		4.03		477.48
15.30	489.11		3.95		493.06
15.40	504.86		3.86		508.72
15.50	520.69		3.77		524.47
15.60	536.60		3.69		540.29
15.70	552.59		3.60		556.20
15.80	568.66		3.51		572.18

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
15.90	584.80		3.43		588.23
16.00	601.02		3.34		604.35
16.10	617.30		3.25		620.55
16.20	633.65		3.17		636.82
16.30	650.07		3.09		653.17
16.40	666.56		3.03		669.59
16.50	683.12		2.97		686.09
16.60	699.75		2.92		702.67
16.70	716.44		2.88		719.32
16.80	733.19		2.84		736.04
16.90	750.02		2.81		752.82
17.00	766.90		2.78		769.68
17.10	783.85		2.75		786.59
17.20	800.86		2.71		803.58
17.30	817.93		2.68		820.62
17.40	835.07		2.65		837.72
17.50	852.26		2.62		854.88
17.60	869.52		2.59		872.11
17.70	886.83		2.56		889.39
17.80	904.20		2.53		906.73
17.90	921.63		2.50		924.12
18.00	939.11		2.47		941.58
18.10	956.65		2.44		959.09
18.20	974.25		2.40		976.65
18.30	991.90		2.37		994.27
18.40	1009.60		2.34		1011.94
18.50	1027.36		2.31		1029.67
18.60	1045.17		2.28		1047.45
18.70	1063.03		2.25		1065.27
18.80	1080.94		2.22		1083.15
18.90	1098.90		2.18		1101.08
19.00	1116.91		2.15		1119.06
19.10	1134.97		2.12		1137.09
19.20	1153.07		2.09		1155.16
19.30	1171.22		2.06		1173.28
19.40	1189.42		2.03		1191.45
19.50	1207.67		1.99		1209.66
19.60	1225.95		1.96		1227.92
19.70	1244.29		1.93		1246.21
19.80	1262.66		1.90		1264.56
19.90	1281.07		1.87		1282.94
20.00	1299.53		1.83		1301.37
20.10	1318.03		1.80		1319.84
20.20	1336.57		1.77		1338.35
20.30	1355.15		1.75		1356.90
20.40	1373.78		1.72		1375.50
20.50	1392.44		1.71		1394.14
20.60	1411.14		1.69		1412.83
20.70	1429.88		1.68		1431.56
20.80	1448.66		1.67		1450.33

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
20.90	1467.48		1.66		1469.14
21.00	1486.34		1.66		1488.00
21.10	1505.24		1.65		1506.89
21.20	1524.18		1.64		1525.83
21.30	1543.16		1.64		1544.80
21.40	1562.18		1.63		1563.81
21.50	1581.24		1.63		1582.86
21.60	1600.33		1.62		1601.95
21.70	1619.47		1.61		1621.08
21.80	1638.64		1.61		1640.25
21.90	1657.85		1.60		1659.45
22.00	1677.10		1.60		1678.70
22.10	1696.39		1.59		1697.98
22.20	1715.71		1.58		1717.29
22.30	1735.07		1.58		1736.64
22.40	1754.45		1.57		1756.02
22.50	1773.87		1.56		1775.44
22.60	1793.32		1.56		1794.88
22.70	1812.79		1.55		1814.34
22.80	1832.29		1.55		1833.83
22.90	1851.81		1.54		1853.35
23.00	1871.35		1.53		1872.88
23.10	1890.91		1.53		1892.43
23.20	1910.48		1.52		1912.00
23.30	1930.07		1.51		1931.58
23.40	1949.67		1.51		1951.17
23.50	1969.27		1.50		1970.78
23.60	1988.89		1.50		1990.38
23.70	2008.51		1.49		2010.00
23.80	2028.13		1.48		2029.61
23.90	2047.74		1.48		2049.21
24.00	2067.34		1.47		2068.81
24.10	2086.89		1.40		2088.29
24.20	2106.39		1.26		2107.65
24.30	2125.82		1.06		2126.88
24.40	2145.18		0.79		2145.98
24.50	2164.47		0.57		2165.04
24.60	2183.67		0.38		2184.05
24.70	2202.77		0.23		2203.00
24.80	2221.76		0.11		2221.87
24.90	2240.63		0.04		2240.67
25.00	2259.37		0.00		2259.37
25.10	2277.95		0.00		2277.95
25.20	2296.33		0.00		2296.33
25.30	2314.49		0.00		2314.49
25.40	2332.39		0.00		2332.39
25.50	2349.69		0.00		2349.69
25.60	2365.67		0.00		2365.67
25.70	2379.21		0.00		2379.21
25.80	2387.53		0.00		2387.53

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
25.90	2391.78		0.00		2391.78
26.00	2395.20		0.00		2395.20
26.10	2397.85		0.00		2397.85
26.20	2399.85		0.00		2399.85
26.30	2401.30		0.00		2401.30
26.40	2402.29		0.00		2402.29
26.50	2402.89		0.00		2402.89
26.60	2403.13 <<		0.00		2403.13 <<
26.70	2403.02		0.00		2403.02
26.80	2402.58		0.00		2402.58
26.90	2401.85		0.00		2401.85
27.00	2400.83		0.00		2400.83
27.10	2399.55		0.00		2399.55
27.20	2398.00		0.00		2398.00
27.30	2396.22		0.00		2396.22
27.40	2394.21		0.00		2394.21
27.50	2391.97		0.00		2391.97
27.60	2389.53		0.00		2389.53
27.70	2386.89		0.00		2386.89
27.80	2384.05		0.00		2384.05
27.90	2381.02		0.00		2381.02
28.00	2377.83		0.00		2377.83
28.10	2374.46		0.00		2374.46
28.20	2370.92		0.00		2370.92
28.30	2367.21		0.00		2367.21
28.40	2363.34		0.00		2363.34
28.50	2359.30		0.00		2359.30
28.60	2355.11		0.00		2355.11
28.70	2350.77		0.00		2350.77
28.80	2346.27		0.00		2346.27
28.90	2341.63		0.00		2341.63
29.00	2336.84		0.00		2336.84
29.10	2331.91		0.00		2331.91
29.20	2326.84		0.00		2326.84
29.30	2321.64		0.00		2321.64
29.40	2316.30		0.00		2316.30
29.50	2310.84		0.00		2310.84
29.60	2305.25		0.00		2305.25
29.70	2299.54		0.00		2299.54
29.80	2293.71		0.00		2293.71
29.90	2287.77		0.00		2287.77
30.00	2281.71		0.00		2281.71
30.10	2275.54		0.00		2275.54
30.20	2269.26		0.00		2269.26
30.30	2262.88		0.00		2262.88
30.40	2256.38		0.00		2256.38
30.50	2249.78		0.00		2249.78
30.60	2243.07		0.00		2243.07
30.70	2236.25		0.00		2236.25
30.80	2229.34		0.00		2229.34

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
30.90	2222.32		0.00		2222.32
31.00	2215.20		0.00		2215.20
31.10	2207.98		0.00		2207.98
31.20	2200.66		0.00		2200.66
31.30	2193.24		0.00		2193.24
31.40	2185.73		0.00		2185.73
31.50	2178.12		0.00		2178.12
31.60	2170.42		0.00		2170.42
31.70	2162.62		0.00		2162.62
31.80	2154.74		0.00		2154.74
31.90	2146.76		0.00		2146.76
32.00	2138.69		0.00		2138.69
32.10	2130.53		0.00		2130.53
32.20	2122.29		0.00		2122.29
32.30	2113.96		0.00		2113.96
32.40	2105.55		0.00		2105.55
32.50	2097.06		0.00		2097.06
32.60	2088.48		0.00		2088.48
32.70	2079.82		0.00		2079.82
32.80	2071.08		0.00		2071.08
32.90	2062.26		0.00		2062.26
33.00	2053.37		0.00		2053.37
33.10	2044.40		0.00		2044.40
33.20	2035.35		0.00		2035.35
33.30	2026.24		0.00		2026.24
33.40	2017.05		0.00		2017.05
33.50	2007.78		0.00		2007.78
33.60	1998.45		0.00		1998.45
33.70	1989.05		0.00		1989.05
33.80	1979.58		0.00		1979.58
33.90	1970.05		0.00		1970.05
34.00	1960.45		0.00		1960.45
34.10	1950.78		0.00		1950.78
34.20	1941.05		0.00		1941.05
34.30	1931.26		0.00		1931.26
34.40	1921.40		0.00		1921.40
34.50	1911.48		0.00		1911.48
34.60	1901.49		0.00		1901.49
34.70	1891.44		0.00		1891.44
34.80	1881.32		0.00		1881.32
34.90	1871.14		0.00		1871.14
35.00	1860.90		0.00		1860.90
35.10	1850.60		0.00		1850.60
35.20	1840.23		0.00		1840.23
35.30	1829.80		0.00		1829.80
35.40	1819.31		0.00		1819.31
35.50	1808.75		0.00		1808.75
35.60	1798.14		0.00		1798.14
35.70	1787.46		0.00		1787.46
35.80	1776.72		0.00		1776.72

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
35.90	1765.92		0.00		1765.92
36.00	1755.06		0.00		1755.06
36.10	1744.14		0.00		1744.14
36.20	1733.16		0.00		1733.16
36.30	1722.11		0.00		1722.11
36.40	1711.01		0.00		1711.01
36.50	1699.85		0.00		1699.85
36.60	1688.63		0.00		1688.63
36.70	1677.35		0.00		1677.35
36.80	1666.01		0.00		1666.01
36.90	1654.61		0.00		1654.61
37.00	1643.16		0.00		1643.16
37.10	1631.64		0.00		1631.64
37.20	1620.07		0.00		1620.07
37.30	1608.44		0.00		1608.44
37.40	1596.75		0.00		1596.75
37.50	1585.00		0.00		1585.00
37.60	1573.20		0.00		1573.20
37.70	1561.34		0.00		1561.34
37.80	1549.43		0.00		1549.43
37.90	1537.45		0.00		1537.45
38.00	1525.48		0.00		1525.48
38.10	1513.51		0.00		1513.51
38.20	1501.54		0.00		1501.54
38.30	1489.56		0.00		1489.56
38.40	1477.59		0.00		1477.59
38.50	1465.62		0.00		1465.62
38.60	1453.65		0.00		1453.65
38.70	1441.67		0.00		1441.67
38.80	1429.70		0.00		1429.70
38.90	1417.73		0.00		1417.73
39.00	1405.76		0.00		1405.76
39.10	1393.79		0.00		1393.79
39.20	1381.81		0.00		1381.81
39.30	1369.84		0.00		1369.84
39.40	1357.87		0.00		1357.87
39.50	1345.90		0.00		1345.90
39.60	1333.92		0.00		1333.92
39.70	1321.95		0.00		1321.95
39.80	1309.98		0.00		1309.98
39.90	1298.01		0.00		1298.01
40.00	1286.03		0.00		1286.03
40.10	1274.06		0.00		1274.06
40.20	1262.09		0.00		1262.09
40.30	1250.12		0.00		1250.12
40.40	1238.14		0.00		1238.14
40.50	1226.17		0.00		1226.17
40.60	1214.20		0.00		1214.20
40.70	1202.23		0.00		1202.23
40.80	1190.25		0.00		1190.25

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
40.90	1178.28		0.00		1178.28
41.00	1166.31		0.00		1166.31
41.10	1154.34		0.00		1154.34
41.20	1142.36		0.00		1142.36
41.30	1130.39		0.00		1130.39
41.40	1118.42		0.00		1118.42
41.50	1106.45		0.00		1106.45
41.60	1094.47		0.00		1094.47
41.70	1082.50		0.00		1082.50
41.80	1070.53		0.00		1070.53
41.90	1058.56		0.00		1058.56
42.00	1046.58		0.00		1046.58
42.10	1034.61		0.00		1034.61
42.20	1022.64		0.00		1022.64
42.30	1010.67		0.00		1010.67
42.40	998.69		0.00		998.69
42.50	986.72		0.00		986.72
42.60	974.75		0.00		974.75
42.70	962.78		0.00		962.78
42.80	950.80		0.00		950.80
42.90	938.83		0.00		938.83
43.00	926.86		0.00		926.86
43.10	914.89		0.00		914.89
43.20	902.91		0.00		902.91
43.30	890.94		0.00		890.94
43.40	878.97		0.00		878.97
43.50	867.00		0.00		867.00
43.60	855.03		0.00		855.03
43.70	843.05		0.00		843.05
43.80	831.08		0.00		831.08
43.90	819.11		0.00		819.11
44.00	807.14		0.00		807.14
44.10	795.16		0.00		795.16
44.20	783.19		0.00		783.19
44.30	771.22		0.00		771.22
44.40	759.25		0.00		759.25
44.50	747.27		0.00		747.27
44.60	735.30		0.00		735.30
44.70	723.33		0.00		723.33
44.80	711.36		0.00		711.36
44.90	699.38		0.00		699.38
45.00	687.41		0.00		687.41
45.10	675.44		0.00		675.44
45.20	663.47		0.00		663.47
45.30	651.49		0.00		651.49
45.40	639.52		0.00		639.52
45.50	627.55		0.00		627.55
45.60	615.59		0.00		615.59
45.70	603.62		0.00		603.62
45.80	591.66		0.00		591.66

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
45.90	579.70		0.00		579.70
46.00	567.75		0.00		567.75
46.10	555.80		0.00		555.80
46.20	543.86		0.00		543.86
46.30	531.93		0.00		531.93
46.40	520.00		0.00		520.00
46.50	508.08		0.00		508.08
46.60	496.17		0.00		496.17
46.70	484.28		0.00		484.28
46.80	472.39		0.00		472.39
46.90	460.51		0.00		460.51
47.00	448.65		0.00		448.65
47.10	436.80		0.00		436.80
47.20	424.97		0.00		424.97
47.30	413.16		0.00		413.16
47.40	401.37		0.00		401.37
47.50	389.61		0.00		389.61
47.60	377.87		0.00		377.87
47.70	366.15		0.00		366.15
47.80	354.48		0.00		354.48
47.90	342.83		0.00		342.83
48.00	331.23		0.00		331.23
48.10	319.68		0.00		319.68
48.20	308.17		0.00		308.17
48.30	296.72		0.00		296.72
48.40	285.35		0.00		285.35
48.50	274.06		0.00		274.06
48.60	262.87		0.00		262.87
48.70	251.90		0.00		251.90
48.80	241.43		0.00		241.43
48.90	231.87		0.00		231.87
49.00	224.27		0.00		224.27
49.10	218.19		0.00		218.19
49.20	212.43		0.00		212.43
49.30	206.95		0.00		206.95
49.40	201.71		0.00		201.71
49.50	196.68		0.00		196.68
49.60	191.82		0.00		191.82
49.70	187.11		0.00		187.11
49.80	182.54		0.00		182.54
49.90	178.10		0.00		178.10
50.00	173.77		0.00		173.77
50.10	169.56		0.00		169.56
50.20	165.46		0.00		165.46
50.30	161.45		0.00		161.45
50.40	157.54		0.00		157.54
50.50	153.73		0.00		153.73
50.60	150.00		0.00		150.00
50.70	146.35		0.00		146.35
50.80	142.78		0.00		142.78

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
50.90	139.28		0.00		139.28
51.00	135.86		0.00		135.86
51.10	132.51		0.00		132.51
51.20	129.22		0.00		129.22
51.30	126.00		0.00		126.00
51.40	122.84		0.00		122.84
51.50	119.74		0.00		119.74
51.60	116.71		0.00		116.71
51.70	113.73		0.00		113.73
51.80	110.82		0.00		110.82
51.90	107.96		0.00		107.96
52.00	105.16		0.00		105.16
52.10	102.41		0.00		102.41
52.20	99.72		0.00		99.72
52.30	97.08		0.00		97.08
52.40	94.50		0.00		94.50
52.50	91.96		0.00		91.96
52.60	89.47		0.00		89.47
52.70	87.03		0.00		87.03
52.80	84.64		0.00		84.64
52.90	82.30		0.00		82.30
53.00	79.99		0.00		79.99
53.10	77.74		0.00		77.74
53.20	75.52		0.00		75.52
53.30	73.34		0.00		73.34
53.40	71.21		0.00		71.21
53.50	69.12		0.00		69.12
53.60	67.07		0.00		67.07
53.70	65.05		0.00		65.05
53.80	63.08		0.00		63.08
53.90	61.15		0.00		61.15
54.00	59.26		0.00		59.26
54.10	57.40		0.00		57.40
54.20	55.58		0.00		55.58
54.30	53.80		0.00		53.80
54.40	52.06		0.00		52.06
54.50	50.35		0.00		50.35
54.60	48.68		0.00		48.68
54.70	47.05		0.00		47.05
54.80	45.45		0.00		45.45
54.90	43.88		0.00		43.88
55.00	42.35		0.00		42.35
55.10	40.85		0.00		40.85
55.20	39.39		0.00		39.39
55.30	37.96		0.00		37.96
55.40	36.56		0.00		36.56
55.50	35.20		0.00		35.20
55.60	33.86		0.00		33.86
55.70	32.56		0.00		32.56
55.80	31.29		0.00		31.29

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
55.90	30.05		0.00		30.05
56.00	28.84		0.00		28.84
56.10	27.65		0.00		27.65
56.20	26.50		0.00		26.50
56.30	25.38		0.00		25.38
56.40	24.28		0.00		24.28
56.50	23.21		0.00		23.21
56.60	22.17		0.00		22.17
56.70	21.15		0.00		21.15
56.80	20.16		0.00		20.16
56.90	19.20		0.00		19.20
57.00	18.26		0.00		18.26
57.10	17.35		0.00		17.35
57.20	16.46		0.00		16.46
57.30	15.59		0.00		15.59
57.40	14.75		0.00		14.75
57.50	13.94		0.00		13.94
57.60	13.15		0.00		13.15
57.70	12.38		0.00		12.38
57.80	11.63		0.00		11.63
57.90	10.92		0.00		10.92
58.00	10.22		0.00		10.22
58.10	9.55		0.00		9.55
58.20	8.90		0.00		8.90
58.30	8.27		0.00		8.27
58.40	7.67		0.00		7.67
58.50	7.09		0.00		7.09
58.60	6.54		0.00		6.54
58.70	6.01		0.00		6.01
58.80	5.50		0.00		5.50
58.90	5.02		0.00		5.02
59.00	4.55		0.00		4.55
59.10	4.11		0.00		4.11
59.20	3.70		0.00		3.70
59.30	3.30		0.00		3.30
59.40	2.93		0.00		2.93
59.50	2.58		0.00		2.58
59.60	2.26		0.00		2.26
59.70	1.95		0.00		1.95
59.80	1.67		0.00		1.67
59.90	1.41		0.00		1.41
60.00	1.18		0.00		1.18
60.10	0.96		0.00		0.96
60.20	0.77		0.00		0.77
60.30	0.60		0.00		0.60
60.40	0.45		0.00		0.45
60.50	0.32		0.00		0.32
60.60	0.21		0.00		0.21
60.70	0.13		0.00		0.13

...End



AUSTIN MILLER, P.A.

Appendix 5:

Combined SCS Hydrograph Calculations

Big Slough &

Hoskinson 2nd Addition – Proposed Conditions

Hydrograph Report

Page 1

Hyd. No. 3

COMBINED

Hydrograph type = Combine
Storm frequency = 100 yrs
1st inflow hyd. No. = 1

Peak discharge = 2403.13 cfs
Time interval = 6 min
2nd inflow hyd. No. = 2

Total Volume = 185,931,400 cuft, 4268.398 acft

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
1.60	0.00		0.10		0.10
1.70	0.00		0.15		0.15
1.80	0.00		0.20		0.20
1.90	0.00		0.24		0.24
2.00	0.00		0.29		0.29
2.10	0.00		0.33		0.33
2.20	0.00		0.38		0.38
2.30	0.00		0.42		0.42
2.40	0.00		0.46		0.46
2.50	0.00		0.50		0.50
2.60	0.00		0.54		0.54
2.70	0.00		0.58		0.58
2.80	0.00		0.62		0.62
2.90	0.00		0.66		0.66
3.00	0.00		0.69		0.69
3.10	0.00		0.73		0.73
3.20	0.00		0.76		0.76
3.30	0.00		0.80		0.80
3.40	0.00		0.83		0.83
3.50	0.00		0.87		0.87
3.60	0.00		0.90		0.90
3.70	0.00		0.93		0.93
3.80	0.00		0.96		0.96
3.90	0.00		0.99		0.99
4.00	0.00		1.02		1.02
4.10	0.00		1.06		1.06
4.20	0.00		1.09		1.09
4.30	0.00		1.12		1.12
4.40	0.00		1.16		1.16
4.50	0.00		1.20		1.20
4.60	0.00		1.24		1.24
4.70	0.00		1.27		1.27
4.80	0.00		1.31		1.31
4.90	0.00		1.35		1.35
5.00	0.00		1.38		1.38
5.10	0.00		1.42		1.42
5.20	0.00		1.46		1.46

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
5.30	0.00		1.50		1.50
5.40	0.00		1.53		1.53
5.50	0.00		1.57		1.57
5.60	0.00		1.61		1.61
5.70	0.00		1.64		1.64
5.80	0.00		1.68		1.68
5.90	0.00		1.71		1.71
6.00	0.00		1.75		1.75
6.10	0.00		1.79		1.79
6.20	0.00		1.82		1.82
6.30	0.00		1.86		1.86
6.40	0.00		1.89		1.89
6.50	0.00		1.93		1.93
6.60	0.00		1.97		1.97
6.70	0.00		2.00		2.00
6.80	0.00		2.04		2.04
6.90	0.00		2.07		2.07
7.00	0.00		2.11		2.11
7.10	0.00		2.14		2.14
7.20	0.00		2.18		2.18
7.30	0.00		2.21		2.21
7.40	0.00		2.24		2.24
7.50	0.00		2.28		2.28
7.60	0.00		2.31		2.31
7.70	0.00		2.35		2.35
7.80	0.00		2.38		2.38
7.90	0.00		2.41		2.41
8.00	0.00		2.45		2.45
8.10	0.00		2.49		2.49
8.20	0.00		2.56		2.56
8.30	0.00		2.66		2.67
8.40	0.01		2.78		2.79
8.50	0.02		2.91		2.93
8.60	0.03		3.04		3.07
8.70	0.05		3.17		3.21
8.80	0.07		3.30		3.37
8.90	0.11		3.43		3.53
9.00	0.15		3.56		3.71
9.10	0.20		3.68		3.88
9.20	0.26		3.76		4.03
9.30	0.34		3.81		4.15
9.40	0.43		3.83		4.26
9.50	0.54		3.84		4.38
9.60	0.66		3.88		4.54
9.70	0.80		3.97		4.77
9.80	0.96		4.12		5.08
9.90	1.15		4.31		5.46
10.00	1.36		4.52		5.88
10.10	1.60		4.74		6.34
10.20	1.87		4.99		6.85

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
10.30	2.17		5.27		7.44
10.40	2.51		5.58		8.09
10.50	2.90		5.89		8.79
10.60	3.34		6.22		9.56
10.70	3.83		6.62		10.45
10.80	4.38		7.09		11.46
10.90	5.00		7.59		12.59
11.00	5.70		8.12		13.81
11.10	6.47		8.46		14.93
11.20	7.35		9.02		16.36
11.30	8.35		10.24		18.58
11.40	9.49		11.61		21.09
11.50	10.79		13.03		23.82
11.60	12.47		17.46		29.94
11.70	14.97		30.72		45.69
11.80	19.00		54.84		73.84
11.90	26.29		96.22		122.51
12.00	36.13		131.52 <<		167.65
12.10	46.50		116.22		162.71
12.20	57.33		71.74		129.07
12.30	68.57		35.96		104.53
12.40	80.16		19.99		100.15
12.50	92.04		16.99		109.03
12.60	104.16		14.21		118.37
12.70	116.51		12.14		128.65
12.80	129.08		10.83		139.91
12.90	141.84		9.99		151.84
13.00	154.80		9.31		164.11
13.10	167.93		8.66		176.59
13.20	181.23		8.10		189.33
13.30	194.69		7.64		202.33
13.40	208.30		7.25		215.55
13.50	222.05		6.88		228.94
13.60	235.95		6.53		242.47
13.70	249.97		6.20		256.17
13.80	264.12		5.91		270.03
13.90	278.39		5.64		284.03
14.00	292.78		5.37		298.15
14.10	307.27		5.12		312.40
14.20	321.88		4.93		326.81
14.30	336.59		4.79		341.38
14.40	351.40		4.69		356.09
14.50	366.32		4.60		370.91
14.60	381.34		4.50		385.84
14.70	396.45		4.41		400.86
14.80	411.67		4.32		415.99
14.90	426.97		4.23		431.20
15.00	442.37		4.13		446.51
15.10	457.86		4.04		461.91
15.20	473.44		3.95		477.39

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
15.30	489.11		3.86		492.97
15.40	504.86		3.76		508.62
15.50	520.69		3.67		524.36
15.60	536.60		3.58		540.18
15.70	552.59		3.49		556.08
15.80	568.66		3.39		572.06
15.90	584.80		3.30		588.10
16.00	601.01		3.21		604.22
16.10	617.30		3.12		620.42
16.20	633.65		3.05		636.71
16.30	650.07		3.01		653.08
16.40	666.56		2.97		669.53
16.50	683.12		2.94		686.06
16.60	699.75		2.90		702.65
16.70	716.44		2.87		719.31
16.80	733.19		2.84		736.03
16.90	750.02		2.80		752.82
17.00	766.90		2.77		769.67
17.10	783.85		2.74		786.59
17.20	800.86		2.71		803.57
17.30	817.93		2.67		820.61
17.40	835.07		2.64		837.71
17.50	852.26		2.61		854.87
17.60	869.52		2.57		872.09
17.70	886.83		2.54		889.37
17.80	904.20		2.51		906.71
17.90	921.63		2.47		924.10
18.00	939.11		2.44		941.55
18.10	956.65		2.41		959.06
18.20	974.25		2.37		976.62
18.30	991.90		2.34		994.24
18.40	1009.60		2.31		1011.91
18.50	1027.36		2.28		1029.64
18.60	1045.17		2.24		1047.41
18.70	1063.03		2.21		1065.24
18.80	1080.94		2.18		1083.12
18.90	1098.90		2.14		1101.04
19.00	1116.91		2.11		1119.02
19.10	1134.97		2.08		1137.04
19.20	1153.07		2.04		1155.12
19.30	1171.22		2.01		1173.24
19.40	1189.42		1.98		1191.40
19.50	1207.67		1.95		1209.61
19.60	1225.95		1.91		1227.87
19.70	1244.28		1.88		1246.16
19.80	1262.66		1.85		1264.51
19.90	1281.08		1.81		1282.89
20.00	1299.53		1.78		1301.31
20.10	1318.03		1.75		1319.78
20.20	1336.57		1.73		1338.30

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
20.30	1355.15		1.71		1356.87
20.40	1373.78		1.71		1375.48
20.50	1392.44		1.70		1394.14
20.60	1411.14		1.69		1412.83
20.70	1429.88		1.69		1431.56
20.80	1448.66		1.68		1450.34
20.90	1467.48		1.67		1469.15
21.00	1486.34		1.67		1488.01
21.10	1505.24		1.66		1506.90
21.20	1524.18		1.65		1525.84
21.30	1543.16		1.65		1544.81
21.40	1562.18		1.64		1563.82
21.50	1581.24		1.63		1582.87
21.60	1600.33		1.63		1601.96
21.70	1619.47		1.62		1621.09
21.80	1638.64		1.61		1640.25
21.90	1657.85		1.61		1659.46
22.00	1677.10		1.60		1678.70
22.10	1696.39		1.59		1697.98
22.20	1715.71		1.59		1717.30
22.30	1735.07		1.58		1736.65
22.40	1754.45		1.57		1756.03
22.50	1773.87		1.57		1775.44
22.60	1793.32		1.56		1794.88
22.70	1812.79		1.55		1814.35
22.80	1832.29		1.55		1833.84
22.90	1851.81		1.54		1853.35
23.00	1871.35		1.53		1872.88
23.10	1890.91		1.53		1892.43
23.20	1910.48		1.52		1912.00
23.30	1930.07		1.51		1931.58
23.40	1949.67		1.51		1951.17
23.50	1969.27		1.50		1970.77
23.60	1988.89		1.49		1990.38
23.70	2008.51		1.49		2010.00
23.80	2028.12		1.48		2029.61
23.90	2047.74		1.47		2049.21
24.00	2067.34		1.47		2068.81
24.10	2086.89		1.17		2088.06
24.20	2106.39		0.58		2106.97
24.30	2125.82		0.19		2126.01
24.40	2145.18		0.00		2145.18
24.50	2164.47		0.00		2164.47
24.60	2183.67		0.00		2183.67
24.70	2202.77		0.00		2202.77
24.80	2221.76		0.00		2221.76
24.90	2240.63		0.00		2240.63
25.00	2259.37		0.00		2259.37
25.10	2277.95		0.00		2277.95
25.20	2296.33		0.00		2296.33

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
25.30	2314.49		0.00		2314.49
25.40	2332.39		0.00		2332.39
25.50	2349.69		0.00		2349.69
25.60	2365.67		0.00		2365.67
25.70	2379.21		0.00		2379.21
25.80	2387.53		0.00		2387.53
25.90	2391.79		0.00		2391.79
26.00	2395.20		0.00		2395.20
26.10	2397.85		0.00		2397.85
26.20	2399.85		0.00		2399.85
26.30	2401.30		0.00		2401.30
26.40	2402.29		0.00		2402.29
26.50	2402.89		0.00		2402.89
26.60	2403.13 <<		0.00		2403.13 <<
26.70	2403.02		0.00		2403.02
26.80	2402.58		0.00		2402.58
26.90	2401.85		0.00		2401.85
27.00	2400.83		0.00		2400.83
27.10	2399.55		0.00		2399.55
27.20	2398.01		0.00		2398.01
27.30	2396.22		0.00		2396.22
27.40	2394.21		0.00		2394.21
27.50	2391.97		0.00		2391.97
27.60	2389.53		0.00		2389.53
27.70	2386.88		0.00		2386.88
27.80	2384.05		0.00		2384.05
27.90	2381.02		0.00		2381.02
28.00	2377.83		0.00		2377.83
28.10	2374.46		0.00		2374.46
28.20	2370.92		0.00		2370.92
28.30	2367.21		0.00		2367.21
28.40	2363.34		0.00		2363.34
28.50	2359.30		0.00		2359.30
28.60	2355.11		0.00		2355.11
28.70	2350.77		0.00		2350.77
28.80	2346.27		0.00		2346.27
28.90	2341.63		0.00		2341.63
29.00	2336.84		0.00		2336.84
29.10	2331.91		0.00		2331.91
29.20	2326.84		0.00		2326.84
29.30	2321.64		0.00		2321.64
29.40	2316.30		0.00		2316.30
29.50	2310.84		0.00		2310.84
29.60	2305.25		0.00		2305.25
29.70	2299.54		0.00		2299.54
29.80	2293.71		0.00		2293.71
29.90	2287.77		0.00		2287.77
30.00	2281.71		0.00		2281.71
30.10	2275.54		0.00		2275.54
30.20	2269.26		0.00		2269.26

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
30.30	2262.88		0.00		2262.88
30.40	2256.38		0.00		2256.38
30.50	2249.78		0.00		2249.78
30.60	2243.07		0.00		2243.07
30.70	2236.25		0.00		2236.25
30.80	2229.34		0.00		2229.34
30.90	2222.32		0.00		2222.32
31.00	2215.20		0.00		2215.20
31.10	2207.98		0.00		2207.98
31.20	2200.66		0.00		2200.66
31.30	2193.24		0.00		2193.24
31.40	2185.73		0.00		2185.73
31.50	2178.12		0.00		2178.12
31.60	2170.42		0.00		2170.42
31.70	2162.62		0.00		2162.62
31.80	2154.74		0.00		2154.74
31.90	2146.76		0.00		2146.76
32.00	2138.69		0.00		2138.69
32.10	2130.53		0.00		2130.53
32.20	2122.29		0.00		2122.29
32.30	2113.96		0.00		2113.96
32.40	2105.55		0.00		2105.55
32.50	2097.06		0.00		2097.06
32.60	2088.48		0.00		2088.48
32.70	2079.82		0.00		2079.82
32.80	2071.08		0.00		2071.08
32.90	2062.26		0.00		2062.26
33.00	2053.37		0.00		2053.37
33.10	2044.40		0.00		2044.40
33.20	2035.35		0.00		2035.35
33.30	2026.24		0.00		2026.24
33.40	2017.05		0.00		2017.05
33.50	2007.78		0.00		2007.78
33.60	1998.45		0.00		1998.45
33.70	1989.05		0.00		1989.05
33.80	1979.58		0.00		1979.58
33.90	1970.05		0.00		1970.05
34.00	1960.45		0.00		1960.45
34.10	1950.78		0.00		1950.78
34.20	1941.05		0.00		1941.05
34.30	1931.26		0.00		1931.26
34.40	1921.40		0.00		1921.40
34.50	1911.48		0.00		1911.48
34.60	1901.49		0.00		1901.49
34.70	1891.44		0.00		1891.44
34.80	1881.32		0.00		1881.32
34.90	1871.14		0.00		1871.14
35.00	1860.90		0.00		1860.90
35.10	1850.60		0.00		1850.60
35.20	1840.23		0.00		1840.23

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
35.30	1829.80		0.00		1829.80
35.40	1819.31		0.00		1819.31
35.50	1808.75		0.00		1808.75
35.60	1798.14		0.00		1798.14
35.70	1787.46		0.00		1787.46
35.80	1776.72		0.00		1776.72
35.90	1765.92		0.00		1765.92
36.00	1755.06		0.00		1755.06
36.10	1744.14		0.00		1744.14
36.20	1733.16		0.00		1733.16
36.30	1722.11		0.00		1722.11
36.40	1711.01		0.00		1711.01
36.50	1699.85		0.00		1699.85
36.60	1688.63		0.00		1688.63
36.70	1677.35		0.00		1677.35
36.80	1666.01		0.00		1666.01
36.90	1654.61		0.00		1654.61
37.00	1643.16		0.00		1643.16
37.10	1631.64		0.00		1631.64
37.20	1620.07		0.00		1620.07
37.30	1608.44		0.00		1608.44
37.40	1596.75		0.00		1596.75
37.50	1585.00		0.00		1585.00
37.60	1573.20		0.00		1573.20
37.70	1561.34		0.00		1561.34
37.80	1549.43		0.00		1549.43
37.90	1537.45		0.00		1537.45
38.00	1525.48		0.00		1525.48
38.10	1513.51		0.00		1513.51
38.20	1501.54		0.00		1501.54
38.30	1489.56		0.00		1489.56
38.40	1477.59		0.00		1477.59
38.50	1465.62		0.00		1465.62
38.60	1453.65		0.00		1453.65
38.70	1441.67		0.00		1441.67
38.80	1429.70		0.00		1429.70
38.90	1417.73		0.00		1417.73
39.00	1405.76		0.00		1405.76
39.10	1393.78		0.00		1393.78
39.20	1381.81		0.00		1381.81
39.30	1369.84		0.00		1369.84
39.40	1357.87		0.00		1357.87
39.50	1345.90		0.00		1345.90
39.60	1333.92		0.00		1333.92
39.70	1321.95		0.00		1321.95
39.80	1309.98		0.00		1309.98
39.90	1298.01		0.00		1298.01
40.00	1286.03		0.00		1286.03
40.10	1274.06		0.00		1274.06
40.20	1262.09		0.00		1262.09

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
40.30	1250.12		0.00		1250.12
40.40	1238.14		0.00		1238.14
40.50	1226.17		0.00		1226.17
40.60	1214.20		0.00		1214.20
40.70	1202.23		0.00		1202.23
40.80	1190.25		0.00		1190.25
40.90	1178.28		0.00		1178.28
41.00	1166.31		0.00		1166.31
41.10	1154.34		0.00		1154.34
41.20	1142.36		0.00		1142.36
41.30	1130.39		0.00		1130.39
41.40	1118.42		0.00		1118.42
41.50	1106.45		0.00		1106.45
41.60	1094.47		0.00		1094.47
41.70	1082.50		0.00		1082.50
41.80	1070.53		0.00		1070.53
41.90	1058.56		0.00		1058.56
42.00	1046.58		0.00		1046.58
42.10	1034.61		0.00		1034.61
42.20	1022.64		0.00		1022.64
42.30	1010.67		0.00		1010.67
42.40	998.69		0.00		998.69
42.50	986.72		0.00		986.72
42.60	974.75		0.00		974.75
42.70	962.78		0.00		962.78
42.80	950.80		0.00		950.80
42.90	938.83		0.00		938.83
43.00	926.86		0.00		926.86
43.10	914.89		0.00		914.89
43.20	902.91		0.00		902.91
43.30	890.94		0.00		890.94
43.40	878.97		0.00		878.97
43.50	867.00		0.00		867.00
43.60	855.03		0.00		855.03
43.70	843.05		0.00		843.05
43.80	831.08		0.00		831.08
43.90	819.11		0.00		819.11
44.00	807.14		0.00		807.14
44.10	795.16		0.00		795.16
44.20	783.19		0.00		783.19
44.30	771.22		0.00		771.22
44.40	759.25		0.00		759.25
44.50	747.27		0.00		747.27
44.60	735.30		0.00		735.30
44.70	723.33		0.00		723.33
44.80	711.36		0.00		711.36
44.90	699.38		0.00		699.38
45.00	687.41		0.00		687.41
45.10	675.44		0.00		675.44
45.20	663.47		0.00		663.47

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
45.30	651.49		0.00		651.49
45.40	639.52		0.00		639.52
45.50	627.55		0.00		627.55
45.60	615.59		0.00		615.59
45.70	603.62		0.00		603.62
45.80	591.66		0.00		591.66
45.90	579.70		0.00		579.70
46.00	567.75		0.00		567.75
46.10	555.80		0.00		555.80
46.20	543.86		0.00		543.86
46.30	531.93		0.00		531.93
46.40	520.00		0.00		520.00
46.50	508.08		0.00		508.08
46.60	496.17		0.00		496.17
46.70	484.28		0.00		484.28
46.80	472.39		0.00		472.39
46.90	460.51		0.00		460.51
47.00	448.65		0.00		448.65
47.10	436.80		0.00		436.80
47.20	424.97		0.00		424.97
47.30	413.16		0.00		413.16
47.40	401.37		0.00		401.37
47.50	389.61		0.00		389.61
47.60	377.87		0.00		377.87
47.70	366.15		0.00		366.15
47.80	354.48		0.00		354.48
47.90	342.83		0.00		342.83
48.00	331.23		0.00		331.23
48.10	319.68		0.00		319.68
48.20	308.17		0.00		308.17
48.30	296.72		0.00		296.72
48.40	285.35		0.00		285.35
48.50	274.06		0.00		274.06
48.60	262.87		0.00		262.87
48.70	251.90		0.00		251.90
48.80	241.43		0.00		241.43
48.90	231.87		0.00		231.87
49.00	224.27		0.00		224.27
49.10	218.19		0.00		218.19
49.20	212.43		0.00		212.43
49.30	206.95		0.00		206.95
49.40	201.71		0.00		201.71
49.50	196.68		0.00		196.68
49.60	191.82		0.00		191.82
49.70	187.11		0.00		187.11
49.80	182.54		0.00		182.54
49.90	178.10		0.00		178.10
50.00	173.77		0.00		173.77
50.10	169.56		0.00		169.56
50.20	165.46		0.00		165.46

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
50.30	161.45		0.00		161.45
50.40	157.54		0.00		157.54
50.50	153.73		0.00		153.73
50.60	150.00		0.00		150.00
50.70	146.35		0.00		146.35
50.80	142.78		0.00		142.78
50.90	139.28		0.00		139.28
51.00	135.86		0.00		135.86
51.10	132.51		0.00		132.51
51.20	129.22		0.00		129.22
51.30	126.00		0.00		126.00
51.40	122.84		0.00		122.84
51.50	119.74		0.00		119.74
51.60	116.71		0.00		116.71
51.70	113.73		0.00		113.73
51.80	110.82		0.00		110.82
51.90	107.96		0.00		107.96
52.00	105.16		0.00		105.16
52.10	102.41		0.00		102.41
52.20	99.72		0.00		99.72
52.30	97.08		0.00		97.08
52.40	94.50		0.00		94.50
52.50	91.96		0.00		91.96
52.60	89.47		0.00		89.47
52.70	87.03		0.00		87.03
52.80	84.64		0.00		84.64
52.90	82.30		0.00		82.30
53.00	79.99		0.00		79.99
53.10	77.74		0.00		77.74
53.20	75.52		0.00		75.52
53.30	73.34		0.00		73.34
53.40	71.21		0.00		71.21
53.50	69.12		0.00		69.12
53.60	67.07		0.00		67.07
53.70	65.05		0.00		65.05
53.80	63.08		0.00		63.08
53.90	61.15		0.00		61.15
54.00	59.26		0.00		59.26
54.10	57.40		0.00		57.40
54.20	55.58		0.00		55.58
54.30	53.80		0.00		53.80
54.40	52.06		0.00		52.06
54.50	50.35		0.00		50.35
54.60	48.68		0.00		48.68
54.70	47.05		0.00		47.05
54.80	45.45		0.00		45.45
54.90	43.88		0.00		43.88
55.00	42.35		0.00		42.35
55.10	40.85		0.00		40.85
55.20	39.39		0.00		39.39

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
55.30	37.96		0.00		37.96
55.40	36.56		0.00		36.56
55.50	35.20		0.00		35.20
55.60	33.86		0.00		33.86
55.70	32.56		0.00		32.56
55.80	31.29		0.00		31.29
55.90	30.05		0.00		30.05
56.00	28.84		0.00		28.84
56.10	27.65		0.00		27.65
56.20	26.50		0.00		26.50
56.30	25.38		0.00		25.38
56.40	24.28		0.00		24.28
56.50	23.21		0.00		23.21
56.60	22.17		0.00		22.17
56.70	21.15		0.00		21.15
56.80	20.16		0.00		20.16
56.90	19.20		0.00		19.20
57.00	18.26		0.00		18.26
57.10	17.35		0.00		17.35
57.20	16.46		0.00		16.46
57.30	15.59		0.00		15.59
57.40	14.75		0.00		14.75
57.50	13.94		0.00		13.94
57.60	13.15		0.00		13.15
57.70	12.38		0.00		12.38
57.80	11.63		0.00		11.63
57.90	10.92		0.00		10.92
58.00	10.22		0.00		10.22
58.10	9.55		0.00		9.55
58.20	8.90		0.00		8.90
58.30	8.27		0.00		8.27
58.40	7.67		0.00		7.67
58.50	7.09		0.00		7.09
58.60	6.54		0.00		6.54
58.70	6.01		0.00		6.01
58.80	5.50		0.00		5.50
58.90	5.02		0.00		5.02
59.00	4.55		0.00		4.55
59.10	4.11		0.00		4.11
59.20	3.70		0.00		3.70
59.30	3.30		0.00		3.30
59.40	2.93		0.00		2.93
59.50	2.58		0.00		2.58
59.60	2.26		0.00		2.26
59.70	1.95		0.00		1.95
59.80	1.67		0.00		1.67
59.90	1.41		0.00		1.41
60.00	1.18		0.00		1.18
60.10	0.96		0.00		0.96
60.20	0.77		0.00		0.77

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	1st Inflow (cfs)	+	2nd Inflow (cfs)	=	Outflow (cfs)
60.30	0.60		0.00		0.60
60.40	0.45		0.00		0.45
60.50	0.32		0.00		0.32
60.60	0.21		0.00		0.21
60.70	0.13		0.00		0.13
...End					



AUSTIN MILLER, P.A.

Appendix 6:

SCS Hydrograph Calculations

Hoskinson 2nd Addition – Inflow for Detention Pond

Hydrograph Report

Page 1

Hyd. No. 1

Exist. Conditions

Hydrograph type = SCS Runoff
Storm frequency = 100 yrs
Drainage area = 9.52 ac
Basin Slope = .5 %
Tc method = LAG
Total precip. = 8.16 in
Storm duration = 24 hrs

Peak discharge = 72.71 cfs
Time interval = 6 min
Curve number = 95
Hydraulic length = 500 ft
Time of conc. (Tc) = 14.4 min
Distribution = Type II
Shape factor = 484

Total Volume = 244,950 cuft, 5.623 acft

Hydrograph Discharge Table

Time -- Outflow (hrs cfs)		Time -- Outflow (hrs cfs)		Time -- Outflow (hrs cfs)		Time -- Outflow (hrs cfs)	
1.80	0.11	5.10	0.79	8.40	1.54	11.70	16.98
1.90	0.13	5.20	0.81	8.50	1.61	11.80	30.32
2.00	0.16	5.30	0.83	8.60	1.68	11.90	53.19
2.10	0.18	5.40	0.85	8.70	1.75	12.00	72.71 <<
2.20	0.21	5.50	0.87	8.80	1.82	12.10	64.25
2.30	0.23	5.60	0.89	8.90	1.90	12.20	39.66
2.40	0.25	5.70	0.91	9.00	1.97	12.30	19.88
2.50	0.28	5.80	0.93	9.10	2.03	12.40	11.05
2.60	0.30	5.90	0.95	9.20	2.08	12.50	9.39
2.70	0.32	6.00	0.97	9.30	2.11	12.60	7.86
2.80	0.34	6.10	0.99	9.40	2.12	12.70	6.71
2.90	0.36	6.20	1.01	9.50	2.13	12.80	5.99
3.00	0.38	6.30	1.03	9.60	2.14	12.90	5.53
3.10	0.40	6.40	1.05	9.70	2.19	13.00	5.15
3.20	0.42	6.50	1.07	9.80	2.28	13.10	4.79
3.30	0.44	6.60	1.09	9.90	2.38	13.20	4.48
3.40	0.46	6.70	1.11	10.00	2.50	13.30	4.23
3.50	0.48	6.80	1.13	10.10	2.62	13.40	4.01
3.60	0.50	6.90	1.14	10.20	2.76	13.50	3.81
3.70	0.51	7.00	1.16	10.30	2.92	13.60	3.61
3.80	0.53	7.10	1.18	10.40	3.08	13.70	3.43
3.90	0.55	7.20	1.20	10.50	3.26	13.80	3.27
4.00	0.57	7.30	1.22	10.60	3.44	13.90	3.12
4.10	0.58	7.40	1.24	10.70	3.66	14.00	2.97
4.20	0.60	7.50	1.26	10.80	3.92	14.10	2.83
4.30	0.62	7.60	1.28	10.90	4.20	14.20	2.73
4.40	0.64	7.70	1.30	11.00	4.49	14.30	2.65
4.50	0.66	7.80	1.32	11.10	4.68	14.40	2.59
4.60	0.68	7.90	1.33	11.20	4.99	14.50	2.54
4.70	0.70	8.00	1.35	11.30	5.66	14.60	2.49
4.80	0.72	8.10	1.38	11.40	6.42	14.70	2.44
4.90	0.74	8.20	1.42	11.50	7.20	14.80	2.39
5.00	0.77	8.30	1.47	11.60	9.65	14.90	2.34

Continues on next page...

Hydrograph Discharge Table

Time -- Outflow (hrs cfs)		Time -- Outflow (hrs cfs)	
15.00	2.29	20.00	0.98
15.10	2.23	20.10	0.97
15.20	2.18	20.20	0.95
15.30	2.13	20.30	0.95
15.40	2.08	20.40	0.94
15.50	2.03	20.50	0.94
15.60	1.98	20.60	0.94
15.70	1.93	20.70	0.93
15.80	1.88	20.80	0.93
15.90	1.83	20.90	0.92
16.00	1.77	21.00	0.92
16.10	1.73	21.10	0.92
16.20	1.69	21.20	0.91
16.30	1.66	21.30	0.91
16.40	1.64	21.40	0.91
16.50	1.62	21.50	0.90
16.60	1.60	21.60	0.90
16.70	1.59	21.70	0.90
16.80	1.57	21.80	0.89
16.90	1.55	21.90	0.89
17.00	1.53	22.00	0.88
17.10	1.51	22.10	0.88
17.20	1.50	22.20	0.88
17.30	1.48	22.30	0.87
17.40	1.46	22.40	0.87
17.50	1.44	22.50	0.87
17.60	1.42	22.60	0.86
17.70	1.40	22.70	0.86
17.80	1.39	22.80	0.86
17.90	1.37	22.90	0.85
18.00	1.35	23.00	0.85
18.10	1.33	23.10	0.84
18.20	1.31	23.20	0.84
18.30	1.29	23.30	0.84
18.40	1.28	23.40	0.83
18.50	1.26	23.50	0.83
18.60	1.24	23.60	0.83
18.70	1.22	23.70	0.82
18.80	1.20	23.80	0.82
18.90	1.19	23.90	0.82
19.00	1.17	24.00	0.81
19.10	1.15	24.10	0.65
19.20	1.13	24.20	0.32
19.30	1.11	24.30	0.11
19.40	1.09		
19.50	1.08		
19.60	1.06	...End	
19.70	1.04		
19.80	1.02		
19.90	1.00		



AUSTIN MILLER, P.A.

Appendix 7:

SCS Hydrograph Calculations

Hoskinson 2nd Addition – Runoff Not Detained

Hydrograph Report

Page 1

Hyd. No. 3

Runoff not detained

Hydrograph type = SCS Runoff
Storm frequency = 100 yrs
Drainage area = 7.7 ac
Basin Slope = .5 %
Tc method = LAG
Total precip. = 8.16 in
Storm duration = 24 hrs

Peak discharge = 58.81 cfs
Time interval = 6 min
Curve number = 95
Hydraulic length = 500 ft
Time of conc. (Tc) = 14.4 min
Distribution = Type II
Shape factor = 484

Total Volume = 198,121 cuft, 4.548 acft

Hydrograph Discharge Table

Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)	Time -- Outflow (hrs cfs)
1.90 0.11	5.20 0.65	8.50 1.30	11.80 24.52
2.00 0.13	5.30 0.67	8.60 1.36	11.90 43.02
2.10 0.15	5.40 0.68	8.70 1.42	12.00 58.81 <<
2.20 0.17	5.50 0.70	8.80 1.47	12.10 51.97
2.30 0.19	5.60 0.72	8.90 1.53	12.20 32.08
2.40 0.21	5.70 0.73	9.00 1.59	12.30 16.08
2.50 0.22	5.80 0.75	9.10 1.65	12.40 8.94
2.60 0.24	5.90 0.77	9.20 1.68	12.50 7.60
2.70 0.26	6.00 0.78	9.30 1.70	12.60 6.36
2.80 0.28	6.10 0.80	9.40 1.71	12.70 5.43
2.90 0.29	6.20 0.81	9.50 1.72	12.80 4.84
3.00 0.31	6.30 0.83	9.60 1.73	12.90 4.47
3.10 0.33	6.40 0.85	9.70 1.77	13.00 4.16
3.20 0.34	6.50 0.86	9.80 1.84	13.10 3.87
3.30 0.36	6.60 0.88	9.90 1.93	13.20 3.62
3.40 0.37	6.70 0.89	10.00 2.02	13.30 3.42
3.50 0.39	6.80 0.91	10.10 2.12	13.40 3.24
3.60 0.40	6.90 0.93	10.20 2.23	13.50 3.08
3.70 0.42	7.00 0.94	10.30 2.36	13.60 2.92
3.80 0.43	7.10 0.96	10.40 2.49	13.70 2.77
3.90 0.44	7.20 0.97	10.50 2.63	13.80 2.64
4.00 0.46	7.30 0.99	10.60 2.78	13.90 2.52
4.10 0.47	7.40 1.00	10.70 2.96	14.00 2.40
4.20 0.49	7.50 1.02	10.80 3.17	14.10 2.29
4.30 0.50	7.60 1.03	10.90 3.39	14.20 2.20
4.40 0.52	7.70 1.05	11.00 3.63	14.30 2.14
4.50 0.54	7.80 1.06	11.10 3.78	14.40 2.10
4.60 0.55	7.90 1.08	11.20 4.03	14.50 2.05
4.70 0.57	8.00 1.09	11.30 4.58	14.60 2.01
4.80 0.59	8.10 1.11	11.40 5.19	14.70 1.97
4.90 0.60	8.20 1.15	11.50 5.83	14.80 1.93
5.00 0.62	8.30 1.19	11.60 7.81	14.90 1.89
5.10 0.64	8.40 1.24	11.70 13.74	15.00 1.85

Continues on next page...

Hydrograph Discharge Table

Time -- Outflow (hrs cfs)		Time -- Outflow (hrs cfs)	
15.10	1.81	20.10	0.78
15.20	1.77	20.20	0.77
15.30	1.72	20.30	0.77
15.40	1.68	20.40	0.76
15.50	1.64	20.50	0.76
15.60	1.60	20.60	0.76
15.70	1.56	20.70	0.75
15.80	1.52	20.80	0.75
15.90	1.48	20.90	0.75
16.00	1.44	21.00	0.74
16.10	1.40	21.10	0.74
16.20	1.37	21.20	0.74
16.30	1.34	21.30	0.74
16.40	1.33	21.40	0.73
16.50	1.31	21.50	0.73
16.60	1.30	21.60	0.73
16.70	1.28	21.70	0.72
16.80	1.27	21.80	0.72
16.90	1.25	21.90	0.72
17.00	1.24	22.00	0.72
17.10	1.22	22.10	0.71
17.20	1.21	22.20	0.71
17.30	1.19	22.30	0.71
17.40	1.18	22.40	0.70
17.50	1.17	22.50	0.70
17.60	1.15	22.60	0.70
17.70	1.14	22.70	0.69
17.80	1.12	22.80	0.69
17.90	1.11	22.90	0.69
18.00	1.09	23.00	0.69
18.10	1.08	23.10	0.68
18.20	1.06	23.20	0.68
18.30	1.05	23.30	0.68
18.40	1.03	23.40	0.67
18.50	1.02	23.50	0.67
18.60	1.00	23.60	0.67
18.70	0.99	23.70	0.67
18.80	0.97	23.80	0.66
18.90	0.96	23.90	0.66
19.00	0.94	24.00	0.66
19.10	0.93	24.10	0.52
19.20	0.91	24.20	0.26
19.30	0.90		
19.40	0.88		
19.50	0.87	...End	
19.60	0.86		
19.70	0.84		
19.80	0.83		
19.90	0.81		
20.00	0.80		



AUSTIN MILLER, P.A.

Appendix 8:

SCS Hydrograph Calculations

Hoskinson 2nd Addition - Detention Pond Discharge

Hydrograph Report

Page 1

Hyd. No. 2

Hydrograph type = Reservoir
Storm frequency = 100 yrs
Inflow hyd. No. = 1
Max. Elevation = 1333.32 ft

Peak discharge = 6.68 cfs
Time interval = 6 min
Reservoir name = det 2 hosk
Max. Storage = 124,733 cuft

Storage Indication method used.

Total Volume = 244,950 cuft, 5.623 acft

Hydrograph Discharge Table

Time (hrs)	Inflow (cfs)	Elevation (ft)	Culv. A (cfs)	Culv. B (cfs)	Culv. C (cfs)	Weir A (cfs)	Weir B (cfs)	Weir C (cfs)	Outflow (cfs)
2.80	0.34	1331.31	0.10	----	----	----	----	----	0.10
2.90	0.36	1331.31	0.12	----	----	----	----	----	0.12
3.00	0.38	1331.32	0.13	----	----	----	----	----	0.13
3.10	0.40	1331.32	0.14	----	----	----	----	----	0.14
3.20	0.42	1331.32	0.16	----	----	----	----	----	0.16
3.30	0.44	1331.32	0.17	----	----	----	----	----	0.17
3.40	0.46	1331.32	0.18	----	----	----	----	----	0.18
3.50	0.48	1331.32	0.20	----	----	----	----	----	0.20
3.60	0.50	1331.33	0.21	----	----	----	----	----	0.21
3.70	0.51	1331.33	0.23	----	----	----	----	----	0.23
3.80	0.53	1331.33	0.24	----	----	----	----	----	0.24
3.90	0.55	1331.33	0.26	----	----	----	----	----	0.26
4.00	0.57	1331.33	0.27	----	----	----	----	----	0.27
4.10	0.58	1331.33	0.29	----	----	----	----	----	0.29
4.20	0.60	1331.34	0.30	----	----	----	----	----	0.30
4.30	0.62	1331.34	0.32	----	----	----	----	----	0.32
4.40	0.64	1331.34	0.33	----	----	----	----	----	0.33
4.50	0.66	1331.34	0.35	----	----	----	----	----	0.35
4.60	0.68	1331.34	0.37	----	----	----	----	----	0.37
4.70	0.70	1331.35	0.38	----	----	----	----	----	0.38
4.80	0.72	1331.35	0.40	----	----	----	----	----	0.40
4.90	0.74	1331.35	0.42	----	----	----	----	----	0.42
5.00	0.77	1331.35	0.43	----	----	----	----	----	0.43
5.10	0.79	1331.35	0.45	----	----	----	----	----	0.45
5.20	0.81	1331.36	0.47	----	----	----	----	----	0.47
5.30	0.83	1331.36	0.48	----	----	----	----	----	0.49
5.40	0.85	1331.36	0.50	----	----	----	----	----	0.50
5.50	0.87	1331.36	0.52	----	----	----	----	----	0.52
5.60	0.89	1331.36	0.54	----	----	----	----	----	0.54
5.70	0.91	1331.37	0.56	----	----	----	----	----	0.56
5.80	0.93	1331.37	0.57	----	----	----	----	----	0.57
5.90	0.95	1331.37	0.59	----	----	----	----	----	0.59
6.00	0.97	1331.37	0.61	----	----	----	----	----	0.61
6.10	0.99	1331.37	0.63	----	----	----	----	----	0.63
6.20	1.01	1331.38	0.65	----	----	----	----	----	0.65
6.30	1.03	1331.38	0.68	----	----	----	----	----	0.68
6.40	1.05	1331.38	0.70	----	----	----	----	----	0.70

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	Inflow (cfs)	Elevation (ft)	Culv. A (cfs)	Culv. B (cfs)	Culv. C (cfs)	Weir A (cfs)	Weir B (cfs)	Weir C (cfs)	Outflow (cfs)
6.50	1.07	1331.38	0.72	----	----	----	----	----	0.72
6.60	1.09	1331.39	0.74	----	----	----	----	----	0.74
6.70	1.11	1331.39	0.76	----	----	----	----	----	0.76
6.80	1.13	1331.39	0.78	----	----	----	----	----	0.78
6.90	1.14	1331.39	0.80	----	----	----	----	----	0.80
7.00	1.16	1331.39	0.82	----	----	----	----	----	0.82
7.10	1.18	1331.40	0.84	----	----	----	----	----	0.84
7.20	1.20	1331.40	0.86	----	----	----	----	----	0.86
7.30	1.22	1331.40	0.88	----	----	----	----	----	0.88
7.40	1.24	1331.40	0.90	----	----	----	----	----	0.90
7.50	1.26	1331.40	0.92	----	----	----	----	----	0.92
7.60	1.28	1331.41	0.94	----	----	----	----	----	0.94
7.70	1.30	1331.41	0.96	----	----	----	----	----	0.96
7.80	1.32	1331.41	0.98	----	----	----	----	----	0.98
7.90	1.33	1331.41	1.00	----	----	----	----	----	1.00
8.00	1.35	1331.41	1.02	----	----	----	----	----	1.01
8.10	1.38	1331.42	1.03	----	----	----	----	----	1.03
8.20	1.42	1331.42	1.05	----	----	----	----	----	1.05
8.30	1.47	1331.42	1.08	----	----	----	----	----	1.08
8.40	1.54	1331.42	1.10	----	----	----	----	----	1.10
8.50	1.61	1331.43	1.13	----	----	----	----	----	1.13
8.60	1.68	1331.43	1.16	----	----	----	----	----	1.16
8.70	1.75	1331.43	1.19	----	----	----	----	----	1.19
8.80	1.82	1331.44	1.22	----	----	----	----	----	1.22
8.90	1.90	1331.44	1.26	----	----	----	----	----	1.26
9.00	1.97	1331.44	1.28	----	----	----	----	----	1.28
9.10	2.03	1331.45	1.31	----	----	----	----	----	1.31
9.20	2.08	1331.45	1.33	----	----	----	----	----	1.33
9.30	2.11	1331.46	1.36	----	----	----	----	----	1.36
9.40	2.12	1331.46	1.39	----	----	----	----	----	1.39
9.50	2.13	1331.47	1.41	----	----	----	----	----	1.41
9.60	2.14	1331.47	1.44	----	----	----	----	----	1.44
9.70	2.19	1331.48	1.47	----	----	----	----	----	1.46
9.80	2.28	1331.48	1.49	----	----	----	----	----	1.49
9.90	2.38	1331.49	1.52	----	----	----	----	----	1.52
10.00	2.50	1331.49	1.56	----	----	----	----	----	1.56
10.10	2.62	1331.50	1.59	----	----	----	----	----	1.59
10.20	2.76	1331.50	1.63	----	----	----	----	----	1.63
10.30	2.92	1331.51	1.67	----	----	----	----	----	1.67
10.40	3.08	1331.52	1.71	----	----	----	----	----	1.71
10.50	3.26	1331.53	1.75	----	----	----	----	----	1.75
10.60	3.44	1331.54	1.80	----	----	----	----	----	1.80
10.70	3.66	1331.55	1.85	----	----	----	----	----	1.85
10.80	3.92	1331.56	1.90	----	----	----	----	----	1.90
10.90	4.20	1331.57	1.97	----	----	----	----	----	1.97
11.00	4.49	1331.59	2.03	----	----	----	----	----	2.03
11.10	4.68	1331.60	2.09	----	----	----	----	----	2.09
11.20	4.99	1331.62	2.16	----	----	----	----	----	2.16
11.30	5.66	1331.64	2.24	----	----	----	----	----	2.24
11.40	6.42	1331.66	2.33	----	----	----	----	----	2.33

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	Inflow (cfs)	Elevation (ft)	Culv. A (cfs)	Culv. B (cfs)	Culv. C (cfs)	Weir A (cfs)	Weir B (cfs)	Weir C (cfs)	Outflow (cfs)
11.50	7.20	1331.69	2.42	----	----	----	----	----	2.42
11.60	9.65	1331.72	2.55	----	----	----	----	----	2.55
11.70	16.98	1331.79	2.77	----	----	----	----	----	2.77
11.80	30.32	1331.91	3.14	----	----	----	----	----	3.14
11.90	53.19	1332.14	3.72	----	----	----	----	----	3.72
12.00	72.71 <<	1332.48	4.44	----	----	----	----	----	4.44
12.10	64.25	1332.85	5.24	----	----	----	----	----	5.24
12.20	39.66	1333.11	6.08	----	----	----	----	----	6.08
12.30	19.88	1333.24	6.45	----	----	----	----	----	6.45
12.40	11.05	1333.29	6.59	----	----	----	----	----	6.59
12.50	9.39	1333.31	6.65	----	----	----	----	----	6.65
12.60	7.86	1333.32	6.67	----	----	----	----	----	6.67
12.70	6.71	1333.32 <<	6.68	----	----	----	----	----	6.68 <<
12.80	5.99	1333.32	6.68	----	----	----	----	----	6.68
12.90	5.53	1333.31	6.67	----	----	----	----	----	6.67
13.00	5.15	1333.31	6.65	----	----	----	----	----	6.65
13.10	4.79	1333.30	6.62	----	----	----	----	----	6.62
13.20	4.48	1333.29	6.59	----	----	----	----	----	6.59
13.30	4.23	1333.28	6.56	----	----	----	----	----	6.56
13.40	4.01	1333.26	6.52	----	----	----	----	----	6.52
13.50	3.81	1333.25	6.48	----	----	----	----	----	6.48
13.60	3.61	1333.23	6.44	----	----	----	----	----	6.44
13.70	3.43	1333.22	6.39	----	----	----	----	----	6.39
13.80	3.27	1333.20	6.35	----	----	----	----	----	6.35
13.90	3.12	1333.18	6.30	----	----	----	----	----	6.30
14.00	2.97	1333.17	6.24	----	----	----	----	----	6.24
14.10	2.83	1333.15	6.19	----	----	----	----	----	6.19
14.20	2.73	1333.13	6.14	----	----	----	----	----	6.14
14.30	2.65	1333.11	6.08	----	----	----	----	----	6.08
14.40	2.59	1333.09	6.03	----	----	----	----	----	6.03
14.50	2.54	1333.07	5.97	----	----	----	----	----	5.97
14.60	2.49	1333.06	5.91	----	----	----	----	----	5.91
14.70	2.44	1333.04	5.85	----	----	----	----	----	5.85
14.80	2.39	1333.02	5.79	----	----	----	----	----	5.79
14.90	2.34	1333.00	5.74	----	----	----	----	----	5.74
15.00	2.29	1332.98	5.67	----	----	----	----	----	5.67
15.10	2.23	1332.96	5.61	----	----	----	----	----	5.61
15.20	2.18	1332.94	5.54	----	----	----	----	----	5.54
15.30	2.13	1332.92	5.48	----	----	----	----	----	5.48
15.40	2.08	1332.90	5.42	----	----	----	----	----	5.42
15.50	2.03	1332.88	5.35	----	----	----	----	----	5.35
15.60	1.98	1332.86	5.28	----	----	----	----	----	5.28
15.70	1.93	1332.84	5.22	----	----	----	----	----	5.22
15.80	1.88	1332.83	5.15	----	----	----	----	----	5.15
15.90	1.83	1332.81	5.08	----	----	----	----	----	5.08
16.00	1.77	1332.79	5.01	----	----	----	----	----	5.01
16.10	1.73	1332.77	4.94	----	----	----	----	----	4.94
16.20	1.69	1332.75	4.88	----	----	----	----	----	4.88
16.30	1.66	1332.73	4.81	----	----	----	----	----	4.81
16.40	1.64	1332.71	4.74	----	----	----	----	----	4.74

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	Inflow (cfs)	Elevation (ft)	Culv. A (cfs)	Culv. B (cfs)	Culv. C (cfs)	Weir A (cfs)	Weir B (cfs)	Weir C (cfs)	Outflow (cfs)
16.50	1.62	1332.70	4.68	----	----	----	----	----	4.68
16.60	1.60	1332.68	4.68	----	----	----	----	----	4.68
16.70	1.59	1332.66	4.68	----	----	----	----	----	4.68
16.80	1.57	1332.64	4.68	----	----	----	----	----	4.68
16.90	1.55	1332.62	4.67	----	----	----	----	----	4.67
17.00	1.53	1332.61	4.67	----	----	----	----	----	4.67
17.10	1.51	1332.59	4.65	----	----	----	----	----	4.65
17.20	1.50	1332.57	4.62	----	----	----	----	----	4.62
17.30	1.48	1332.55	4.58	----	----	----	----	----	4.58
17.40	1.46	1332.53	4.55	----	----	----	----	----	4.55
17.50	1.44	1332.52	4.51	----	----	----	----	----	4.51
17.60	1.42	1332.50	4.48	----	----	----	----	----	4.48
17.70	1.40	1332.48	4.44	----	----	----	----	----	4.44
17.80	1.39	1332.46	4.41	----	----	----	----	----	4.41
17.90	1.37	1332.45	4.37	----	----	----	----	----	4.37
18.00	1.35	1332.43	4.34	----	----	----	----	----	4.34
18.10	1.33	1332.41	4.30	----	----	----	----	----	4.30
18.20	1.31	1332.39	4.27	----	----	----	----	----	4.27
18.30	1.29	1332.38	4.23	----	----	----	----	----	4.23
18.40	1.28	1332.36	4.20	----	----	----	----	----	4.20
18.50	1.26	1332.34	4.16	----	----	----	----	----	4.16
18.60	1.24	1332.33	4.13	----	----	----	----	----	4.13
18.70	1.22	1332.31	4.09	----	----	----	----	----	4.09
18.80	1.20	1332.29	4.06	----	----	----	----	----	4.06
18.90	1.19	1332.28	4.02	----	----	----	----	----	4.02
19.00	1.17	1332.26	3.99	----	----	----	----	----	3.99
19.10	1.15	1332.24	3.95	----	----	----	----	----	3.95
19.20	1.13	1332.23	3.92	----	----	----	----	----	3.92
19.30	1.11	1332.21	3.88	----	----	----	----	----	3.88
19.40	1.09	1332.20	3.84	----	----	----	----	----	3.84
19.50	1.08	1332.18	3.81	----	----	----	----	----	3.81
19.60	1.06	1332.17	3.77	----	----	----	----	----	3.77
19.70	1.04	1332.15	3.73	----	----	----	----	----	3.73
19.80	1.02	1332.13	3.70	----	----	----	----	----	3.70
19.90	1.00	1332.12	3.66	----	----	----	----	----	3.66
20.00	0.98	1332.10	3.63	----	----	----	----	----	3.63
20.10	0.97	1332.09	3.59	----	----	----	----	----	3.59
20.20	0.95	1332.07	3.55	----	----	----	----	----	3.55
20.30	0.95	1332.06	3.51	----	----	----	----	----	3.51
20.40	0.94	1332.04	3.48	----	----	----	----	----	3.48
20.50	0.94	1332.03	3.44	----	----	----	----	----	3.44
20.60	0.94	1332.01	3.40	----	----	----	----	----	3.40
20.70	0.93	1332.00	3.37	----	----	----	----	----	3.37
20.80	0.93	1331.99	3.33	----	----	----	----	----	3.33
20.90	0.92	1331.97	3.29	----	----	----	----	----	3.29
21.00	0.92	1331.96	3.25	----	----	----	----	----	3.25
21.10	0.92	1331.94	3.21	----	----	----	----	----	3.21
21.20	0.91	1331.93	3.18	----	----	----	----	----	3.18
21.30	0.91	1331.91	3.14	----	----	----	----	----	3.14
21.40	0.91	1331.90	3.10	----	----	----	----	----	3.10

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	Inflow (cfs)	Elevation (ft)	Culv. A (cfs)	Culv. B (cfs)	Culv. C (cfs)	Weir A (cfs)	Weir B (cfs)	Weir C (cfs)	Outflow (cfs)
21.50	0.90	1331.89	3.06	----	----	----	----	----	3.06
21.60	0.90	1331.87	3.02	----	----	----	----	----	3.02
21.70	0.90	1331.86	2.99	----	----	----	----	----	2.99
21.80	0.89	1331.85	2.95	----	----	----	----	----	2.95
21.90	0.89	1331.84	2.91	----	----	----	----	----	2.91
22.00	0.88	1331.82	2.88	----	----	----	----	----	2.88
22.10	0.88	1331.81	2.84	----	----	----	----	----	2.84
22.20	0.88	1331.80	2.80	----	----	----	----	----	2.80
22.30	0.87	1331.79	2.77	----	----	----	----	----	2.77
22.40	0.87	1331.78	2.73	----	----	----	----	----	2.73
22.50	0.87	1331.77	2.69	----	----	----	----	----	2.69
22.60	0.86	1331.75	2.66	----	----	----	----	----	2.66
22.70	0.86	1331.74	2.62	----	----	----	----	----	2.62
22.80	0.86	1331.73	2.59	----	----	----	----	----	2.59
22.90	0.85	1331.72	2.55	----	----	----	----	----	2.55
23.00	0.85	1331.71	2.51	----	----	----	----	----	2.51
23.10	0.84	1331.70	2.48	----	----	----	----	----	2.48
23.20	0.84	1331.69	2.44	----	----	----	----	----	2.44
23.30	0.84	1331.68	2.41	----	----	----	----	----	2.41
23.40	0.83	1331.67	2.37	----	----	----	----	----	2.37
23.50	0.83	1331.66	2.34	----	----	----	----	----	2.34
23.60	0.83	1331.66	2.31	----	----	----	----	----	2.31
23.70	0.82	1331.65	2.27	----	----	----	----	----	2.27
23.80	0.82	1331.64	2.24	----	----	----	----	----	2.24
23.90	0.82	1331.63	2.20	----	----	----	----	----	2.20
24.00	0.81	1331.62	2.17	----	----	----	----	----	2.17
24.10	0.65	1331.61	2.13	----	----	----	----	----	2.13
24.20	0.32	1331.60	2.09	----	----	----	----	----	2.09
24.30	0.11	1331.59	2.05	----	----	----	----	----	2.05
24.40	0.00	1331.58	2.00	----	----	----	----	----	2.00
24.50	0.00	1331.57	1.94	----	----	----	----	----	1.94
24.60	0.00	1331.55	1.88	----	----	----	----	----	1.88
24.70	0.00	1331.54	1.83	----	----	----	----	----	1.83
24.80	0.00	1331.53	1.78	----	----	----	----	----	1.78
24.90	0.00	1331.52	1.73	----	----	----	----	----	1.73
25.00	0.00	1331.51	1.68	----	----	----	----	----	1.68
25.10	0.00	1331.50	1.62	----	----	----	----	----	1.62
25.20	0.00	1331.49	1.56	----	----	----	----	----	1.56
25.30	0.00	1331.48	1.51	----	----	----	----	----	1.51
25.40	0.00	1331.47	1.45	----	----	----	----	----	1.45
25.50	0.00	1331.46	1.40	----	----	----	----	----	1.40
25.60	0.00	1331.46	1.35	----	----	----	----	----	1.35
25.70	0.00	1331.45	1.30	----	----	----	----	----	1.30
25.80	0.00	1331.44	1.25	----	----	----	----	----	1.25
25.90	0.00	1331.43	1.19	----	----	----	----	----	1.19
26.00	0.00	1331.43	1.12	----	----	----	----	----	1.12
26.10	0.00	1331.42	1.06	----	----	----	----	----	1.06
26.20	0.00	1331.41	1.00	----	----	----	----	----	1.00
26.30	0.00	1331.41	0.94	----	----	----	----	----	0.94
26.40	0.00	1331.40	0.89	----	----	----	----	----	0.89

Continues on next page...

Hydrograph Discharge Table

Time (hrs)	Inflow (cfs)	Elevation (ft)	Culv. A (cfs)	Culv. B (cfs)	Culv. C (cfs)	Weir A (cfs)	Weir B (cfs)	Weir C (cfs)	Outflow (cfs)
26.50	0.00	1331.40	0.84	----	----	----	----	----	0.84
26.60	0.00	1331.39	0.79	----	----	----	----	----	0.79
26.70	0.00	1331.39	0.75	----	----	----	----	----	0.75
26.80	0.00	1331.38	0.70	----	----	----	----	----	0.70
26.90	0.00	1331.38	0.67	----	----	----	----	----	0.67
27.00	0.00	1331.37	0.63	----	----	----	----	----	0.63
27.10	0.00	1331.37	0.59	----	----	----	----	----	0.59
27.20	0.00	1331.37	0.56	----	----	----	----	----	0.56
27.30	0.00	1331.36	0.53	----	----	----	----	----	0.53
27.40	0.00	1331.36	0.51	----	----	----	----	----	0.51
27.50	0.00	1331.36	0.48	----	----	----	----	----	0.48
27.60	0.00	1331.35	0.46	----	----	----	----	----	0.46
27.70	0.00	1331.35	0.43	----	----	----	----	----	0.43
27.80	0.00	1331.35	0.41	----	----	----	----	----	0.41
27.90	0.00	1331.35	0.39	----	----	----	----	----	0.39
28.00	0.00	1331.34	0.37	----	----	----	----	----	0.37
28.10	0.00	1331.34	0.35	----	----	----	----	----	0.35
28.20	0.00	1331.34	0.34	----	----	----	----	----	0.34
28.30	0.00	1331.34	0.32	----	----	----	----	----	0.32
28.40	0.00	1331.34	0.30	----	----	----	----	----	0.30
28.50	0.00	1331.33	0.29	----	----	----	----	----	0.29
28.60	0.00	1331.33	0.27	----	----	----	----	----	0.27
28.70	0.00	1331.33	0.26	----	----	----	----	----	0.26
28.80	0.00	1331.33	0.25	----	----	----	----	----	0.25
28.90	0.00	1331.33	0.23	----	----	----	----	----	0.23
29.00	0.00	1331.33	0.22	----	----	----	----	----	0.22
29.10	0.00	1331.33	0.21	----	----	----	----	----	0.21
29.20	0.00	1331.32	0.20	----	----	----	----	----	0.20
29.30	0.00	1331.32	0.19	----	----	----	----	----	0.19
29.40	0.00	1331.32	0.18	----	----	----	----	----	0.18
29.50	0.00	1331.32	0.17	----	----	----	----	----	0.17
29.60	0.00	1331.32	0.16	----	----	----	----	----	0.16
29.70	0.00	1331.32	0.15	----	----	----	----	----	0.15
29.80	0.00	1331.32	0.15	----	----	----	----	----	0.15
29.90	0.00	1331.32	0.14	----	----	----	----	----	0.14
30.00	0.00	1331.32	0.13	----	----	----	----	----	0.13
30.10	0.00	1331.31	0.13	----	----	----	----	----	0.13
30.20	0.00	1331.31	0.12	----	----	----	----	----	0.12
30.30	0.00	1331.31	0.11	----	----	----	----	----	0.11
30.40	0.00	1331.31	0.11	----	----	----	----	----	0.11
30.50	0.00	1331.31	0.10	----	----	----	----	----	0.10

...End



AUSTIN MILLER, P.A.

Appendix 9:

Combined SCS Hydrograph Calculations

Hoskinson 2nd Addition – with Detention Pond

Hydrograph Report

Hoskinson 2nd - Detention Calculations

Flow Not Detained		Flow Detained		Big Slough		Combined
Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Q (cfs)
1.40	0.01	1.40	0.00	1.40	0.00	0.01
1.50	0.02	1.50	0.00	1.50	0.00	0.03
1.60	0.05	1.60	0.00	1.60	0.00	0.05
1.70	0.07	1.70	0.01	1.70	0.00	0.07
1.80	0.09	1.80	0.01	1.80	0.00	0.10
1.90	0.11	1.90	0.02	1.90	0.00	0.13
2.00	0.13	2.00	0.02	2.00	0.00	0.15
2.10	0.15	2.10	0.03	2.10	0.00	0.18
2.20	0.17	2.20	0.04	2.20	0.00	0.21
2.30	0.19	2.30	0.05	2.30	0.00	0.24
2.40	0.21	2.40	0.06	2.40	0.00	0.26
2.50	0.22	2.50	0.07	2.50	0.00	0.29
2.60	0.24	2.60	0.08	2.60	0.00	0.32
2.70	0.26	2.70	0.09	2.70	0.00	0.35
2.80	0.28	2.80	0.10	2.80	0.00	0.38
2.90	0.29	2.90	0.12	2.90	0.00	0.41
3.00	0.31	3.00	0.13	3.00	0.00	0.44
3.10	0.33	3.10	0.14	3.10	0.00	0.47
3.20	0.34	3.20	0.16	3.20	0.00	0.50
3.30	0.36	3.30	0.17	3.30	0.00	0.53
3.40	0.37	3.40	0.18	3.40	0.00	0.56
3.50	0.39	3.50	0.20	3.50	0.00	0.58
3.60	0.40	3.60	0.21	3.60	0.00	0.61
3.70	0.42	3.70	0.23	3.70	0.00	0.64
3.80	0.43	3.80	0.24	3.80	0.00	0.67
3.90	0.44	3.90	0.26	3.90	0.00	0.70
4.00	0.46	4.00	0.27	4.00	0.00	0.73
4.10	0.47	4.10	0.29	4.10	0.00	0.76
4.20	0.49	4.20	0.30	4.20	0.00	0.79
4.30	0.50	4.30	0.32	4.30	0.00	0.82
4.40	0.52	4.40	0.33	4.40	0.00	0.85
4.50	0.54	4.50	0.35	4.50	0.00	0.89
4.60	0.55	4.60	0.37	4.60	0.00	0.92
4.70	0.57	4.70	0.38	4.70	0.00	0.95
4.80	0.59	4.80	0.40	4.80	0.00	0.99
4.90	0.60	4.90	0.42	4.90	0.00	1.02
5.00	0.62	5.00	0.43	5.00	0.00	1.05
5.10	0.64	5.10	0.45	5.10	0.00	1.09
5.20	0.65	5.20	0.47	5.20	0.00	1.12
5.30	0.67	5.30	0.49	5.30	0.00	1.15
5.40	0.68	5.40	0.50	5.40	0.00	1.19
5.50	0.70	5.50	0.52	5.50	0.00	1.22
5.60	0.72	5.60	0.54	5.60	0.00	1.26
5.70	0.73	5.70	0.56	5.70	0.00	1.29
5.80	0.75	5.80	0.57	5.80	0.00	1.33
5.90	0.77	5.90	0.59	5.90	0.00	1.36

Flow Not Detained		Flow Detained		Big Slough		Combined
Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Q (cfs)
6.00	0.78	6.00	0.61	6.00	0.00	1.40
6.10	0.80	6.10	0.63	6.10	0.00	1.43
6.20	0.81	6.20	0.65	6.20	0.00	1.47
6.30	0.83	6.30	0.68	6.30	0.00	1.51
6.40	0.85	6.40	0.70	6.40	0.00	1.54
6.50	0.86	6.50	0.72	6.50	0.00	1.58
6.60	0.88	6.60	0.74	6.60	0.00	1.61
6.70	0.89	6.70	0.76	6.70	0.00	1.65
6.80	0.91	6.80	0.78	6.80	0.00	1.69
6.90	0.93	6.90	0.80	6.90	0.00	1.72
7.00	0.94	7.00	0.82	7.00	0.00	1.76
7.10	0.96	7.10	0.84	7.10	0.00	1.79
7.20	0.97	7.20	0.86	7.20	0.00	1.83
7.30	0.99	7.30	0.88	7.30	0.00	1.86
7.40	1.00	7.40	0.90	7.40	0.00	1.90
7.50	1.02	7.50	0.92	7.50	0.00	1.94
7.60	1.03	7.60	0.94	7.60	0.00	1.97
7.70	1.05	7.70	0.96	7.70	0.00	2.01
7.80	1.06	7.80	0.98	7.80	0.00	2.04
7.90	1.08	7.90	1.00	7.90	0.00	2.07
8.00	1.09	8.00	1.01	8.00	0.00	2.11
8.10	1.11	8.10	1.03	8.10	0.00	2.15
8.20	1.15	8.20	1.05	8.20	0.00	2.20
8.30	1.19	8.30	1.08	8.30	0.00	2.27
8.40	1.24	8.40	1.10	8.40	0.01	2.35
8.50	1.30	8.50	1.13	8.50	0.02	2.45
8.60	1.36	8.60	1.16	8.60	0.03	2.54
8.70	1.42	8.70	1.19	8.70	0.05	2.65
8.80	1.47	8.80	1.22	8.80	0.07	2.77
8.90	1.53	8.90	1.26	8.90	0.11	2.90
9.00	1.59	9.00	1.28	9.00	0.15	3.02
9.10	1.65	9.10	1.31	9.10	0.20	3.15
9.20	1.68	9.20	1.33	9.20	0.26	3.28
9.30	1.70	9.30	1.36	9.30	0.34	3.40
9.40	1.71	9.40	1.39	9.40	0.43	3.53
9.50	1.72	9.50	1.41	9.50	0.54	3.67
9.60	1.73	9.60	1.44	9.60	0.66	3.83
9.70	1.77	9.70	1.46	9.70	0.80	4.04
9.80	1.84	9.80	1.49	9.80	0.96	4.29
9.90	1.93	9.90	1.52	9.90	1.15	4.60
10.00	2.02	10.00	1.56	10.00	1.36	4.94
10.10	2.12	10.10	1.59	10.10	1.60	5.31
10.20	2.23	10.20	1.63	10.20	1.87	5.73
10.30	2.36	10.30	1.67	10.30	2.17	6.20
10.40	2.49	10.40	1.71	10.40	2.51	6.72
10.50	2.63	10.50	1.75	10.50	2.90	7.29
10.60	2.78	10.60	1.80	10.60	3.34	7.92
10.70	2.96	10.70	1.85	10.70	3.83	8.64
10.80	3.17	10.80	1.90	10.80	4.38	9.45

Flow Not Detained		Flow Detained		Big Slough		Combined
Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Q (cfs)
10.90	3.39	10.90	1.97	10.90	5.00	10.36
11.00	3.63	11.00	2.03	11.00	5.70	11.36
11.10	3.78	11.10	2.09	11.10	6.47	12.34
11.20	4.03	11.20	2.16	11.20	7.35	13.54
11.30	4.58	11.30	2.24	11.30	8.35	15.16
11.40	5.19	11.40	2.33	11.40	9.49	17.00
11.50	5.83	11.50	2.42	11.50	10.79	19.04
11.60	7.81	11.60	2.55	11.60	12.47	22.83
11.70	13.74	11.70	2.77	11.70	14.97	31.47
11.80	24.52	11.80	3.14	11.80	19.00	46.66
11.90	43.02	11.90	3.72	11.90	26.29	73.03
12.00	58.81	12.00	4.44	12.00	36.13	99.38
12.10	51.97	12.10	5.24	12.10	46.50	103.70
12.20	32.08	12.20	6.08	12.20	57.33	95.49
12.30	16.08	12.30	6.45	12.30	68.57	91.10
12.40	8.94	12.40	6.59	12.40	80.16	95.69
12.50	7.60	12.50	6.65	12.50	92.04	106.28
12.60	6.36	12.60	6.67	12.60	104.16	117.19
12.70	5.43	12.70	6.68	12.70	116.51	128.62
12.80	4.84	12.80	6.68	12.80	129.08	140.60
12.90	4.47	12.90	6.67	12.90	141.84	152.97
13.00	4.16	13.00	6.65	13.00	154.80	165.61
13.10	3.87	13.10	6.62	13.10	167.93	178.42
13.20	3.62	13.20	6.59	13.20	181.23	191.44
13.30	3.42	13.30	6.56	13.30	194.69	204.66
13.40	3.24	13.40	6.52	13.40	208.30	218.06
13.50	3.08	13.50	6.48	13.50	222.05	231.61
13.60	2.92	13.60	6.44	13.60	235.95	245.31
13.70	2.77	13.70	6.39	13.70	249.97	259.13
13.80	2.64	13.80	6.35	13.80	264.12	273.11
13.90	2.52	13.90	6.30	13.90	278.39	287.21
14.00	2.40	14.00	6.24	14.00	292.78	301.43
14.10	2.29	14.10	6.19	14.10	307.27	315.75
14.20	2.20	14.20	6.14	14.20	321.88	330.22
14.30	2.14	14.30	6.08	14.30	336.59	344.81
14.40	2.10	14.40	6.03	14.40	351.40	359.52
14.50	2.05	14.50	5.97	14.50	366.32	374.34
14.60	2.01	14.60	5.91	14.60	381.34	389.26
14.70	1.97	14.70	5.85	14.70	396.45	404.27
14.80	1.93	14.80	5.79	14.80	411.67	419.40
14.90	1.89	14.90	5.74	14.90	426.97	434.60
15.00	1.85	15.00	5.67	15.00	442.37	449.89
15.10	1.81	15.10	5.61	15.10	457.87	465.29
15.20	1.77	15.20	5.54	15.20	473.44	480.75
15.30	1.72	15.30	5.48	15.30	489.11	496.31
15.40	1.68	15.40	5.42	15.40	504.86	511.96
15.50	1.64	15.50	5.35	15.50	520.69	527.68
15.60	1.60	15.60	5.28	15.60	536.60	543.48
15.70	1.56	15.70	5.22	15.70	552.59	559.37

Flow Not Detained		Flow Detained		Big Slough		Combined
Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Q (cfs)
15.80	1.52	15.80	5.15	15.80	568.66	575.33
15.90	1.48	15.90	5.08	15.90	584.80	591.36
16.00	1.44	16.00	5.01	16.00	601.02	607.47
16.10	1.40	16.10	4.94	16.10	617.30	623.64
16.20	1.37	16.20	4.88	16.20	633.65	639.89
16.30	1.34	16.30	4.81	16.30	650.07	656.22
16.40	1.33	16.40	4.74	16.40	666.56	672.63
16.50	1.31	16.50	4.68	16.50	683.12	689.12
16.60	1.30	16.60	4.68	16.60	699.75	705.73
16.70	1.28	16.70	4.68	16.70	716.44	722.40
16.80	1.27	16.80	4.68	16.80	733.19	739.14
16.90	1.25	16.90	4.67	16.90	750.02	755.95
17.00	1.24	17.00	4.67	17.00	766.90	772.81
17.10	1.22	17.10	4.65	17.10	783.85	789.72
17.20	1.21	17.20	4.62	17.20	800.86	806.68
17.30	1.19	17.30	4.58	17.30	817.93	823.71
17.40	1.18	17.40	4.55	17.40	835.07	840.80
17.50	1.17	17.50	4.51	17.50	852.26	857.94
17.60	1.15	17.60	4.48	17.60	869.52	875.15
17.70	1.14	17.70	4.44	17.70	886.83	892.41
17.80	1.12	17.80	4.41	17.80	904.20	909.73
17.90	1.11	17.90	4.37	17.90	921.63	927.11
18.00	1.09	18.00	4.34	18.00	939.11	944.54
18.10	1.08	18.10	4.30	18.10	956.65	962.03
18.20	1.06	18.20	4.27	18.20	974.25	979.58
18.30	1.05	18.30	4.23	18.30	991.90	997.18
18.40	1.03	18.40	4.20	18.40	1009.60	1014.83
18.50	1.02	18.50	4.16	18.50	1027.36	1032.54
18.60	1.00	18.60	4.13	18.60	1045.17	1050.30
18.70	0.99	18.70	4.09	18.70	1063.03	1068.11
18.80	0.97	18.80	4.06	18.80	1080.94	1085.97
18.90	0.96	18.90	4.02	18.90	1098.90	1103.88
19.00	0.94	19.00	3.99	19.00	1116.91	1121.84
19.10	0.93	19.10	3.95	19.10	1134.97	1139.85
19.20	0.91	19.20	3.92	19.20	1153.07	1157.90
19.30	0.90	19.30	3.88	19.30	1171.22	1176.00
19.40	0.88	19.40	3.84	19.40	1189.42	1194.15
19.50	0.87	19.50	3.81	19.50	1207.67	1212.35
19.60	0.86	19.60	3.77	19.60	1225.95	1230.58
19.70	0.84	19.70	3.73	19.70	1244.29	1248.86
19.80	0.83	19.80	3.70	19.80	1262.66	1267.18
19.90	0.81	19.90	3.66	19.90	1281.08	1285.55
20.00	0.80	20.00	3.63	20.00	1299.53	1303.95
20.10	0.78	20.10	3.59	20.10	1318.03	1322.40
20.20	0.77	20.20	3.55	20.20	1336.57	1340.89
20.30	0.77	20.30	3.51	20.30	1355.15	1359.43
20.40	0.76	20.40	3.48	20.40	1373.78	1378.02
20.50	0.76	20.50	3.44	20.50	1392.44	1396.64
20.60	0.76	20.60	3.40	20.60	1411.14	1415.30

Flow Not Detained		Flow Detained		Big Slough		Combined
Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Q (cfs)
20.70	0.75	20.70	3.37	20.70	1429.88	1434.00
20.80	0.75	20.80	3.33	20.80	1448.66	1452.74
20.90	0.75	20.90	3.29	20.90	1467.48	1471.52
21.00	0.74	21.00	3.25	21.00	1486.34	1490.34
21.10	0.74	21.10	3.21	21.10	1505.24	1509.20
21.20	0.74	21.20	3.18	21.20	1524.18	1528.10
21.30	0.74	21.30	3.14	21.30	1543.16	1547.03
21.40	0.73	21.40	3.10	21.40	1562.18	1566.01
21.50	0.73	21.50	3.06	21.50	1581.24	1585.03
21.60	0.73	21.60	3.02	21.60	1600.33	1604.08
21.70	0.72	21.70	2.99	21.70	1619.47	1623.18
21.80	0.72	21.80	2.95	21.80	1638.64	1642.31
21.90	0.72	21.90	2.91	21.90	1657.85	1661.48
22.00	0.72	22.00	2.88	22.00	1677.10	1680.69
22.10	0.71	22.10	2.84	22.10	1696.39	1699.94
22.20	0.71	22.20	2.80	22.20	1715.71	1719.22
22.30	0.71	22.30	2.77	22.30	1735.07	1738.54
22.40	0.70	22.40	2.73	22.40	1754.45	1757.88
22.50	0.70	22.50	2.69	22.50	1773.87	1777.26
22.60	0.70	22.60	2.66	22.60	1793.32	1796.67
22.70	0.69	22.70	2.62	22.70	1812.79	1816.11
22.80	0.69	22.80	2.59	22.80	1832.29	1835.57
22.90	0.69	22.90	2.55	22.90	1851.81	1855.05
23.00	0.69	23.00	2.51	23.00	1871.35	1874.55
23.10	0.68	23.10	2.48	23.10	1890.91	1894.07
23.20	0.68	23.20	2.44	23.20	1910.48	1913.60
23.30	0.68	23.30	2.41	23.30	1930.07	1933.15
23.40	0.67	23.40	2.37	23.40	1949.67	1952.72
23.50	0.67	23.50	2.34	23.50	1969.27	1972.28
23.60	0.67	23.60	2.31	23.60	1988.89	1991.86
23.70	0.67	23.70	2.27	23.70	2008.51	2011.45
23.80	0.66	23.80	2.24	23.80	2028.13	2031.03
23.90	0.66	23.90	2.20	23.90	2047.74	2050.60
24.00	0.66	24.00	2.17	24.00	2067.34	2070.16
24.10	0.52	24.10	2.13	24.10	2086.89	2089.55
24.20	0.26	24.20	2.09	24.20	2106.39	2108.74
24.30	0.09	24.30	2.05	24.30	2125.82	2127.95
24.40		24.40	2.00	24.40	2145.18	2147.18
24.50		24.50	1.94	24.50	2164.47	2166.41
24.60		24.60	1.88	24.60	2183.67	2185.55
24.70		24.70	1.83	24.70	2202.77	2204.60
24.80		24.80	1.78	24.80	2221.76	2223.54
24.90		24.90	1.73	24.90	2240.63	2242.36
25.00		25.00	1.68	25.00	2259.37	2261.05
25.10		25.10	1.62	25.10	2277.95	2279.57
25.20		25.20	1.56	25.20	2296.34	2297.90
25.30		25.30	1.51	25.30	2314.49	2316.00
25.40		25.40	1.45	25.40	2332.39	2333.84
25.50		25.50	1.40	25.50	2349.69	2351.09

Flow Not Detained		Flow Detained		Big Slough		Combined
Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Q (cfs)
25.60		25.60	1.35	25.60	2365.67	2367.02
25.70		25.70	1.30	25.70	2379.21	2380.51
25.80		25.80	1.25	25.80	2387.53	2388.78
25.90		25.90	1.19	25.90	2391.79	2392.98
26.00		26.00	1.12	26.00	2395.20	2396.32
26.10		26.10	1.06	26.10	2397.85	2398.91
26.20		26.20	1.00	26.20	2399.86	2400.86
26.30		26.30	0.94	26.30	2401.30	2402.24
26.40		26.40	0.89	26.40	2402.29	2403.18
26.50		26.50	0.84	26.50	2402.89	2403.73
26.60		26.60	0.79	26.60	2403.13	2403.92
26.70		26.70	0.75	26.70	2403.02	2403.77
26.80		26.80	0.70	26.80	2402.58	2403.28
26.90		26.90	0.67	26.90	2401.85	2402.52
27.00		27.00	0.63	27.00	2400.83	2401.46
27.10		27.10	0.59	27.10	2399.55	2400.14
27.20		27.20	0.56	27.20	2398.01	2398.57
27.30		27.30	0.53	27.30	2396.22	2396.75
27.40		27.40	0.51	27.40	2394.21	2394.72
27.50		27.50	0.48	27.50	2391.97	2392.45
27.60		27.60	0.46	27.60	2389.53	2389.99
27.70		27.70	0.43	27.70	2386.89	2387.32
27.80		27.80	0.41	27.80	2384.05	2384.46
27.90		27.90	0.39	27.90	2381.03	2381.42
28.00		28.00	0.37	28.00	2377.83	2378.20
28.10		28.10	0.35	28.10	2374.46	2374.81
28.20		28.20	0.34	28.20	2370.92	2371.26
28.30		28.30	0.32	28.30	2367.21	2367.53
28.40		28.40	0.30	28.40	2363.34	2363.64
28.50		28.50	0.29	28.50	2359.30	2359.59
28.60		28.60	0.27	28.60	2355.11	2355.38
28.70		28.70	0.26	28.70	2350.77	2351.03
28.80		28.80	0.25	28.80	2346.27	2346.52
28.90		28.90	0.23	28.90	2341.63	2341.86
29.00		29.00	0.22	29.00	2336.84	2337.06
29.10		29.10	0.21	29.10	2331.91	2332.12
29.20		29.20	0.20	29.20	2326.84	2327.04
29.30		29.30	0.19	29.30	2321.64	2321.83
29.40		29.40	0.18	29.40	2316.30	2316.48
29.50		29.50	0.17	29.50	2310.84	2311.01
29.60		29.60	0.16	29.60	2305.25	2305.41
29.70		29.70	0.15	29.70	2299.54	2299.69
29.80		29.80	0.15	29.80	2293.71	2293.86
29.90		29.90	0.14	29.90	2287.77	2287.91
30.00		30.00	0.13	30.00	2281.71	2281.84
30.10		30.10	0.13	30.10	2275.54	2275.67
30.20		30.20	0.12	30.20	2269.27	2269.39
30.30		30.30	0.11	30.30	2262.88	2262.99
30.40		30.40	0.11	30.40	2256.38	2256.49

Flow Not Detained		Flow Detained		Big Slough		Combined
Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Time (hrs)	Q (cfs)	Q (cfs)
30.50		30.50	0.10	30.50	2249.78	2249.88
30.60		30.60	0.10	30.60	2243.07	2243.17
30.70		30.70	0.09	30.70	2236.26	2236.35
30.80		30.80	0.09	30.80	2229.34	2229.43
30.90		30.90	0.08	30.90	2222.32	2222.40
31.00		31.00	0.08	31.00	2215.20	2215.28
31.10		31.10	0.08	31.10	2207.98	2208.06
31.20		31.20	0.07	31.20	2200.66	2200.73
31.30		31.30	0.07	31.30	2193.24	2193.31
31.40		31.40	0.06	31.40	2185.73	2185.79
31.50		31.50	0.06	31.50	2178.12	2178.18
31.60		31.60	0.06	31.60	2170.42	2170.48
31.70		31.70	0.06	31.70	2162.62	2162.68
31.80		31.80	0.05	31.80	2154.74	2154.79
31.90		31.90	0.05	31.90	2146.76	2146.81
32.00		32.00	0.05	32.00	2138.69	2138.74
32.10		32.10	0.04	32.10	2130.54	2130.58
32.20		32.20	0.04	32.20	2122.29	2122.33
32.30		32.30	0.04	32.30	2113.96	2114.00
32.40		32.40	0.04	32.40	2105.55	2105.59
32.50		32.50	0.04	32.50	2097.06	2097.10
32.60		32.60	0.03	32.60	2088.48	2088.51
32.70		32.70	0.03	32.70	2079.82	2079.85
32.80		32.80	0.03	32.80	2071.08	2071.11
32.90		32.90	0.03	32.90	2062.26	2062.29
33.00		33.00	0.03	33.00	2053.37	2053.40
33.10		33.10	0.03	33.10	2044.40	2044.43
33.20		33.20	0.03	33.20	2035.36	2035.39
33.30		33.30	0.02	33.30	2026.24	2026.26
33.40		33.40	0.02	33.40	2017.05	2017.07
33.50		33.50	0.02	33.50	2007.78	2007.80
33.60		33.60	0.02	33.60	1998.45	1998.47
33.70		33.70	0.02	33.70	1989.05	1989.07
33.80		33.80	0.02	33.80	1979.58	1979.60
33.90		33.90	0.02	33.90	1970.05	1970.07
34.00		34.00	0.02	34.00	1960.45	1960.47
34.10		34.10	0.02	34.10	1950.78	1950.80
34.20		34.20	0.02	34.20	1941.05	1941.07
34.30		34.30	0.01	34.30	1931.26	1931.27
34.40		34.40	0.01	34.40	1921.40	1921.41
34.50		34.50	0.01	34.50	1911.48	1911.49
34.60		34.60	0.01	34.60	1901.49	1901.50
34.70		34.70	0.01	34.70	1891.44	1891.45
34.80		34.80	0.01	34.80	1881.32	1881.33
34.90		34.90	0.01	34.90	1871.14	1871.15
35.00		35.00	0.01	35.00	1860.90	1860.91



AUSTIN MILLER, P. A.

254 S. Laura; Suite 210, Wichita, Kansas 67211 316.262.1281 fax: 316.262.6773 e-mail: foram@feist.com

August 5, 1999

VIA FACSIMILE

Memo To: Mr. Jim Weber, P. E.
SG Co. Bureau of Public Works

From: Tim Austin, P. E.

**RE: Hoskinson 2nd Addition
Drainage Plan**

Jim,

Attached is the drainage plan for Hoskinson 2nd Addition. We are planning to drain the water via stormsewer to the existing lake. The existing lake (19.5 acres $\pm$) is sufficient for on-site detention and has previously been covenanted as such (see attached recorded document). Our client is currently anticipating that the lake will need to be expanded somewhat to obtain some additional fill for the land west of the lake.

The property has previously been filled and the existing grade is above the flood-plain elevation shown on the FEMA maps (see attached survey by M. S. Mitchell). We have also advised our client that a LOMR will probably need to be filed prior to a building permit. Based upon Mitch's survey, we plan to establish minimum pad elevation of 1333 MSL.

Please call if you have any questions.

Thanks.

CENTRAL SAND INC.

A TRACT OF LAND IN THE E 1/2 OF THE NE 1/4 OF SECTION 33, TOWNSHIP 22 SOUTH, RANGE 1 WEST OF THE 6TH P.M. DESCRIBED AS FOLLOWS:
 COMMENCING AT THE N.E. CORNER OF THE N.E. 1/4 OF SAID SECTION 33; THENCE BEARING S 89°29'08" W ALONG THE NORTH LINE OF SAID N.E. 1/4 A DISTANCE OF 75.84 FEET; THENCE BEARING S 0°30'52" E A DISTANCE OF 75.00 FEET TO THE POINT OF BEGINNING; THENCE BEARING S 0°07'35" W PARALLEL TO AND 75 FEET WEST OF THE EAST LINE OF SAID N.E. 1/4 A DISTANCE OF 174.16 FEET; THENCE BEARING S 89°24'16" E A DISTANCE OF 101.12 FEET; THENCE BEARING S 0°07'35" W PARALLEL TO AND 60 FEET WEST OF THE EAST LINE OF SAID N.E. 1/4 A DISTANCE OF 1500.00 FEET; THENCE BEARING N 89°52'25" W A DISTANCE OF 120.00 FEET; THENCE BEARING N 70°17'38" W A DISTANCE OF 140.37 FEET; THENCE BEARING N 24°32'44" W A DISTANCE OF 139.62 FEET; THENCE BEARING N 43°13'43" W A DISTANCE OF 68.62 FEET; THENCE BEARING N 18°49'00" W A DISTANCE OF 713.11 FEET; THENCE BEARING N 80°21'33" W A DISTANCE OF 68.73 FEET; THENCE BEARING N 0°00'00" E A DISTANCE OF 220.00 FEET; THENCE BEARING N 30°44'42" W A DISTANCE OF 275.60 FEET; THENCE BEARING N 37°08'03" W A DISTANCE OF 42.70 FEET; THENCE BEARING S 89°29'08" W A DISTANCE OF 292.00; THENCE BEARING N 0°30'52" W A DISTANCE OF 206.00 FEET; THENCE BEARING N 89°29'08" E PARALLEL TO AND 50.00 FEET SOUTH OF THE NORTH LINE OF SAID N.E. 1/4 A DISTANCE OF 535.00 FEET; THENCE BEARING S 76°28'42" E A DISTANCE OF 103.08 FEET; THENCE BEARING N 89°29'08" E PARALLEL TO AND 75.00 FEET SOUTH OF THE NORTH LINE OF SAID N.E. 1/4 A DISTANCE OF 174.16 FEET TO THE POINT OF BEGINNING. CONTAINING 17.158 ACRES MORE OR LESS.



State of Kansas)
 County of Sedgwick) SS

I, M. S. Mitchell, a Registered Land Surveyor in said state and county do hereby certify that the above is a true and correct description of the area filled to Base Flood Elevation and above, as shown on the accompanying map.

March 6, 1992

M. S. Mitchell
 M. S. Mitchell L. S. #486

State of Kansas
 County of Sedgwick



STATE OF KANSAS } SS
 SEDGWICK COUNTY }
 FILED FOR RECORD AT

7-30 P M
 MAR 6 1992

AT KETTLER
 REGISTER OF DEEDS

This instrument was acknowledged before me on

March 6, 1992 by M.S. Mitchell


Sandra D. Call
 Signature of Notary Public
 My appointment expires: *1-19-94*

Ed Pearson
Deputy


1215 FOREST WICHITA CT203


M.S. Mitchell

200
 11



VA CO CTR, NE 300 35
THE RING OF GILBY





24, 2014, 2015
2015, 2016, 2017

1327.4

1327.4

1327.4

PLN 0837 IN 0395

Sedgwick County, Kansas
FLOODWAY RESERVE AGREEMENT

WHEREAS, to assure protection of the interests and safety of the public, it becomes necessary that Sedgwick County, State of Kansas, Party of the First Part, provide flood protection and preserve the natural drainageway through the establishment of a "FLOODWAY RESERVE" within the property below described.

STATE OF KANSAS
SEDGWICK COUNTY
FILED FOR RECORD AT

THE EAST 1/2 OF THE NORTHEAST 1/4, SECTION 33, T26S, R1W OF THE 6th P.M.;
EXCEPT ROAD RIGHT-OF-WAY.

OCT 9 1986

NO 8 37862
PAT KETTLER
REGISTER OF DEEDS

Ed R. Rasmussen
Deputy

AND WHEREAS, Lola B. Torkleson Party of the
Second Part, is the rightful owner of, or legal agent for, the above property;

THE PARTIES HERETO AGREE as follows: That the Party of the Second Part, for himself, his heirs,
executors, administrators, and assigns for the consideration of ONE Dollars
and zero Cents (\$ 1.00), and other valuable consideration as follows: _____

One dollar (\$1.00) of the above amount being paid in hand and receipt 'hereof being hereby
acknowledged, the remainder to be allowed at the next regular meeting of the Board of County
Commissioners when claim is presented as required by law in similar cases do _____ hereby Grant and
Convey to the Party of the First Part and its successors a "FLOODWAY RESERVE" over and across the
following described portion of the above described tract, to-wit:

A TRACT OF LAND 300 FEET WIDE ON EITHER SIDE OF THE FOLLOWING DES-
CRIBED LINE:
COMMENCING AT THE NW CORNER OF THE E 1/2, NE 1/4, SECTION 33, T26S,
R1W of the 6th P.M.; THENCE SOUTH ALONG THE WEST LINE OF THE E 1/2
OF SAID 1/4 SECTION, 200 FEET TO THE POINT OF BEGINNING; THENCE
SOUTHEASTERLY TO THE SOUTHEAST CORNER OF SAID 1/4 SECTION.

FURTHER, the "FLOODWAY RESERVE" shall be the responsibility of the owners of the property, Party
of the Second Part, until such time as the governing body exercising jurisdiction elects to assume the
responsibility for maintenance of and improvement of drainage. Provided further that no building shall
be constructed on or within said "FLOODWAY RESERVE" nor shall any fill, change of grade, creation of
channels or other work be carried on without the permission of the Sedgwick County Engineer and the
Wichita-Valley Center Flood Control Office or their successors. Grantor _____ their heirs or assigns, to fully
use and enjoy the premises except for and subject to the right of the grantee for the purpose herein granted.

DATED THIS 22nd DAY OF September, 1986

PARTY OF THE SECOND PART

Lola B. Torkleson
Lola B. Torkleson

County Clerk

Jicki

2008 SEP 26 PM 1:12

TX0837 PAGE 0396

STATE OF KANSAS)
SEDGWICK COUNTY)


I hereby certify that on this 20th day of September, 19 88,

before me the undersigned, a Notary Public in and for the County and State aforesaid, came

Lola B. Jerkleson

to me personally known to be the same person who signed and executed the above and foregoing instrument and duly acknowledged the execution of the same.

WITNESS my hand and Notary Seal on the day and date last above written.



NOTARY PUBLIC

My commission expires _____

SUBMITTED TO THE OFFICE OF COUNTY ENGINEER AND THE BOARD OF COUNTY COMMISSIONERS FOR APPROVAL ON October 8, 1988

APPROVED BY:

David C. Spears

DAVID C. SPEARS, P.E.,
COUNTY ENGINEER/DIRECTOR OF
PUBLIC WORKS

PARTY OF THE FIRST PART
SEDGWICK COUNTY COMMISSIONERS


Bernard A. Hentzen

BERNARD A. HENTZEN,
CHAIRMAN

Donald E. Gragg


DONALD E. GRAGG,
COMMISSIONER

TOM SCOTT Tom Scott
COMMISSIONER




APPROVED FOR FORM ONLY

Richard A. Euson
RICHARD A. EUSON, ASSIST.
COUNTY COUNSELOR



City of Wichita
AREA NOT INCLUDED

"THIS AREA PROTECTED FROM
THE ONE PERCENT ANNUAL
CHANCE (100-YEAR) FLOOD BY
LEVEE, DIKE, OR OTHER
STRUCTURES SUBJECT TO
POSSIBLE FAILURE OR
OVERTOPPING DURING LARGER
FLOODS."



LEGEND

	500-YEAR FLOOD
	100-YEAR FLOOD
	50-YEAR FLOOD
	10-YEAR FLOOD
	STREAM BED
	CROSS SECTION LOCATION

FLOOD PROFILES
BIG SLOUGH NORTH

FEDERAL EMERGENCY MANAGEMENT AGENCY
SEDGWICK COUNTY, KS
(UNINCORPORATED AREAS)

ELEVATION IN FEET (NGVD)

REACH 1
ZONE A2

37TH STREET NORTH

AD

27,500 28,000 28,500 29,000 29,500 30,000 30,500

STREAM DISTANCE IN FEET AL

