


ANALYSIS OF
COWSKIN CREEK
FLOODPLAIN ENCROACHMENT
FOR
WALNUT VALLEY AND
WHISTLING WALK ESTATES 4TH
ADDITIONS




M. S. Mitchell
Flood Plain Management & Land Development Specialist
1215 Forest • Wichita, KS 67203
(316) 265-9812

CONTENTS

Section

1	Letter from MAPD re S/D 82-26		
2	Introduction		
3	Hydraulic Model		
4	Natural Sections	Section Coordinates	(8)
		Section Properties	(3)
		Backwater Work Sheets	(4)
5	Encroachment Plan 4A	Section Coordinates	(6)
		Section Properties	(3)
		Backwater Work Sheets	(4)
6	X-Sections	(2)	
7	Profiles	1	

WICHITA - SEDGWICK COUNTY



METROPOLITAN AREA PLANNING
DEPARTMENT

CITY HALL - TENTH FLOOR
455 NORTH MAIN STREET
WICHITA, KANSAS 67202
(316) 268-4561

May 21, 1982

Mr. Gary Wiley
Professional Engineering
Consultants
1440 East English
Wichita, Kansas 67211

Re: S/D 82-26 Sketch Plat of Walnut
Valley and Whistling Walk
Estates 4th Addition

Dear Mr. Wiley:

We have reviewed the above referenced sketch plat with other
City and County Departments and offer the following comments:

1. The preliminary federal floodway maps show a regulatory floodway approximately 1,200 feet wide in this Cowskin Creek area. We realize that the location of this floodway is based on former characteristics of the creek and may be different now that the channel has been cleaned. The elevations required to keep properties above the flood level may also be lower than specified in the federal flood study due to the channel improvements. The burden of proof will be upon the applicant to provide a detailed analysis showing that recent channel improvements combined with desired encroachment will not cause a 100-year water surface greater than that shown on the preliminary federal studies. This is especially critical so that no effect is realized for the original Whistling Walk Addition which provided for little or no freeboard for this projected 100-year elevation.
2. We think the road in Whistling Walk Estates 4th Addition should be a public road since it is a direct continuation of an existing public road. County engineering recommends that the road be at or above the 100-year elevation whether it be public or private. They point out that the preliminary federal flood data shows a difference of

WICHITA - SEDGWICK COUNTY

Mr. Gary Wiley
Page Two
May 21, 1982

only 1 1/2 feet between the 10-year and the 100-year flood elevation. No one will be able to specify what the elevation of the road should be until the applicant provides the necessary calculations based on the new channel improvements.

3. The Health Department should be contacted to find out what tests may be necessary and what standards are to be met for approval of on-site sewerage facilities for Whistling Walk Estates 4th Addition.
4. Don Schneider advises that sanitary sewer service can be provided for Walnut Valley but will require a temporary lift station and force main in addition to a 20-inch sewer main and the usual sewer laterals.
5. The use of Reserve A in Walnut Valley for "community facilities" has been questioned. I believe you told us this meant such things as picnic tables and open recreational uses. You may want to revise the wording on the preliminary plat so as not to cause undue alarm.

The Walnut Valley property has been approved for annexation and will probably be annexed by May 28th. Before proceeding with the residential community unit plan and the plat, however, you will need to have enough definite drainage information to be able to show the floodway boundaries. You should submit this information to Chris Breitenstein as soon as it is available. County Engineering also needs this information in order to make an accurate analysis of the Whistling Walk plat. Based on existing data, they say that Lots 1, 2, and 3 and the road are not protected from flooding. Again, it will be this applicant's responsibility to prove otherwise.

Since the federal flood data is in mean sea level figures, it would be most helpful if the topographical information sub-

WICHITA - SEDGWICK COUNTY

Mr. Gary Wiley
Page Three
May 21, 1982

mitted with these plats is also based on mean sea level rather than City data.

If you have any questions about our comments, please call. I ~~have enclosed a copy of County engineering's comments for your review.~~

Sincerely,

Louise Olivarez
Louise Olivarez
Senior Planner

LO:jps
Enclosure

cc: Dean DeWitt, President, DeWitt Land Company, Inc.,
505 South Broadway, Wichita, Kansas 67202

INTRODUCTION

The floodplain analysis of Cowskin Creek between 119th Street and 13th Street begins with the Sedgwick County Flood Insurance Study by Howard-Needles-Tammen and Bergendoff which sets the 100-year discharge at 15,050 cubic feet per second. During 1981 and 1982 the Sedgwick County Stream Maintenance crews changed the channel cross-section and alignment, cleared underbrush and trimmed up major trees between the Established Banklines between 13th and City Park property located approximately one mile downstream. The owner of Walnut Valley and Whistling Walk Estates 4th Additions extended the work done by the Stream Maintenance Program to include all the flood plain area on his property. Even though the work done downstream from 119th may improve flow conditions there, this analysis begins with the Floodway Encroachment elevation at 119th Street included in the Flood Insurance Study. Several encroachment plans were studied to obtain the best balance between left bank and right bank encroachments. Plan 4A, which keeps the 100-year water surface profile below that of the Flood Insurance Study Floodway, sets up a transition from a future bridge section at 13th and into a future bridge section at 119th Street, and is presented here for review and approval.

WALNUT VALLEY & WHISTLING WALK ESTATES IV

NATURAL SECTIONS

Natural Sections
Cowskin Creek

2
0095

11740.	
30.	
11710.	
31.5	
10500.	
33.5	
10240.	
34.5	
10140.	
0.	
2.	
Lob Area 5331.5	
	CLR
11600.	
10110.	
1490.	
1490.	
W.P. 1490.	
.0006711409	
.0006711409	
5332.	
57852349	
57852349	
0.67	
R₂ 549533245	
	CLR
17.	
Elev B 334.5	
34.5	
11600.	
34.5	
11740.	
30.	
11740.	
17.	
11685.	
17.	
11670.	
30.	
11600.	
0.	
2.	
Ch Area 1637.5	
	CLR
37.	
15.	
171.	
W.P. 143	

W.P. 143	Sea A	
.0006993007	Cont.	
.0006993007		
1638.		
R₂ 148484545		
148484549		
0.67		
R₂ 57122891598		
		CLR
1.		
Elev B 334.5		
34.5		
11740.		
34.5		
12055.		
32.		
11990.		
30.		
11850.		
30.		
11740.		
0.		
2.		
Lob Area 1066.25		
		CLR
12055.		
11740.		
315.		
W.P. 315.		
.0031746032		
.0031746032		
1066.		
R₂ 3.384126984		
3.384126984		
0.67		
R₂ 2.263232944		
		CLR

Elev B		
334.5		
31.5		
11710.		
31.5		
10500.		
33.5		
10240.		
34.5		
10140.		
0.		
2.		
Lob Area 4200.		
		CLR
11710.		
10140.		
W.P. 1570.		
1570.		
.0006369427		
.0006369427		
4200.		
R₂ 2.675159236		
2.675159236		
0.67		
R₂ 1.933411322		
Elev B 334.5		
11710.		
34.5		
11870.		
31.5		
11870.		
21.5		
11815.		
18.		
11810.		
18.		
11800.		
21.5		
11790.		
31.5		
11710.		
0.		
2.		
Ch Area 1466.25		
55.9		
6.1		
10.		
10.59		
80.62		
W.P. 163.21		
163.21		
.0061270755		
.0061270755		
1466.		
R₂ 8.982292752		
8.982292752		
0.67		
R₂ 4.352807162		

Section D

Elev 1332.5

34.5	
9920.	
34.5	
11130.	
31.5	
11130.	
31.5	
10740.	
33.1	
10620.	
33.2	
10350.	
33.5	
9920.	
0.	
Lob Area 2293.	
W.P. 1210.	CLR
.0008264463	1/X
.0008264463	X
2293.	=
R 1.895041322	
.895041322	YX
0.67	=
R²/₃ 1.53463295	
	CLR
1.	
34.5	
34.5	
11130.	
34.5	
11275.	
29.5	
11275.	
23.5	
11230.	
19.	
11215.	
19.	
11190.	
23.5	
11185.	
31.5	
11130.	
0.	
2.	
Ch Area 1397.5	
	CLR

W.P. 148. **Sec D** 1/X

Cont

.0067567568	X
.0067567568	
1398.	=
R 9.445945946	
9.445945946	YX
0.67	=
R²/₃ 4.502092933	
	CLR
1.	
<u>Elev 1334.5</u>	
34.5	
11275.	
34.5	
12010.	
32.5	
12010.	
30.	
11760.	
31.5	
11375.	
29.5	
11275.	
0.	
2.	
Rob Area 2656.25	
	CLR
W.P. 735.	1/X
.0013605442	
.0013605442	X
2656.	=
R 3.613605442	
3.613605442	YX
0.67	=
R²/₃ 2.364940889	
	CLR

Section E

Elev 1334.6

34.6	
10050.	
34.6	
11010.	
31.5	
11010.	
31.5	
10495.	
32.	
10200.	
0.	
Lob Area 2632.25	
	CLR
11010.	
10050.	=
W.P. 960.	1/X
960.	
.0010416667	
.0010416667	X
2632.	=
R 2.741666667	
2.741666667	YX
0.67	=
R²/₃ 1.965485376	
	CLR
1.	
<u>Elev 1334.6</u>	
34.6	
11010.	
34.6	
11125.	
30.	
11125.	
19.	
11070.	
19.	
11055.	
31.5	
11010.	
0.	
2.	
Ch Area 1210.25	
	CLR
W.P. 118.	1/X
.0084745763	
.0084745763	X
1210.	=
R 10.25423729	
10.25423729	YX
0.67	=
R²/₃ 4.75669443	
	CLR

Section E, Cont. ✓
 Elev 1334.7
 34.6
 11125.
 34.6
 12030.
 31.5
 11935.
 30.5
 11440.
 30.
 11125.
 0.
Rob 2.
Area 3299.5
 12030. CLR
 11125. =
W.P. 905. 1/X
 905.
 .0011049724
 .0011049724 ×
 3300. =
R 3.64640884 Y×
 3.64640884 =
 0.67
R₃ 2.379303216 CLR

Section F
 Elev 1334.7
 34.7
 10350.
 34.7
 11145.
 31.5
 11145.
 31.5
 10815.
 33.5
 10805.
 33.5
 10420.
 0.
Lob 2.
Area 1582.
W.P. 795. CLR
 795. 1/X
 .0012578616 ×
 .0012578616 =
 1582. =
R 1.989937107 Y×
 1.989937107 =
 0.67
R₃ 1.585704888 CLR
 1.
 34.7
 34.7
 11145.
 34.7
 11255.
 31.5
 11255.
 19.
 11205.
 19.
 11190.
 31.5
 11145.
 0.
Ch 2.
Area 1133.25 CLR
W.P. 113. 1/X
 113.
 .0088495575 ×
 .0088495575 =
 1133. =
R 10.02654867 Y×
 10.02654867 =
 0.67
R₃ 4.685667663 CLR

Section F Cont
 Elev 1334.7
 34.7
 11255.
 34.7
 12055.
 31.5
 11930.
 31.5
 11560.
 31.5
 11255.
 0.
Rob 2.
Area 2360. CLR
 2360. =
 12055. -
 11255. =
W.P. 800. 1/X
 800.
 0.00125 ×
 0.00125 =
 2360. =
R 2.95 Y×
 2.95 =
 0.67
R₃ 2.064337732 CLR

Section I Cont.

35.5	
35.5	
10435.	
35.5	
11980.	
35.5	
11575.	
31.5	
10435.	
0.	
2.	
Rob Area 4983.75	
11580.	-
10435.	=
WP 1545.	1/2
1545.	
0006472452	
0006472452	X
4984.	=
3.225409960	R
3.225409960	YX
0.67	=
2.191771111	R ^{2/3}

Section I

0.	PG
2	
1.	
Elev 1335.6	
35.6	
10045.	
35.6	
10240.	
34.	
10240.	
21.	
10185.	
21.	
10170.	
29.5	
10135.	
0.	
2.	
ch Area 1301.25	
233. WP	=
5.584763948	R
5.584763948	YX
0.67	=
3.165871115	R ^{2/3}
	CL

Section I

0.	PG
2	
1.	
elev 1335.6	
35.6	
10240.	
35.6	
11690.	
34.	
11630.	
33.	
11260.	
32.	
11150.	
31.5	
10980.	
34.5	
10420.	
34.	
10240.	
0.	
2.	
Rob Area 3557.	
1450. WP	=
2.453103448	R
2.453103448	YX
0.67	=
1.824356163	R ^{2/3}
	CL

SECTION J cont

Elev 1335.2

- 10853. 35.7
- 11200. 32.
- 11120. 34.
- 11115. 34.
- 11085. 32.
- 11075. 36.
- 11015. 36.
- 10845. 34.
- 10795. 34.5
- 10590. 32.5
- 10485. 32.
- 10255. 0.
- 0. 2.

Rob Area 3744.75

- 11200. 34.5 WP
- 10950. 34.5
- 10010592011
- 10010592011
- 3744.75
- 3744.75 e
- 3744.75 e
- 0.67
- 3.515671935 2 2/3

Elev 1336

- 10020. 36
- 10195. 36
- 10195. 32.5
- 10195. 32.5
- 10095. 36
- 10065. 34
- 10065. 0.
- 0. 2.
- 362.5
- 10195.
- 10020.
- WP 175.
- 175.
- 0057142857
- 0057142857
- 362.5
- 2.071428571 2
- 2.071428571
- 0.67
- 1.628924197 2 2/3

Lob Area

WP

1.628924197 2 2/3

Elev 1336

- 10195.
- 1036.
- 10340.
- 38.5
- 10340.
- 32.
- 10275.
- 32.
- 10365.
- 38.5
- 10195.
- 0.
- 2.

ch Area

1253.75

- Elev 1335.2
- 10100.
- 10110.
- 10255.
- 22.
- 10205.
- 22.
- 10190.
- 35.5
- 10110.
- 0.
- ch 2.
- Area 1172.5

CLI
+
+
+
=

ch WP 157.33

7.4354684 2
7.4354684
0.67
3.540378106 2 2/3

sec. k cont

WP

2

205710584 2 2/3

Elev 1386.

10840.

36.

11055.

34.

11020.

33.5

10975.

35.

10960.

35.

10900.

34.

10920.

34.

10865.

26.

10815.

26.

10855.

32.

10615.

33.5

10415.

33.5

10340.

0.

Rob 2.

Area 3335.

11055.

10850.

WP 715.

715.

0013986014

0013986014

3355.

4.664335664 2

4.664335664

0.67

2.80500967. 2 2/3

Cowskin Creek - 119th to 13th
Section Properties - Natural Sections

Pg 1 of 3
 $\frac{\sum l \bar{q}}{q} =$

Section #	W.S. Elev	Area	NP	R	R ^{4B}	Kx10 ³	l	%KT	Q _{us}	Q _{ds}	q̄	l q̄	L
A	34.5												
Lob		5332	1490	3.58	2.35	532.0	80	54	8084				
Ch		1638	143	11.45	5.12	356.1	80	36	5411				
Rob		1066	315	3.38	2.26	102.3	80	10	1555				
		8036				990.4			15050				
Sec B	34.5												
Lob		4200	1570	2.68	1.93	344.2	65	50	7525	8084	7804	507,260	
Ch		1466	163	8.98	4.35	270.8	150	39	5870	5411	5641	846,150	110
Rob		848	270	3.14	2.15	77.4	190	11	1655	1555	1605	304,950	
		6514				692.4			15050		15050	1,658,360	
Sec C	34.7												
Lob		3246	1330	2.44	1.82		45	29	4434	7525	5980	269,100	
Ch		1588	154	10.33	4.78		340	38	5714	5870	5792	1,969,280	218
Rob		2420	740	3.27	2.11		320			1655			
									15050		15050		
	34.5												
Lob		2980	1330	2.24	1.72	217.6	45	29	4392	7525	5958	268,124	
Ch		1557	154	10.11	4.71	311.4	340	42	6283	5870	6072	2,066,069	219
Rob		2420	740	3.27	2.11	216.8	320	29	4375	1655	3015	964,802	
		6957				745.8			15050		15050	3,298,995	
Sec D	34.9												
		2777	1210	2.30	1.74		90	27	4010	4434	4222	379,980	
		1334	148	8.99	4.36		160	32	4825	5714	5269	843,040	131
		2950	735	4.01	2.54		135	41	6215	4902	5559	750,465	
									15050		15050	1,973,485	
	34.5												
Lob		2293	1210	1.90	1.53	149.0	90	22	3287	4253	3770	339,300	
Ch		1298	148	9.45	4.50	367.1	160	39	5892	6085	5988	958,160	134
Rob		2656	735	3.61	2.36	266.1	135	39	5871	4712	5292	714,352	

Cowskin Creek - 119th to 13th
 Section Properties - Natural Sections

Pg 2 of 3
 El \bar{Q}
 $Q=L$

Section #	W.S. Elev	Area	WP	R	R ² / ₃	K x 10 ³	l	%KT	Q _{us}	Q _{ds}	\bar{Q}	l \bar{Q}	Q=L
Sec E	35.1												
Lob		3137	1000	3.14	2.15		130	30	4514	4434	4474	581620	} 376
Ch		1268	118	10.76	4.91		400	28	4166	5714	4940	1,976,000	
Rob		3748	935	4.01	2.54		550	42	6370	4902	5636	3,099,800	
									15050		15050	5,657,920	
	34.6												
Lob		2632	960	2.74	1.97	220.1	130	28	4150	3287	3718	483,405	} 394
Ch		1210	118	10.25	4.76	244.5	400	31	4610	5892	5251	2,100,400	
Rob		3300	905	3.65	2.38	333.4	550	41	6290	5871	6081	3,344,270	
						78.0			15050		15050	5,928,080	
Sec F	35.1												
Lob		1902	815	2.33	1.76		180	22	3357	4514	3935	708,300	} 291
Ch		1177	113	10.39	4.80		430	38	5668	4166	4917	2,114,310	
Rob		2718	835	3.26	2.21		250	40	6025	6370	6198	1,599,500	
									15050		15050	4,372,110	
	34.7												
Lob		1582	795	1.99	1.59	106.8	180	20	2983	4150	3566	641,970	} 299
Ch		1133	113	10.03	4.69	225.6	430	42	6302	4610	5456	2,346,080	
Rob		2360	800	2.95	2.06	206.4	250	38	5765	6290	6028	1,506,815	
						538.8			15050		15050	4,494,925	
Sec G	35.0												
Lob		1052	670	1.57	1.35	60.3	130	12	1761	2983	2372	308,360	} 222
Ch		1308	162	8.05	4.05	224.9	200	44	6568	6302	6436	1,287,133	
Rob		2568	840	3.06	2.11	230.1	280	44	6721	5765	6242	1,747,827	
						515.3			15050	15050		3,343,320	
Sec H	35.3												
Lob		94	105	0.90	0.93		550	01	88	1761	924	508,475	} 678
Ch		1198	142	8.41	4.17		810	33	5017	6568	5793	4,691,925	
Rob		4649	1505	3.09	2.13		600	66	9945	6721	8333	4,999,800	
									15050		15050	10,200,200	
	35.7												
Lob		132	120	1.1	1.07	6.0	550	01	122	1761	941	517,825	} 675
Ch		1254	142	8.83	4.30	228.9	810	31	4659	6568	5614	4,546,935	
Rob		5234	1535	3.41	2.27	504.4	600	68	10,269	6721	8495	5,097,000	

Cowskin Creek - 119th to 13th
 Section Properties - Natural Sections

W.S. $\Sigma \bar{L} \bar{Q}$
 Elev Area WP R R^{2/3} Kx10³ %KT l Qus Qds \bar{Q} l \bar{Q} $\bar{Q} = L$

Section H 35.5

Lob	115	115	1	1	4.9	01	550	106	1761	934	513,515	} 676
Ch	1226	142	8.63	4.24	220.7	32	810	4806	6568	5687	4,606,501	
Rob	<u>4984</u>	<u>1545</u>	<u>3.23</u>	<u>2.20</u>	<u>465.5</u>	<u>67</u>	<u>600</u>	<u>10,138</u>	<u>6721</u>	<u>8429</u>	<u>5,057,580</u>	
	6325				691.1						10,177,595	

Section I 35.6

Lob	0	0	0	0	0	0	290	0	106	53	15370	} 247
Ch	1301	733	5.58	3.16	174.5	39	260	5845	4806	5326	1,384,760	
Rob	<u>3557</u>	<u>1450</u>	<u>2.45</u>	<u>1.82</u>	<u>274.9</u>	<u>61</u>	<u>240</u>	<u>9205</u>	<u>10,138</u>	<u>9671</u>	<u>2,321,040</u>	
	4858				449.4			15050	15050	15050	3,721,170	

Section J 35.9

Lob	0	0	0	0	0	0	-----					} 211
Ch	1202	157	7.64	3.91	199.5	32	250	4749	5845	5297	1,324,253	
Rob	<u>3936</u>	<u>950</u>	<u>4.14</u>	<u>2.59</u>	<u>432.8</u>	<u>68</u>	<u>190</u>	<u>10301</u>	<u>9205</u>	<u>9753</u>	<u>1,853,067</u>	
	5138				632.4						3,177,321	

35.7

Lob	0	0	0	0	-----							} 211
Ch	1172	157	7.45	3.84	191.1	32						
Rob	<u>3745</u>	<u>945</u>	<u>3.96</u>	<u>2.52</u>	<u>400.7</u>	<u>68</u>						
	4917				591.8							

Section K 36.0

Lob	362	175	2.07	1.63	25.1	4	320	583	0	291	93,228	} 268
Ch	1254	147	8.53	4.21	224.1	35	320	5213	4749	4981	1,593,962	
Rob	<u>3335</u>	<u>715</u>	<u>4.66</u>	<u>2.81</u>	<u>397.9</u>	<u>61</u>	<u>240</u>	<u>9254</u>	<u>10,301</u>	<u>9778</u>	<u>2,346,607</u>	
					647.1			15050	15050	15050	4,033,797	

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek Natural Sections - 119th Street West
to 13th Street, Walnut Valley & Whistling Walk
Estates 4th Addition

Page 1 of 4

Computed by: MSM Date June 1982

Checked by: MSM Date Dec 1982

Over Mile
Per FIS
@ 119th St

15050 cfs = 100% FIS n = .035

$\frac{1.486}{n} = 47.46$

By 3-30 FIS MRC & Printout

$Q/A = V$ CWSEL

Sec. No.	Reach Length	Est. W.S. Elev.	Area	2/3 r	K ₁₀	K ₅₀	K ₈₀	SP	hf	K ₁₀ /A ²	dx	V	V ²	Q/V ²	h _v	h _o	H	Comp. Elev.
20.974	726.5										1.5	2.07		.10				1334.29
Sec A	80	1334.5	5332	2.35	532.0					5296								
			1638	5.12	356.1					16830								
			1066	2.26	102.3					942								
			8036		990.4	990.4	.00021		.02	23068	1.53	1.87		.08	.02	0	.04	1334.33
Sec B		1334.5	4200	1.93	344.2					2312								
			1966	4.35	270.8					9240								
			848	2.15	77.4					645								
	110		6514		692.4	841.4	.00032		.04	12197	1.56	2.31		.13	-.05	.02	.01	1334.34
Sec C		1334.7	3246	1.82	280.1					1485								
			1588	4.78	322.3					13276								
			3482	1.87	276.5					1744								
	218		8316		848.9	770.6	.00038		.08	16505	1.87	1.81		.10	.03	—	.11	1334.45

ΔH = .17
OK

ΔH = .16
OK

ΔH = .25
X

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek - Natural Sections 119th West Page 2 of 4

Computed by: MSM Date June 1982

Checked by: MSM Date Dec 1982

to 13th Street (Walnut Valley & Whistling Walk

Estates - 4th Addition

Q = 15050 cfs = 100 YR FIS n = .035 $\frac{1.486}{R} = 42.46$

File or sec. No.	Reach Length	Est. W.S. Elev.	Area	2/3 r	K	K ₂ K/0.5	SP	HF	KVA ₂ sig	α	V	$\frac{\omega V^2}{2g}$	h _v	h _o	H	Comp. Elev.	ΔH
Sec B	110	1334.5			092.4					1.56	2.31	.13				1334.34	
Sec C		1334.5	2980	1.72	217.6				1160								
			1557	4.7	311.4				1245								
			2420	2.11	216.8				1740								
	219		6957		745.8	719.1	.00043	.09	1535	1.79	2.16	.13			.09	1334.43	ΔH = -1.07
Sec D		1334.5	2293	1.53	149.0				629								
			1398	4.50	267.1				9750								
			2656	2.36	366.1				2671								
	134		6347		682.2	726.1	.00043	.06	1305	1.66	2.57	.14	7.02	.01	.05	1334.49	ΔH = -1.01
Sec E		1334.6	2632	1.97	220.1				1539								
			1210	4.76	244.5				9993								
			3300	2.38	333.4				2380								
	394		7142		798.0	740.2	.00041	.16	1492	1.50	2.11	.10	7.04		.20	1334.69	ΔH = +1.09
Sec F		1334.7	1582	1.59	106.8				487								
			1133	4.69	225.6				8945								
			2360	2.06	206.4				1579								
	299		5075		538.8	668.4	.00051	.15	1101	1.81	2.97	.25	7.15	.05	.05	1334.74	ΔH = +1.04

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek - Natural Sections - 119th West to
13th Street (Walnut Valley & Whistling Walk Estates
4th Addition

Page 3 of 4

Computed by: MSM Date June 8 Dec 1982

Checked by: MSM Date Dec 1982

Q = 150.50 cfs = 100 YR FIS n = .035 $\frac{1.486}{D} = 42.46$

Mile or Sec. No.	Reach Length	Est. W.S. Elev.	Area	2/3 r	K	$\frac{K^2}{r/0.3}$	S _p	hf	K/A ² $\frac{10^6}{ft^2}$	OK	V	$\frac{Q \sqrt{2}}{2V}$	h _v	h _o	H	Comp. Elev.
Sac F					538.8							1.25				1334.74
Sac G		1335.0	1052	1.35	60.3				1980							
			1308	4.05	224.9				6649							
			2568	2.11	230.1				1047							
	222		4928		515.3	527.0	.00082	.18	8694	1.54	3.05	.22	0.3	-	.21	1334.95
Sac H		1335.5	115	1	4.9				9							
			1226	4.24	220.7				7152							
			4984	2.20	465.5				4061							
	676		6325		691.1	603.2	.00062	.42	11223	1.36	2.38	.12	.10	.01	.53	1335.48
Sac I		1335.6	0	0	0				0							
			1301	3.16	174.5				3142							
			3557	1.82	274.9				1641							
	247		4858		449.4	570.2	.00070	.17	4783	1.24	3.10	.19	-.07	.02	.12	1335.60
Sac J		1335.7	0	0	0				0							
			1172	3.84	191.1				5079							
			3745	2.52	400.7				4587							
	211		4917		591.8	520.6	.00084	.18	9666	1.13	3.06	.16	.03	-	.21	1335.81

OK

ΔH = -.05

OK

ΔH = .02

OK

OK

ΔH = +.11

WALNUT VALLEY & WHISTLING WALK ESTATES IV

ENCROACHMENT PLAN 4A

Encroachment Plan 4 A.

Encroachment Plan 4A
Section A

1.
35.
35.
11600.
35.
11740.
30.
11740.
17.
11685.
17.
11670.
30.
11600.
0.
2.

Rob Area 1200.
1200.
240. WP

5. WP
5. R

0.67 R
2.939746642 R2/3

Encroachment Plan 4A
Section A

1.
35.
35.
11600.
35.
11740.
30.
11740.
17.
11685.
17.
11670.
30.
11600.
0.
2.

Ch. Area 1707.5
1707.5

143. WP
R

11.94055944 R
11.94055944 Y
0.67
5.267524111 R2/3

Encroachment Plan 4A
Section A

1.
35.
35.
11740.
11740.
35.
12070.
30.
11990.
30.
11850.
30.
11740.
0.
2.

Rob Area 1230.
1230.

330. WP

3.727272727 R

3.727272727 R

0.67
2.414527104 R2/3

Encroachment Plan 4A
Section B

1.
35.
35.
35.
11410.
35.
11710.
31.5
11710.
31.5
11410.
0.
2.

Lob Area 1050.
1050.

300. WP
3.5 R

3.5
0.67

2.51486458 R2/3

Encroachment Plan 4A
Section B

1.
35.
35.
11710.
35.
11870.
21.5
11815.
18.
11810.
18.
11800.
21.5
11790.
31.5
11710.
0.

Ch Area 1546.25

163. WP
0.486196319 R

0.486196319 Y
0.67

4.514937185 R2/3

Encroachment Plan 4A
Section B

1.
35.
35.
11870.
35.
12150.
30.
12030.
31.5
11870.
0.
2.

Rob Area 980.
280. WP

3.5
3.5 R

0.67
2.31486458 R2/3

Encroachment Plan 4 A.

Encroachment Plan 4A
Section C

35.3
 35.3
 11100.
 35.3
 11180.
 31.5
 11180.
 31.5
 11100.
 0.
 2.
 Lob Area 304.
 Lob 80. WP =
 Area 8.8 R
 8.8 Y =
 0.67 =
 2.445991870 R2/3
 CL

Encroachment Plan 4A
Section C

1.
 35.3
 35.3
 11180.
 35.3
 11330.
 50.
 11330.
 25.5
 11810.
 33.5
 11280.
 18.
 11280.
 18.
 11250.
 31.5
 11180.
 0.
 2.
 Ch Area 1677.5
 153. WP =
 10.96405229 R
 10.96405229 Y =
 0.67 =
 4.97485709 R2/3
 CL

Encroachment Plan 4A
Section C

1.
 35.3
 35.3
 11330.
 35.3
 11625.
 31.
 11625.
 31.5
 11520.
 30.
 11330.
 0.
 2.
 Rob Area 1289.75
 295. WP =
 4.372033898 R
 4.372033898 Y =
 0.67 =
 2.886939939 R2/3

Encroachment Plan 4A
Section D

35.4
 35.4
 10960.
 35.4
 11130.
 31.5
 11130.
 31.5
 10960.
 0.
 2.
 Lob Area 663.
 170. WP =
 3.9 R
 3.9 Y =
 0.67 =
 2.488938463 R2/3

Encroachment Plan 4A
Section D

1.
 35.4
 35.4
 11130.
 35.4
 11275.
 29.5
 11275.
 23.5
 11230.
 19.
 11215.
 19.
 11190.
 23.5
 11165.
 31.5
 11130.
 0.
 2.
 Ch Area 1528.
 148. WP =
 10.32432432 R
 10.32432432 Y =
 0.67 =
 4.778452772 R2/3

35.4
 35.4
 11275.
 35.4
 11400.
 31.5
 11400.
 31.5
 11375.
 29.5
 11275.
 0.
 2.
 Rob Area 587.5
 125. WP =
 4.7 R
 4.7 Y =
 0.67 =
 2.820366612 R2/3

Encroachment Plan 4 A.

Encroachment Plan 4A
Section E

35.9
35.9
10950.
10950.
35.9
11010.
31.5
11010.
31.5
10950.
0.

Lob
Area 264.
60. WP
4.4 R
4.4
0.67

2.698443276 R2/3

Encroachment Plan 4A
Section E

1.
35.9
35.9
11125.
35.9
11330.
30.3
11330.
30.
11125.
0.

Rob
Area 1178.75
205. WP
5.75 R
5.75
0.67

3.228326536 R2/3

Encroachment Plan 4A
Section F

1.
36.2
36.2
11145.
36.2
11255.
31.5
11255.
19.
11205.
19.
11190.
31.5
11145.
0.

Ch
Area 1298.25
113. WP
11.48893805 R
11.48893805
0.67

5.13319219 R2/3

Encroachment Plan 4A
Section E

1.
35.9
35.9
11010.
35.9
11125.
30.3
11190.
19.
11070.
19.
11055.
31.5
11010.
0.

Ch
Area 544.11
113. WP
11.52330503 R
11.52330503
0.67

5.143474665 R2/3

Encroachment Plan 4A
Section F

1.
36.2
36.2
11050.
11050.
36.2
11145.
31.5
11145.
31.5
11050.
0.

Lob
Area 446.5
44.7 WP
4.7 R
4.7
0.67

2.830366612 R2/3

Encroachment Plan 4A
Section F

1.
36.2
36.2
11255.
11255.
36.2
36.2
11500.
31.5
11500.
31.5
11255.
0.

Rob
Area 1511.5
245. WP
4.7 R
4.7
0.67

2.820366612 R2/3

Encroachment Plan 4 A.

Encroachment Plan 4A
Section G

1.
36.5
36.5
10950.
36.5
11000.
30.
11000.
30.
10950.
0.
Lob 2.
Area 175.
50. Wp
3.5 R
31.5
0.67
2. 31486458 R2/3
CL

Encroachment Plan 4A
Section G

1.
36.5
36.5
11000.
36.5
11160.
31.5
11160.
20.
11105.
20.
11090.
29.5
11050.
31.5
11035.
30.
11000.
0.
2.
Ch Area 1547.5
162. WP
9.552469136 R
9.552469136 Y
0.67
4.536046322 R2/3
CL

Encroachment Plan 4A
Section G

1.
36.5
36.5
11160.
36.5
11550.
31.5
11550.
31.5
11160.
0.
Rob 2.
Area 1950.
390. WP
5. R
5.
0.67
2. 939746642 R2/3
CL

Encroachment Plan 4A
Section H

1.
37.
37.
10180.
37.
10295.
33.5
10295.
35.5
10180.
0.
Lob 2.
Area 287.5
287.5
1.
115. WP
2.504347826 R
2.504347826 Y
0.67
1.84980272 R2/3
CL

Encroachment Plan 4A
Section H

1.
37.
37.
10295.
37.
10435.
31.5
10435.
23.5
10370.
21.
10365.
21.
10355.
30.5
10295.
0.
Ch 2.
Area 1436.25
1436.25
142. WP
10.11443662 R
10.11443662 Y
0.67
4.713146478 R2/3
CL

Encroachment Plan 4A
Section H

1.
37.
37.
10435.
37.
11310.
31.9
11310.
31.5
10435.
0.
Rob 2.
Area 4637.5
875. WP
875.
5.3 R
5.3
0.67
3.056784571 R2/3
CL

Encroachment Plan 4A
 Section I

1.
 37.1
 37.1
 10040.
 37.1
 10240.
 34.
 10340.
 21.
 10165.
 21.
 10170.
 29.5
 10135.
 35.6
 10045.

Ch
 Area 1597.5
 1597.5

196. WP
 8.068181818 R
 8.068181818
 0.67
 4.050789759 R2/3

Encroachment Plan 4A
 Section I

1.
 37.1
 37.1
 10240.
 37.1
 11235.
 34.
 11235.
 34.
 10950.
 32.
 10930.
 33.
 10720.
 34.5
 10420.
 34.
 10240.

Rob
 Area 3449.5

995. WP
 995.
 3.466834171 R
 3.466834171
 0.67
 2.300144689 R2/3

Encroachment Plan 4A
 Section J

1.
 37.2
 37.2
 10255.
 37.2
 11075.
 26.
 11015.
 26.
 10845.
 34.
 10795.
 34.5
 10590.
 32.5
 10435.
 33.
 10255.

Rob
 Area 4579.25

821. WP
 5.577344702 R
 5.577344702
 0.67
 3.163052613 R2/3

Encroachment Plan 4A
 Section J

1.
 37.2
 37.2
 10070.
 37.2
 10255.
 33.
 10255.
 22.
 10205.
 22.
 10190.
 35.5
 10110.

Ch
 Area 1423.

157. WP
 2.609525668 R
 2.609525668
 0.67
 3.2515057616 R2/3

Encroachment Plan 4A
Section K

	1.	
	37.3	
	37.3	
	10130.	
	37.3	
	10135.	
	33.5	
	10135.	
	33.5	
	10130.	
	0.	
Lob	2.	
Area	247.	
	247.	
	247.	
	10135. WP	
	10130.	
	65. WP	
	65.	
	3.8	
	3.8 R	
	0.67	
	2.445991873 R2/3	
		CL
		R2/3

Encroachment Plan 4A
Section K

	1.	
	37.3	
	37.3	
	10135.	
	37.3	
	10340.	
	33.5	
	10340.	
	22.	
	10275.	
	22.	
	10265.	
	33.5	
	10135.	
	0.	
	2.	
Ch		
Area	1442.25	
	1442.25	
	147. WP	
	9.81122449 R	
	9.81122449	
	0.67	
	4.610006636 R2/3	
		CL

Encroachment Plan 4A
Section K

	1.	
	37.3	
	37.3	
	10140.	
	37.3	
	10375.	
	34.	
	10375.	
	34.	
	10265.	
	36.	
	10615.	
	26.	
	10655.	
	32.	
	10615.	
	33.5	
	10415.	
	33.5	
	10340.	
	0.	
	2.	
Rob		
Area	3832.	
	566. WP	
	6.770018021 R	
	6.770018021	
	0.67	
	3.601704488 R2/3	

Cowskin Creek - 119th to 13th
 Section Properties - Encroachment Plan 4A

Pg 2 of 3

○

Section ID	W.S. Elev	Area	WP	R	R ²	Kx10 ³	%KT	Qus	Qds	\bar{Q}	l	$l\bar{Q}$	$\Sigma \frac{l\bar{Q}}{Q} = L$
F	36.2												
Lob		446	95	4.7	2.82	53.4	11	1695	932	1314	460	604,289	} 393
Ch		1298	11.3	11.49	5.13	282.7	60	8976	9139	9057	400	3,622,930	
Rob		1152	245	4.7	2.82	137.9	29	4379	4979	4679	360	1,684,440	
		<u>2896</u>				474.0						5,911,659	

G	36.2												
Lob		160	50	3.2	2.18	14.8	3	431	1695	1063	170	180,715	} 199
Ch		1500	162	9.26	4.44	282.8	55	8231	8976	8603	190	1,654,642	
Rob		1233	390	4.7	2.82	219.5	42	6388	4379	5384	220	1,184,390	
		<u>3493</u>				517.0						2,999,747	

	36.5												
Lob		175	50	3.5	2.31	17.2	3	462	1695	1079	170	183,356	} 199
Ch		1548	162	9.55	4.54	298.4	53	8034	8976	8505	190	1,615,959	
Rob		1950	390	5	2.94	243.4	44	6554	4379	5466	220	1,202,606	
		<u>3673</u>				559.0						3,001,921	

H	37.0												
Lob		288	115	2.50	1.85	22.6	2	373	462	418	760	317,300	} 679
Ch		1436	142	10.11	4.71	287.2	31	4737	8034	6386	840	5,363,820	
Rob		4638	875	5.30	3.06	602.6	67	9940	6554	8247	550	4,535,850	
		<u>6362</u>				912.3						10,216,970	

I	37.1												
Lob		0	0	0	0	0	0	0	373	186	270	50,355	} 254
Ch		1598	198	8.07	4.05	274.8	45	6761	4737	5749	260	1,494,713	
Rob		3450	995	3.47	2.30	336.9	55	8289	9940	9115	250	2,278,651	
		<u>5048</u>				611.7						3,823,719	

J	37.2												
Lob		0	0	0	0	0	0	0	0	0	0	0	} 212
Ch		1423	187	7.61	3.90	235.6	28	4172	6761	5467	250	1,366,640	
Rob		4579	821	5.58	3.16	614.3	72	10,878	8289	9583	190	1,820,854	
		<u>6002</u>				850.0						3,187,494	

Cowskin Creek - 119th to 13th
 Section Properties - Encroachment plan & A

Section I.D.	W.S. Elev.	Area	W.P.	R	R ² 's	K x 10 ³	%KT	Q _{us}	Q _{ds}	\bar{q}	L	L \bar{q}	$\frac{\sum L\bar{q}}{Q} = L$
K	37.3												
Lob		247	65	3.8	2.45	25.7	3	434	0	217	320	69,490	} 265
Ch		1422	147	9.81	4.62	278.9	31	4715	4172	4443	320	1,421,917	
R _b		<u>3832</u>	566	6.77	<u>3.60</u>	<u>585.7</u>	66	9901	10,878	10,389	240	<u>2,493,445</u>	
		5501				890.3						3,984,852	

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek - Encroachment Plan 4A

Page 1 of 4

119th Street West to 13th Street (Walnut Valley and

Computed by: M.S.M. Date Mar 1983

Whistling Walk Estates 4th Additions)

Checked by: M.S.M. Date Mar 1983

- River Mile
@ 119th per
FIS 0 =

15050 cfs = 100Yr FIS n = .035

R 345 FIS, REC-2 CWSEL.
w/ Fiberglass

Alle or Sec. No.	Reach Length	Est. M.S. Elev.	Alpha	2/3 r	K	$\frac{K^2}{10.3}$	Sq	hf	K/A ² Slope	OK	V	$\frac{V^2}{2g}$	h _v	h _o	H	Comp. Elev.	ΔH =
20.974	Top Width	1190	6.311	3.06	956					1	2.38	.09				1335.05	
Sec A		1335.0	1200	2.94	149.8				2334								
			1708	5.27	382.2				1933								
			1230	2.41	125.9				1318								
	80		4138		657.8	806.9	.00035	.0.3	23784	1.37	3.64	.28	7.19	.06	7.10	1334.95	ΔH = 7.05 OK
Sec B		1335.0	1050	2.31	103.0				991								
			1546	4.51	296.0				1084								
			980	2.31	96.1				925								
	139		3576		495.1	576.5	.00068	.09	12769	1.35	4.21	.37	7.09	.01	7.01	1334.96	ΔH = 7.04 OK
Sec C		1335.4	312	2.49	33.0				369								
			1692	5.00	359.2				16187								
			1088	2.40	110.9				1151								
	296		3092		583.0	499.1	.00071	.27	11707	1.33	4.87	.49	7.08	.01	7.01	1335.16	ΔH = 7.04 OK
		1335.3	304	2.45	31.6				342								
			1678	4.97	354.1				1574								
			1290	2.69	147.3				1422								
	296		3272		583.0	578.0	.00084	.25	18050	1.27	4.60	.42	7.05	.02	7.02	1335.18	ΔH = 7.12 OK

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek - Encroachment Plan 4A
119th Street West to 13th Street (Walnut Valley
& Whistling Walk Estates 4th Additions)

Page 2 of 4

Computed by: MSM Date Mar 1983

Checked by: MSM Date Mar 1983

Q = 15050 cfs = 100 YR FIS n = 0.35

File or Sec. No.	Reach Length	Est. W.S. Elev.	Area	2/3 r	K	$\frac{K^2}{r^{10.3}}$	Sp	hf	K/A	OK	V	$\frac{\alpha V^2}{2g}$	h _v	h _o	H	Comp. Elev.
Sec C					533.0					1.27	4.60	4%				1335.18
Sec D		1335.4	663	2.49	70.1				783							
			1528	4.78	310.1				1272							
			588	2.82	70.4				1009							
	159		2779		450.6	491.8	.00094	.15	14567	1.23	5.42	.56	-.06	.02	.11	1335.29
Sec E		1335.9	264	2.70	30.3				378							
			1360	5.14	276.8				1435							
			1179	3.23	161.7				3041							
	397		2803		488.7	469.7	.00103	.41	17581	1.18	5.37	.53	.04	.01	.46	1335.75
Sec F		1336.2	446	2.82	53.4				766							
			1298	5.13	282.7				1542							
			1152	2.82	137.9				1777							
	373		2896		471.0	481.4	.00098	.58	16454	1.27	5.20	.53	0	0	.58	1336.13
Sec G		1336.2	160	2.18	14.8				127							
			1500	4.44	282.8				1048							
			1833	2.82	219.5				3166							
		199	3493		571.0	495.5	.00092	.18	13521	1.18	4.37	.54	.19	.02	.59	1336.52

ΔH = -1.11 OK

ΔH = -1.15 OK

ΔH = -1.07 OK

ΔH = 1.32 high

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek - Encroachment Plan 4A
119th Street West to 13th Street (Walnut Valley and
Whistling Walk Estates 4th Additions)

Page 3 of 4
 Computed by: MSM Date Mar 1983
 Checked by: MSM Date Mar 1983

Q = 15050 cfs = 100 Yr FIS n = .035

File or Sec. No.	Reach Length	Est. W.S. Elev.	Area	2/3 r	K	$\frac{K^2}{r^3} \times 10^3$	Sp	hf	K/A ² / 10 ⁶	OK	V	$\frac{\alpha V^2}{2g}$	h _v	h _o	H	Comp. Elev.
Sec F	436	1336.2	2896		474.0		.00098	.38		1.27	5.20	.53	0	0	.38	1336.13
Sec G		1336.5	1751	2.31	17.2				165							
			1548	4.54	298.4				11086							
			1950	2.94	243.4				3793							
	199		3673		559.0	516.5	.00085	.17	15044	1.16	4.10	.30	.23	.02	.42	1336.55
Sec H		1337.0	288	1.85	22.6				139							
			1436	4.71	287.2				11483							
			4638	3.06	603.6				10171							
	679		6362		912.3	735.6	.00042	.29	21794	1.16	2.37	.10	.20	.02	.52	1337.07
Sec I		1337.1	0	0	0				0							
			1598	4.05	274.8				8124							
			3450	2.30	336.9				3212							
	254		5048		611.7	762.0	.00039	.10	11337	1.26	2.98	.17	.07	.02	.05	1337.12
Sec J		1337.2	0	0	0				0							
			1423	3.90	235.6				4860							
			4579	3.16	614.3				11058							
	212		6002		850.0	730.8	.00042	.09	17518	1.03	2.50	.10	.07	.01	.17	1337.29


ΔH₁ = 1.05
OK

ΔH₂ = 1.07
OK

ΔH₃ = 1.02
OK

ΔH₄ = 1.09
OK

ANALYSIS OF
COWSKIN CREEK
FLOODPLAIN ENCROACHMENT
FOR
WALNUT VALLEY AND
WHISTLING WALK ESTATES 4TH
ADDITIONS




M. S. Mitchell
Flood Plain Management & Land Development Specialist
1215 Forest • Wichita, KS 67203
(316) 265-9812

CONTENTS

Section

1	Letter from MAPD re S/D 82-26		
2	Introduction		
3	Hydraulic Model		
4	Natural Sections	Section Coordinates	(8)
		Section Properties	(3)
		Backwater Work Sheets	(4)
5	Encroachment Plan 4A	Section Coordinates	(6)
		Section Properties	(3)
		Backwater Work Sheets	(4)
6	X-Sections	(2)	
7	Profiles	1	

WICHITA - SEDGWICK COUNTY



METROPOLITAN AREA PLANNING
DEPARTMENT

CITY HALL - TENTH FLOOR
455 NORTH MAIN STREET
WICHITA, KANSAS 67202
(316) 268-4561

May 21, 1982

Mr. Gary Wiley
Professional Engineering
Consultants
1440 East English
Wichita, Kansas 67211

Re: S/D 82-26 Sketch Plat of Walnut
Valley and Whistling Walk
Estates 4th Addition

Dear Mr. Wiley:

We have reviewed the above referenced sketch plat with other
City and County Departments and offer the following comments:

1. The preliminary federal floodway maps show a regulatory floodway approximately 1,200 feet wide in this Cowskin Creek area. We realize that the location of this floodway is based on former characteristics of the creek and may be different now that the channel has been cleaned. The elevations required to keep properties above the flood level may also be lower than specified in the federal flood study due to the channel improvements. The burden of proof will be upon the applicant to provide a detailed analysis showing that recent channel improvements combined with desired encroachment will not cause a 100-year water surface greater than that shown on the preliminary federal studies. This is especially critical so that no effect is realized for the original Whistling Walk Addition which provided for little or no freeboard for this projected 100-year elevation.
2. We think the road in Whistling Walk Estates 4th Addition should be a public road since it is a direct continuation of an existing public road. County engineering recommends that the road be at or above the 100-year elevation whether it be public or private. They point out that the preliminary federal flood data shows a difference of

WICHITA - SEDGWICK COUNTY

Mr. Gary Wiley
Page Two
May 21, 1982

only 1 1/2 feet between the 10-year and the 100-year flood elevation. No one will be able to specify what the elevation of the road should be until the applicant provides the necessary calculations based on the new channel improvements.

3. The Health Department should be contacted to find out what tests may be necessary and what standards are to be met for approval of on-site sewerage facilities for Whistling Walk Estates 4th Addition.
4. Don Schneider advises that sanitary sewer service can be provided for Walnut Valley but will require a temporary lift station and force main in addition to a 20-inch sewer main and the usual sewer laterals.
5. The use of Reserve A in Walnut Valley for "community facilities" has been questioned. I believe you told us this meant such things as picnic tables and open recreational uses. You may want to revise the wording on the preliminary plat so as not to cause undue alarm.

The Walnut Valley property has been approved for annexation and will probably be annexed by May 28th. Before proceeding with the residential community unit plan and the plat, however, you will need to have enough definite drainage information to be able to show the floodway boundaries. You should submit this information to Chris Breitenstein as soon as it is available. County Engineering also needs this information in order to make an accurate analysis of the Whistling Walk plat. Based on existing data, they say that Lots 1, 2, and 3 and the road are not protected from flooding. Again, it will be this applicant's responsibility to prove otherwise.

Since the federal flood data is in mean sea level figures, it would be most helpful if the topographical information sub-

WICHITA - SEDGWICK COUNTY

Mr. Gary Wiley
Page Three
May 21, 1982

mitted with these plats is also based on mean sea level rather than City data.

If you have any questions about our comments, please call. I ~~have enclosed a copy of County engineering's comments for your review.~~

Sincerely,

Louise Olivarez
Louise Olivarez
Senior Planner

LO:jps
Enclosure

cc: Dean DeWitt, President, DeWitt Land Company, Inc.,
505 South Broadway, Wichita, Kansas 67202

INTRODUCTION

The floodplain analysis of Cowskin Creek between 119th Street and 13th Street begins with the Sedgwick County Flood Insurance Study by Howard-Needles-Tammen and Bergendoff which sets the 100-year discharge at 15,050 cubic feet per second. During 1981 and 1982 the Sedgwick County Stream Maintenance crews changed the channel cross-section and alignment, cleared underbrush and trimmed up major trees between the Established Banklines between 13th and City Park property located approximately one mile downstream. The owner of Walnut Valley and Whistling Walk Estates 4th Additions extended the work done by the Stream Maintenance Program to include all the flood plain area on his property. Even though the work done downstream from 119th may improve flow conditions there, this analysis begins with the Floodway Encroachment elevation at 119th Street included in the Flood Insurance Study. Several encroachment plans were studied to obtain the best balance between left bank and right bank encroachments. Plan 4A, which keeps the 100-year water surface profile below that of the Flood Insurance Study Floodway, sets up a transition from a future bridge section at 13th and into a future bridge section at 119th Street, and is presented here for review and approval.

WALNUT VALLEY & WHISTLING WALK ESTATES IV

NATURAL SECTIONS

Section B, cont

Ekv 15 34.5
34.5
11870.
34.5
12140.
30.
12030.
31.5
11870.
0.
2.
Rob Area 847.5

CLR

12140.
11870.
270.
W.P. 270.
0037037037
0037037037
848.
3.140740741
3.140740741
0.67
2.152838736

1/X
1/X
X
=
YX
=
CLR

Section C

Ekv 15 34.5
34.5
11180.
31.5
11180.
31.5
10630.
32.5
10400.
33.5
9920.
0.
2.
Lob Area 2980.

CLR
=
1/X
X
=
YX
=
CLR

11180.
9850.
W.P. 1330.
1330.
.0007518797
.0007518797
2.240601504
2.240601504
0.67
R² 1.71689722

CLR

EI 1334.5
34.5
11180.
34.5
11330.
30.
11330.
25.5
11310.
23.5
11280.
18.
11260.
18.
11250.
31.5
11180.
0.
2.
Ch Area 1557.5

CLR
1/X
X
=
YX
=
CLR

WP 154.
.0064935065
.0064935065
1557.5
10.11363636
R² 10.11363636
0.67
R² 712896628

Section

1.
34.5
34.5
11330.
34.5
12070.
32.
12000.
30.5
11760.
31.5
11520.
30.
11330.
0.
2.
Rob Area 2430.

CLR
=
1/X
X
=
YX
=
CLR

12070.
11330.
740.
740.
0018518514
0018518514
2420.
3.33027027
3.33027027
0.67
2.211928189

WP
R
R²

Section D

Elev 1332.5

34.5	
9920.	
34.5	
11130.	
31.5	
11130.	
31.5	
10740.	
33.1	
10620.	
33.2	
10350.	
33.5	
9920.	
0.	
Lob Area 2293.	
W.P. 1210.	CLR
.0008264463	1/X
.0008264463	X
2293.	=
R 1.895041322	
.895041322	YX
0.67	=
R²/₃ 1.53463295	
	CLR
1.	
34.5	
34.5	
11130.	
34.5	
11275.	
29.5	
11275.	
23.5	
11230.	
19.	
11215.	
19.	
11190.	
23.5	
11185.	
31.5	
11130.	
0.	
2.	
Ch Area 1397.5	
	CLR

W.P. 148. **Sec D** 1/X

Cont

.0067567568	X
.0067567568	
1398.	=
R 9.445945946	
9.445945946	YX
0.67	=
R²/₃ 4.502092933	
	CLR
1.	
<u>Elev 1334.5</u>	
34.5	
11275.	
34.5	
12010.	
32.5	
12010.	
30.	
11760.	
31.5	
11375.	
29.5	
11275.	
0.	
2.	
Rob Area 2656.25	
	CLR
W.P. 735.	1/X
.0013605442	
.0013605442	X
2656.	=
R 3.613605442	
3.613605442	YX
0.67	=
R²/₃ 2.364940889	
	CLR

Section E

Elev 1334.6

34.6	
10050.	
34.6	
11010.	
31.5	
11010.	
31.5	
10495.	
32.	
10200.	
0.	
Lob Area 2632.25	
	CLR
11010.	
10050.	=
W.P. 960.	
960.	1/X
.0010416667	
.0010416667	X
2632.	=
R 2.741666667	
2.741666667	YX
0.67	=
R²/₃ 1.965485376	
	CLR
1.	
<u>Elev 1334.6</u>	
34.6	
11010.	
34.6	
11125.	
30.	
11125.	
19.	
11070.	
19.	
11055.	
31.5	
11010.	
0.	
2.	
Ch Area 1210.25	
	CLR
W.P. 118.	1/X
.0084745763	
.0084745763	X
1210.	=
R 10.25423729	
10.25423729	YX
0.67	=
R²/₃ 4.75669443	
	CLR

Section E, Cont. ✓
 Elev 1334.7
 34.6
 11125.
 34.6
 12030.
 31.5
 11935.
 30.5
 11440.
 30.
 11125.
 0.
Rob 2.
Area 3299.5
 CLR
 12030. -
 11125. =
W.P. 905.
 905. 1/X
 .0011049724
 .0011049724 ×
 3300. =
R 3.64640884
 3.64640884 Y×
 0.67 =
R₃ 2.379303216
 CLR

Section F
 1.
 Elev 1334.7
 34.7
 10350.
 34.7
 11145.
 31.5
 11145.
 31.5
 10815.
 33.5
 10805.
 33.5
 10420.
 0.
Lob 2.
Area 1582.
W.P. 795.
 .0012578616
 .0012578616 ×
 1582. =
R 1.989937107
 1.989937107 Y×
 0.67 =
R₃ 1.585704888
 CLR
 1.
 34.7
 34.7
 11145.
 34.7
 11255.
 31.5
 11255.
 19.
 11205.
 19.
 11190.
 31.5
 11145.
 0.
Ch 2.
Area 1133.25
 CLR
W.P. 113.
 .0088495575
 .0088495575 ×
 1133. =
R 10.02654867
 10.02654867 Y×
 0.67 =
R₃ 4.685667663
 CLR

Section F Cont
 1.
 Elev 1334.7
 34.7
 11255.
 34.7
 12055.
 31.5
 11930.
 31.5
 11560.
 31.5
 11255.
 0.
Rob 2.
Area 2360.
 CLR
 12055. -
 11255. =
W.P. 800.
 800. 1/X
 0.00125
 0.00125 ×
 2360. =
R 2.95
 2.95 Y×
 0.67 =
R₃ 2.064337732
 CLR

Section I Cont.

35.5	
35.5	
10435.	
35.5	
11980.	
35.5	
11575.	
31.5	
10435.	
0.	
2.	
Rob Area 4983.75	
11580.	-
10435.	=
WP 1545.	1/2
1545.	
0006472452	
0006472452	X
4984.	=
3.225409960	R
3.225409960	YX
0.67	=
2.191771111	R ^{2/3}

Section I

0.	PG
2	
1.	
Elev 1335.6	
35.6	
10045.	
35.6	
10240.	
34.	
10240.	
21.	
10185.	
21.	
10170.	
29.5	
10135.	
0.	
2.	
ch Area 1301.25	
233. WP	=
5.584763948	R
5.584763948	YX
0.67	=
3.165871115	R ^{2/3}
	CL

Section I

0.	PG
2	
1.	
elev 1335.6	
35.6	
10240.	
35.6	
11690.	
34.	
11630.	
33.	
11260.	
32.	
11150.	
31.5	
10980.	
34.5	
10420.	
34.	
10240.	
0.	
2.	
Rob Area 3557.	
1450. WP	=
2.453103448	R
2.453103448	YX
0.67	=
1.824356163	R ^{2/3}
	CL

SECTION J cont

Elev 1335.2

- 10853. 35.7
- 11200. 32.
- 11120. 34.
- 11115. 34.
- 11085. 32.
- 11075. 36.
- 11015. 36.
- 10845. 34.
- 10795. 34.5
- 10590. 32.5
- 10485. 32.
- 10255. 0.
- 2. 2.

Rob Area 3744.75

- 11200. WP
- 10950. 34.5
- 1095. 34.5
- 10010592011
- 10010592011
- 3744.75
- 3.515671935

CLF
=
140
140
=

- Elev 1335.2
- 10100. 35.7
- 10110. 32.
- 10255. 34.
- 10205. 34.
- 10190. 32.
- 10110. 35.5
- 10110. 0.
- ch Area 1172.5

CLF
+
+
+
=

ch WP 157.33

7.4354484 2
7.4524484
3.540378106 2 2/3

Elev 1336

- 10020. 36.
- 10195. 36.
- 10195. 32.5
- 10195. 32.5
- 10095. 35.
- 10065. 34.
- 10065. 0.
- 2. 2.

Lob Area 362.5

- 10195.
- 10020.
- WP 175.
- 2.0057142857
- 2.0057142857
- 2.071428571 2
- 2.071428571
- 1.628924197 2 2/3

CLF
=
140
140
=

Elev 1336

- 10195. 36.
- 10340. 38.5
- 10340. 32.
- 10275. 32.
- 10365. 33.5
- 10195. 0.
- 2. 2.

ch Area 1253.75

CLF

sec. k cont

WP

2

205710584 2 2/3

Elev 1386.

10840.

36.

11055.

34.

11020.

33.5

10975.

35.

10960.

35.

10900.

34.

10920.

34.

10865.

26.

10815.

26.

10855.

32.

10615.

33.5

10415.

33.5

10340.

0.

Rob Area 3335.

11055.

10850.

WP 715.

715.

0013986014

0013986014

3355.

4.664335664 2

4.664335664

0.67

2.80500967. 2 2/3

Cowskin Creek - 119th to 13th
Section Properties - Natural Sections

Pg 1 of 3
 $\frac{\sum l \bar{q}}{q} =$

Section #	W.S. Elev	Area	NP	R	R ^{4B}	Kx10 ³	l	%KT	Q _{us}	Q _{ds}	q̄	l q̄	L
A	34.5												
Lob		5332	1490	3.58	2.35	532.0	80	54	8084				
Ch		1638	143	11.45	5.12	356.1	80	36	5411				
Rob		1066	315	3.38	2.26	102.3	80	10	1555				
		8036				990.4			15050				
Sec B	34.5												
Lob		4200	1570	2.68	1.93	344.2	65	50	7525	8084	7804	507,260	
Ch		1466	163	8.98	4.35	270.8	150	39	5870	5411	5641	846,150	110
Rob		848	270	3.14	2.15	77.4	190	11	1655	1555	1605	304,950	
		6514				692.4			15050		15050	1,658,360	
Sec C	34.7												
Lob		3246	1330	2.44	1.82		45	29	4434	7525	5980	269,100	
Ch		1588	154	10.33	4.78		340	38	5714	5870	5792	1,969,280	218
Rob		2420	740	3.27	2.11		320			1655			
									15050		15050		
	34.5												
Lob		2980	1330	2.24	1.72	217.6	45	29	4392	7525	5958	268,124	
Ch		1557	154	10.11	4.71	311.4	340	42	6283	5870	6072	2,066,069	219
Rob		2420	740	3.27	2.11	216.8	320	29	4375	1655	3015	964,802	
		6957				745.8			15050		15050	3,298,995	
Sec D	34.9												
		2777	1210	2.30	1.74		90	27	4010	4434	4222	379,980	
		1334	198	8.99	4.36		160	32	4825	5714	5269	843,640	131
		2950	735	4.01	2.54		135	41	6215	4902	5559	750,465	
									15050		15050	1,973,485	
	34.5												
Lob		2293	1210	1.90	1.53	149.0	90	22	3287	4253	3770	339,300	
Ch		1298	198	9.45	4.50	367.1	160	39	5892	6085	5988	958,160	134
Rob		2656	735	3.61	2.36	266.1	135	39	5871	4712	5292	714,352	

Cowskin Creek - 119th to 13th
 Section Properties - Natural Sections

Pg 2 of 3
 El \bar{Q}
 $Q=L$

Section #	W.S. Elev	Area	WP	R	R ² / ₃	K x 10 ³	l	%KT	Q _{us}	Q _{ds}	\bar{Q}	l \bar{Q}	Q=L
Sec E	35.1												
Lob		3137	1000	3.14	2.15		130	30	4514	4434	4474	581620	} 376
Ch		1268	118	10.76	4.91		400	28	4166	5714	4940	1,976,000	
Rob		3748	935	4.01	2.54		550	42	6370	4902	5636	3,099,800	
									15050		15050	5,657,920	
	34.6												
Lob		2632	960	2.74	1.97	220.1	130	28	4150	3287	3718	483,405	} 394
Ch		1210	118	10.25	4.76	244.5	400	31	4610	5892	5251	2,100,400	
Rob		3300	905	3.65	2.38	333.4	550	41	6290	5871	6081	3,344,275	
						78.0			15050		15050	5,928,080	
Sec F	35.1												
Lob		1902	815	2.33	1.76		180	22	3357	4514	3935	708,300	} 291
Ch		1177	113	10.39	4.80		430	38	5668	4166	4917	2,114,310	
Rob		2718	835	3.26	2.21		250	40	6025	6370	6198	1,599,500	
									15050		15050	4,372,110	
	34.7												
Lob		1582	795	1.99	1.59	106.8	180	20	2983	4150	3566	641,970	} 299
Ch		1133	113	10.03	4.69	225.6	430	42	6302	4610	5456	2,346,080	
Rob		2360	800	2.95	2.06	206.4	250	38	5765	6290	6028	1,506,815	
						538.8			15050		15050	4,494,925	
Sec G	35.0												
Lob		1052	670	1.57	1.35	60.3	130	12	1761	2983	2372	308,360	} 222
Ch		1308	162	8.05	4.05	224.9	200	44	6568	6302	6436	1,287,133	
Rob		2568	840	3.06	2.11	230.1	280	44	6721	5765	6242	1,747,827	
						515.3			15050	15050		3,343,320	
Sec H	35.3												
Lob		94	105	0.90	0.93		550	01	88	1761	924	508,475	} 678
Ch		1198	142	8.41	4.17		810	33	5017	6568	5793	4,691,925	
Rob		4649	1505	3.09	2.13		600	66	9945	6721	8333	4,999,800	
									15050		15050	10,200,200	
	35.7												
Lob		132	120	1.1	1.07	6.0	550	01	122	1761	941	517,825	} 675
Ch		1254	142	8.83	4.30	228.9	810	31	4659	6568	5614	4,546,935	
Rob		5234	1535	3.41	2.27	504.4	600	68	10,269	6721	8495	5,097,000	

Cowskin Creek - 119th to 13th
 Section Properties - Natural Sections

W.S. $\Sigma \frac{l \bar{Q}}{Q = L}$
 Elev Area WP R R^{2/3} Kx10³ %KT l Qus Qds \bar{Q} $l \bar{Q}$

Section H 35.5

Lob	115	115	1	1	4.9	01	550	106	1761	934	513,515	} 676
Ch	1226	142	8.63	4.24	220.7	32	810	4806	6568	5687	4,606,501	
Rob	4984	1545	3.23	2.20	465.5	67	600	10,138	6721	8429	5,057,580	
	6325				691.1						10,177,595	

Section I 35.6

Lob	0	0	0	0	0	0	290	0	106	53	15370	} 247
Ch	1301	733	5.58	3.16	174.5	39	260	5845	4806	5326	1,384,760	
Rob	3557	1450	2.45	1.82	274.9	61	240	9205	10,138	9671	2,321,040	
	4858				449.4			15050	15050	15050	3,721,170	

Section J 35.9

Lob	0	0	0	0	0	0						} 211
Ch	1202	157	7.64	3.91	199.5	32	250	4749	5845	5297	1,324,253	
Rob	3936	950	4.14	2.59	432.8	68	190	10301	9205	9753	1,853,067	
	5138				632.4						3,177,321	

35.7

Lob	0	0	0	0								} 211
Ch	1172	157	7.45	3.84	191.1	32						
Rob	3745	945	3.96	2.52	400.7	68						
	4917				591.8							

Section K 36.0

Lob	362	175	2.07	1.63	25.1	4	320	583	0	291	93,228	} 268
Ch	1254	147	8.53	4.21	224.1	35	320	5213	4749	4981	1,593,962	
Rob	3335	715	4.66	2.81	397.9	61	240	9254	10,301	9778	2,346,607	
					647.1			15050	15050	15050	4,033,797	

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek Natural Sections - 119th Street West
to 13th Street, Walnut Valley & Whistling Walk
Estates 4th Addition

Page 1 of 4

Computed by: MSM Date June 1982

Checked by: MSM Date Dec 1982

Over Mile
Per FIS
@ 119th St

15050 cfs = 100% FIS n = .035

$\frac{1.486}{n} = 47.46$

By 3-30 FIS MRC & Printout

$Q/A = V$ CWSEL

Sec. No.	Reach Length	Est. W.S. Elev.	Area	2/3 r	K ₁₀	K ₅₀	K ₈₀	SP	hf	K ₁₀ x 10 ⁶	dx	V	$\frac{Q \sqrt{2}}{2g}$	h _v	h _o	H	Comp. Elev.
20.974			726.5								1.5	2.07	.10				1334.29
Sec A	80	1334.5	5332	2.35	532.0					5296							
			1638	5.12	356.1					16830							
			1066	2.26	102.3					942							
			8036		990.4	990.4	.00021	.02		23068	1.53	1.87	.08	.02	0	.04	1334.33
Sec B		1334.5	4200	1.93	344.2					2312							
			1966	4.35	270.8					9240							
			848	2.15	77.4					645							
	110		6514		692.4	841.4	.00032	.04		12197	1.56	2.31	.13	-.05	.02	.01	1334.34
Sec C		1334.7	3246	1.82	280.1					1485							
			1588	4.78	322.3					13276							
			3482	1.87	276.5					1744							
	218		8316		848.9	770.6	.00038	.08		16505	1.87	1.81	.10	.03	—	.11	1334.45

ΔH = .17
OK

ΔH = .16
OK

ΔH = .25
X

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek - Natural Sections 119th West Page 2 of 4

Computed by: MSM Date June 1982

Checked by: MSM Date Dec 1982

to 13th Street (Walnut Valley & Whistling Walk

Estates - 4th Addition

Q = 15050 cfs = 100 YR FIS n = .035 $\frac{1.486}{R} = 42.46$

File or sec. No.	Reach Length	Est. W.S. Elev.	Area	2/3 r	K	K _r K/0.5	SP	HF	KVA _r sig	α	V	$\frac{\omega V^2}{2g}$	h _v	h _o	H	Comp. Elev.	ΔH	
																		1.486/R
Sec B	110	1334.5			092.4					1.56	2.31	.13				1334.34		
Sec C		1334.5	2980	1.72	217.6				1160									
			1557	4.7	311.4				1245									
			2420	2.11	216.8				1740									
	219		6957		745.8	719.1	.00043	.09	1535	1.79	2.16	.13			.09	1334.43	ΔH = -0.07	
Sec D		1334.5	2293	1.53	149.0				629									
			1398	4.50	267.1				9750									
			2656	2.36	366.1				2671									
	134		6347		682.2	726.1	.00043	.06	1305	1.66	2.57	.14	7.02	.01	.05	1334.49	ΔH = -0.01	
Sec E		1334.6	2632	1.97	220.1				1539									
			1210	4.76	244.5				9993									
			3300	2.38	333.4				2380									
	394		7142		798.0	740.2	.00041	.16	1492	1.50	2.11	.10	7.04		.20	1334.69	ΔH = +0.09	
Sec F		1334.7	1582	1.59	106.8				487									
			1133	4.69	225.6				8945									
			2360	2.06	206.4				1579									
	299		5075		538.8	668.4	.00051	.15	1101	1.81	2.97	.25	7.15	.05	.05	1334.74	ΔH = +1.04	

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek - Natural Sections - 119th West to
13th Street (Walnut Valley & Whistling Walk Estates
4th Addition

Page 3 of 4

Computed by: MSM Date June 8 Dec 1982

Checked by: MSM Date Dec 1982

Q = 150.50 cfs = 100 YR FIS n = .035 $\frac{1.486}{D} = 42.46$

Mile or Sec. No.	Reach Length	Est. W.S. Elev.	Area	2/3 r	K	$\frac{K^2}{r/0.3}$	S _p	h _f	K/A ₂ 1106	OK	V	$\frac{Q \sqrt{2}}{2.9}$	h _v	h _o	H	Comp. Elev.
Sac F					538.8							1.25				1334.74
Sac G		1335.0	1052	1.35	60.3				1980							
			1308	4.05	224.9				6649							
			2568	2.11	230.1				1047							
	222		4928		515.3	527.0	.00082	.18	8694	1.54	3.05	.22	.03	-	.21	1334.95
Sac H		1335.5	115	1	4.9				9							
			1226	4.24	220.7				7152							
			4984	2.20	465.5				4061							
	676		6325		691.1	603.2	.00062	.42	11223	1.36	2.38	.12	.10	.01	.53	1335.48
Sac I		1335.6	0	0	0				0							
			1301	3.16	174.5				3142							
			3557	1.82	274.9				1641							
	247		4858		449.4	570.2	.00070	.17	4783	1.24	3.10	.19	-.07	.02	.12	1335.60
Sac J		1335.7	0	0	0				0							
			1172	3.84	191.1				5079							
			3745	2.52	400.7				4587							
	211		4917		591.8	520.6	.00084	.18	9666	1.13	3.06	.16	.03	-	.21	1335.81

OK

ΔH = -.05

OK

ΔH = .02

OK

OK

ΔH = +.11

WALNUT VALLEY & WHISTLING WALK ESTATES IV

ENCROACHMENT PLAN 4A

Encroachment Plan 4 A.

Encroachment Plan 4A
Section A

1.
35.
35.
11600.
35.
11740.
30.
11740.
17.
11685.
17.
11670.
30.
11600.
0.
2.

Rob Area 1200.

240. WP

5. WP
5. R

0.67 R2/3

Encroachment Plan 4A
Section A

1.
35.
35.
11600.
35.
11740.
30.
11740.
17.
11685.
17.
11670.
30.
11600.
0.
2.

Ch. Area 1707.5

143. WP

11.94055944 R

11.94055944 Y*

0.67

5.267524111 R2/3

Encroachment Plan 4A
Section A

1.
35.
35.
11740.
11740.
35.
12070.
30.
11990.
30.
11850.
30.
11740.
0.
2.

Rob Area 1230.

330. WP

3.727272727 R

3.727272727 R

0.67

2.414527104 R2/3

Encroachment Plan 4A
Section B

1.
35.
35.
35.
11410.
35.
11710.
31.5
11710.
31.5
11410.
0.
2.

Lob Area 1050.

300. WP

3.5 R

3.5

0.67

2.51486458 R2/3

Encroachment Plan 4A
Section B

1.
35.
35.
11710.
31.5
11870.
21.5
11815.
18.
11810.
18.
11800.
21.5
11790.
31.5
11710.
0.

Ch Area 1546.25

163. WP

0.486196319 R

0.486196319 Y*

0.67

4.514937185 R2/3

Encroachment Plan 4A
Section B

1.
35.
35.
11870.
35.
12150.
30.
12030.
31.5
11870.
0.
2.

Rob Area 980.

280. WP

3.5

3.5 R

0.67

2.31486458 R2/3

Encroachment Plan 4 A.

Encroachment Plan 4A
Section C

35.3
 35.3
 11100.
 35.3
 11180.
 31.5
 11180.
 31.5
 11100.
 0.
 2.
 Lob Area 304.
 Lob 80. WP =
 Area 8.8 R
 8.8 Y
 0.67 =
 2.445991870 R2/3
 CL

Encroachment Plan 4A
Section C

1.
 35.3
 35.3
 11180.
 35.3
 11330.
 30.
 11330.
 25.5
 11810.
 33.5
 11280.
 18.
 11280.
 18.
 11250.
 31.5
 11180.
 0.
 2.
 Ch Area 1677.5
 153. WP =
 10.96405229 R
 10.96405229 Y
 0.67 =
 4.97485709 R2/3
 CL

Encroachment Plan 4A
Section C

1.
 35.3
 35.3
 11330.
 35.3
 11625.
 31.
 11625.
 31.5
 11520.
 30.
 11330.
 0.
 2.
 Rob Area 1289.75
 295. WP =
 4.372033898 R
 4.372033898 Y
 0.67 =
 2.886939939 R2/3

Encroachment Plan 4A
Section D

35.4
 35.4
 10960.
 35.4
 11130.
 31.5
 11130.
 31.5
 10960.
 0.
 2.
 Lob Area 663.
 170. WP =
 3.9 R
 3.9 Y
 0.67 =
 2.488938463 R2/3

Encroachment Plan 4A
Section D

1.
 35.4
 35.4
 11130.
 35.4
 11275.
 29.5
 11275.
 23.5
 11230.
 19.
 11215.
 19.
 11190.
 23.5
 11165.
 31.5
 11130.
 0.
 2.
 Ch Area 1528.
 148. WP =
 10.32432432 R
 10.32432432 Y
 0.67 =
 4.778452772 R2/3

35.4
 35.4
 11275.
 35.4
 11400.
 31.5
 11400.
 31.5
 11375.
 29.5
 11275.
 0.
 2.
 Rob Area 587.5
 125. WP =
 4.7 R
 4.7 Y
 0.67 =
 2.820366612 R2/3

Encroachment Plan 4 A.

Encroachment Plan 4A
Section E

35.9
35.9
10950.
10950.
35.9
11010.
31.5
11010.
31.5
10950.
0.

Lob

Area

2.
204.
60. WP
4.4 R
4.4
0.67

2.698443276 R2/3

Encroachment Plan 4A
Section E

1.
35.9
35.9
11125.
35.9
11330.
30.3
11330.
30.
11125.
0.

Rob

Area 1178.75

205. WP
5.75 R
5.75
0.67

3.228326536 R2/3

Encroachment Plan 4A
Section F

1.
36.2
36.2
11145.
36.2
11255.
31.5
11255.
19.
11205.
19.
11190.
31.5
11145.

Ch

Area

1298.25
113.
11.48893805
11.48893805
0.67

5.13319219 R2/3

Encroachment Plan 4A
Section E

1.
35.9
35.9
11010.
35.9
11125.
30.3
11190.
19.
11070.
19.
11055.
31.5
11010.
0.

Ch
Area

113.
113. WP
11.52330503 R
11.52330503
0.67

5.143474665 R2/3

Encroachment Plan 4A
Section F

1.
36.2
36.2
11050.
11050.
36.2
11145.
31.5
11145.
31.5
11050.
0.

Lob

Area

446.5
4.7 WP
4.7 R
0.67

2.830366612 R2/3

Encroachment Plan 4A
Section F

1.
36.2
36.2
11255.
11255.
36.2
36.2
11500.
31.5
11500.
31.5
11255.
0.

Rob

Area

151.5
245. WP
4.7 R
4.7
0.67

2.820366612 R2/3

Encroachment Plan 4 A.

Encroachment Plan 4A
Section G

1.
36.5
36.5
10950.
36.5
11000.
30.
11000.
30.
10950.
0.
Lob 2.
Area 175.
50. Wp
3.5 R
31.5
0.67
2. 31486458 R2/3
CL

Encroachment Plan 4A
Section G

1.
36.5
36.5
11000.
36.5
11160.
31.5
11160.
20.
11105.
20.
11090.
29.5
11050.
31.5
11035.
30.
11000.
0.
2.
Ch Area 1547.5
162. WP
9.552469136 R
9.552469136 Y
0.67
4.536046322 R2/3
CL

Encroachment Plan 4A
Section G

1.
36.5
36.5
11160.
36.5
11550.
31.5
11550.
31.5
11160.
0.
Rob 2.
Area 1950.
390. WP
5. R
5.
0.67
2. 939746642 R2/3
CL

Encroachment Plan 4A
Section H

1.
37.
37.
10180.
37.
10295.
33.5
10295.
35.5
10180.
0.
Lob 2.
Area 287.5
287.5
1.
115. WP
2.504347826 R
2.504347826 Y
0.67
1.84980272 R2/3
CL

Encroachment Plan 4A
Section H

1.
37.
37.
10295.
37.
10435.
31.5
10435.
23.5
10370.
21.
10365.
21.
10355.
30.5
10295.
0.
Ch 2.
Area 1436.25
1436.25
142. WP
10.11443662 R
10.11443662 Y
0.67
4.713146478 R2/3
CL

Encroachment Plan 4A
Section H

1.
37.
37.
10435.
37.
11310.
31.9
11310.
31.5
10435.
0.
Rob 2.
Area 4637.5
875. WP
875.
5.3 R
5.3
0.67
3.056784571 R2/3
CL

Encroachment Plan 4A
 Section I

1.
 37.1
 37.1
 10040.
 37.1
 10240.
 34.
 10340.
 21.
 10165.
 21.
 10170.
 29.5
 10135.
 35.6
 10045.

Ch
 Area 1597.5
 1597.5

196. WP
 8.068181818 R
 8.068181818
 0.67
 4.050789759 R2/3

Encroachment Plan 4A
 Section I

1.
 37.1
 37.1
 10240.
 37.1
 11235.
 34.
 11235.
 34.
 10950.
 32.
 10930.
 33.
 10720.
 34.5
 10420.
 34.
 10240.

Rob
 Area 3449.5

995. WP
 995.
 3.466834171 R
 3.466834171
 0.67
 2.300144689 R2/3

Encroachment Plan 4A
 Section J

1.
 37.2
 37.2
 10255.
 37.2
 11075.
 26.
 11015.
 26.
 10845.
 34.
 10795.
 34.5
 10590.
 32.5
 10435.
 33.
 10255.

Rob
 Area 4579.25

821. WP
 5.577344702 R
 5.577344702
 0.67
 3.163052613 R2/3

Encroachment Plan 4A
 Section J

1.
 37.2
 37.2
 10070.
 37.2
 10255.
 33.
 10255.
 22.
 10205.
 22.
 10190.
 35.5
 10110.

Ch
 Area 1423.

157. WP
 2.609525668 R
 2.609525668
 0.67
 3.2515057616 R2/3

Encroachment Plan 4A
Section K

	1.	
	37.3	
	37.3	
	10130.	
	37.3	
	10135.	
	33.5	
	10135.	
	33.5	
	10130.	
	0.	
Lob	2.	
Area	247.	
	247.	
	247.	
	10135. WP	
	10130.	
	65. WP	
	65.	
	3.8	R
	3.8	R
	0.67	
	2.445991873	R2/3
		CL
		R2/3

Encroachment Plan 4A
Section K

	1.	
	37.3	
	37.3	
	10135.	
	37.3	
	10340.	
	33.5	
	10340.	
	22.	
	10275.	
	22.	
	10265.	
	33.5	
	10135.	
	0.	
	2.	
Ch		
Area	1442.25	
	1442.25	
	147.	WP
	9.81122449	R
	9.81122449	R
	0.67	
	4.610006636	R2/3
		CL

Encroachment Plan 4A
Section K

	1.	
	37.3	
	37.3	
	10140.	
	37.3	
	10375.	
	34.	
	10375.	
	34.	
	10265.	
	36.	
	10615.	
	26.	
	10655.	
	32.	
	10615.	
	33.5	
	10415.	
	33.5	
	10340.	
	0.	
	2.	
Rob		
Area	3832.	
	566.	WP
	6.770018021	R
	6.770018021	R
	0.67	
	3.601704488	R2/3

Cowskin Creek - 119th to 13th
 Section Properties - Encroachment Plan 4A

Pg 2 of 3

○

Section ID	W.S. Elev	Area	WP	R	R ²	Kx10 ³	%KT	Qus	Qds	\bar{Q}	l	$l\bar{Q}$	$\Sigma \frac{l\bar{Q}}{Q} = L$
F	36.2												
Lob		446	95	4.7	2.82	53.4	11	1695	932	1314	460	604,289	} 393
Ch		1298	113	11.49	5.13	282.7	60	8976	9139	9057	400	3,622,930	
Rob		1152	245	4.7	2.82	137.9	29	4379	4979	4679	360	1,684,440	
		<u>2896</u>				<u>474.0</u>						<u>5,911,659</u>	

G	36.2												
Lob		160	50	3.2	2.18	14.8	3	431	1695	1063	170	180,715	} 199
Ch		1500	162	9.26	4.44	282.8	55	8231	8976	8603	190	1,654,642	
Rob		1233	390	4.7	2.82	219.5	42	6388	4379	5384	220	1,184,390	
		<u>3493</u>				<u>517.0</u>						<u>2,999,747</u>	

	36.5												
Lob		175	50	3.5	2.31	17.2	3	462	1695	1079	170	183,356	} 199
Ch		1548	162	9.55	4.54	298.4	53	8034	8976	8505	190	1,615,959	
Rob		1950	390	5	2.94	243.4	44	6554	4379	5466	220	1,202,606	
		<u>3673</u>				<u>559.0</u>						<u>3,001,921</u>	

H	37.0												
Lob		288	115	2.50	1.85	22.6	2	373	462	418	760	317,300	} 679
Ch		1436	142	10.11	4.71	287.2	31	4737	8034	6386	840	5,363,820	
Rob		4638	875	5.30	3.06	602.6	67	9940	6554	8247	550	4,535,850	
		<u>6362</u>				<u>912.3</u>						<u>10,216,970</u>	

I	37.1												
Lob		0	0	0	0	0	0	0	373	186	270	50,355	} 254
Ch		1598	198	8.07	4.05	274.8	45	6761	4737	5749	260	1,494,713	
Rob		3450	995	3.47	2.30	336.9	55	8289	9940	9115	250	2,278,651	
		<u>5048</u>				<u>611.7</u>						<u>3,823,719</u>	

J	37.2												
Lob		0	0	0	0	0	0	0	0	0	0	0	} 212
Ch		1423	187	7.61	3.90	235.6	28	4172	6761	5467	250	1,366,640	
Rob		4579	821	5.58	3.16	614.3	72	10,878	8289	9583	190	1,820,854	
		<u>6002</u>				<u>850.0</u>						<u>3,187,494</u>	

Cowskin Creek - 119th to 13th
 Section Properties - Encroachment plan & A

Section I.D.	W.S. Elev.	Area	W.P.	R	R ² 's	K x 10 ³	%KT	Q _{us}	Q _{ds}	\bar{q}	L	L \bar{q}	$\frac{\sum L\bar{q}}{Q} = L$
K	37.3												
Lob		247	65	3.8	2.45	25.7	3	434	0	217	320	69,490	} 265
Ch		1422	147	9.81	4.62	278.9	31	4715	4172	4443	320	1,421,917	
R _b		<u>3832</u>	566	6.77	<u>3.60</u>	<u>585.7</u>	66	9901	10,878	10,389	240	<u>2,493,445</u>	
		5501				890.3						3,984,852	

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek - Encroachment Plan 4A
119th Street West to 13th Street (Walnut Valley and
Whistling Walk Estates 4th Additions)

Page 1 of 4

Computed by: M.S.M Date Mar 1983

Checked by: M.S.M Date Mar 1983

- River Mile
 @ 119th per
 FIS 0 =

15050 cfs = 100Yr FIS n = .035

R 345 FIS, REC-2 CWSEL.
 w/ Fiberglass

Alle or Sec. No.	Reach Length	Est. M.S. Elev.	Alpha	2/3 r	K	$\frac{K^2}{10.3}$	S _p	hf	K/A ² x 10 ⁶	OK	V	$\frac{V^2}{2g}$	h _v	h _o	H	Comp. Elev.	ΔH =
20.974	Top Width	1190	6.311	3.06	956						2.38	.09				1335.05	
Sec A		1335.0	1200	2.94	149.8				2334								
			1708	5.27	382.2				1933								
			1230	2.41	125.9				1318								
	80		4138		657.8	806.9	.00035	.03	23784	1.37	3.64	.28	7.19	.06	7.10	1334.95	ΔH = 7.05 OK
Sec B		1335.0	1050	2.31	103.0				991								
			1546	4.51	296.0				1084								
			980	2.31	96.1				925								
	139		3576		495.1	576.5	.00068	.09	12769	1.35	4.21	.37	7.09	.01	7.01	1334.96	ΔH = 7.04 OK
Sec C		1335.4	312	2.49	33.0				369								
			1692	5.00	359.2				16187								
			1088	2.40	110.9				1151								
	296		3092		583.0	499.1	.00071	.27	11707	1.33	4.87	.49	7.08	.01	7.01	1335.16	ΔH = 7.04 OK
		1335.3	304	2.45	31.6				342								
			1678	4.97	354.1				1574								
			1290	2.69	147.3				1422								
	296		3272		583.0	578.0	.00084	.25	18030	1.27	4.60	.42	7.05	.02	7.02	1335.18	ΔH = 7.12 OK

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek - Encroachment Plan 4A
119th Street West to 13th Street (Walnut Valley
& Whistling Walk Estates 4th Additions)

Page 2 of 4

Computed by: MSM Date Mar 1983

Checked by: MSM Date Mar 1983

Q = 15050 cfs = 100 YR FIS n = 0.35

File or Sec. No.	Reach Length	Est. W.S. Elev.	Area	2/3 r	K	$\frac{K^2}{r^{10.3}}$	Sp	hf	K/A	OK	V	$\frac{\alpha V^2}{2g}$	h _v	h _o	H	Comp. Elev.
Sec C					533.0					1.27	4.60	4%				1335.18
Sec D		1335.4	663	2.49	70.1				783							
			1528	4.78	310.1				1272							
			588	2.82	70.4				1009							
	159		2779		450.6	491.8	.00094	.15	14567	1.23	5.42	.56	-.06	.02	.11	1335.29
Sec E		1335.9	264	2.70	30.3				378							
			1360	5.14	276.8				1435							
			1179	3.23	161.7				3041							
	397		2803		488.7	469.7	.00103	.41	1758	1.18	5.37	.53	.04	.01	.46	1335.75
Sec F		1336.2	446	2.82	53.4				766							
			1298	5.13	282.7				1542							
			1152	2.82	137.9				1777							
	373		2896		471.0	481.4	.00098	.58	1659	1.27	5.20	.53	0	0	.58	1336.13
Sec G		1336.2	160	2.18	14.8				127							
			1500	4.44	282.8				1048							
			1833	2.82	219.5				3166							
		199	3493		571.0	495.5	.00092	.18	13521	1.18	4.37	.54	.19	.02	.59	1336.52

ΔH = -1.11 OK

ΔH = -1.15 OK

ΔH = -1.07 OK

ΔH = 1.32 high

BACKWATER COMPUTATION WORK SHEET

Project: Cowskin Creek - Encroachment Plan 4A
119th Street West to 13th Street (Walnut Valley and
Whistling Walk Estates 4th Additions)

Page 3 of 4
 Computed by: MSM Date Mar 1983
 Checked by: MSM Date Mar 1983

Q = 15050 cfs = 100 Yr FIS n = .035

File or Sec. No.	Reach Length	Est. W.S. Elev.	Area	2/3 r	K	$\frac{K^2}{r^3} \times 10^3$	Sp	hf	K/A ² / 10 ⁶	OK	V	$\frac{\alpha V^2}{2g}$	h _v	h _o	H	Comp. Elev.
Sec F	436	1336.2	2896		474.0		.00098	.38		1.27	5.20	.53	0	0	.38	1336.13
Sec G		1336.5	1751	2.31	17.2				165							
			1548	4.54	298.4				11086							
			1950	2.94	243.4				3793							
	199		3673		559.0	516.5	.00085	.17	15044	1.16	4.10	.30	.23	.02	.42	1336.55
Sec H		1337.0	288	1.85	22.6				139							
			1436	4.71	287.2				11483							
			4638	3.06	603.6				10171							
	679		6362		912.3	735.6	.00042	.29	21794	1.16	2.37	.10	.20	.02	.52	1337.07
Sec I		1337.1	0	0	0				0							
			1598	4.05	274.8				8124							
			3450	2.30	336.9				3212							
	254		5048		611.7	762.0	.00039	.10	11337	1.26	2.98	.17	.07	.02	.05	1337.12
Sec J		1337.2	0	0	0				0							
			1423	3.90	235.6				4860							
			4579	3.16	614.3				11058							
	212		6002		850.0	730.8	.00042	.09	17518	1.03	2.50	.10	.07	.01	.17	1337.29

ΔH₁ = 1.05
OK

ΔH₂ = 1.07
OK

ΔH₃ = 1.02
OK

ΔH₄ = 1.09
OK

