


- NOTES:**
- This Plan Is Not To Be Used As A Comprehensive Grading Plan. All Spot Elevations Are Proposed & Subject To Change.
 - Each Lot Area Disturbed By Construction Shall Be The Responsibility Of Each Individual Homeowner. Owner Responsible To Follow All SWPPP Plans & Guidelines For The Area.
 - Erosion Control Matting and/or Other Approved Bank Stabilization Methods & Fertilizer Shall Be Installed At Engineered Channels or Sedimentation Basins Where The Designed Slopes Will Be Greater Than 6:1. All Other Disturbed Areas Shall Be Seeded, Fertilized, & Mulched As Follows:
 SEED ---
 150 lbs. per acre of K-31 Fescue.
 200 lbs. per acre of Annual Ryegrass.
 50 lbs. per acre of Bromegrass.
 FERTILIZER ---
 40 lbs. of 12-12-12.
 2 Tons of Prairie Hay or Bromegrass Hay per Acre
 * "Potted" weevils or Punched into Soil To Reduce Loss Due To Wind.
 4. Install 8" Wide Quicq/Excelsior Blanket, or Approved Equal, on Proposed Surface Back of Curb. Blanket Shall Be Seeded & Fertilized as per Manufacturer's Recommendation, Including Slopes.
 5. All Seeding Shall Be Done During Spring or Fall Planting Seasons. All Seeding Shall Be Completed by March 15 thru Mid May.

**PRELIMINARY PLAN
NOT FOR CONSTRUCTION**



EROSION CONTROL MEASURE	UNITS	QUANTITY
SILT FENCE	L.F.	3,159
RIPRAP	S.Y.	420
DROP INLET BARRIER	EA.	7
CURB INLET BARRIER	EA.	9
STRAW BALE DITCH CHECK	EA.	13
EARTHEN DIKES	L.F.	1,964
CURLEX	S.Y.	8,395
POND E.C. BLANKET	S.Y.	9,021
Construction Entrance	EA.	2

QUANTITIES ARE FOR INFORMATION ONLY. CONTRACTOR SHALL FURNISH QUANTITIES PER SPECIFIC ENGINEERING PLAN SHEET.

ZONED "S1-S"

ZONED "S1-S"