

BENCHMARK:  
 U.S.G.S. STANDARD TABLET 75° NORTH AND 42°  
 EAST OF S.E. CORNER SEC. 24, AT U.S.  
 HIGHWAY 54 AND 159TH STREET EAST.  
 ELEV.=1301.83 M.S.L.


MINIMUM BUILDING PAD ELEVATIONS FOR LOWEST OPENING TO THE STRUCTURES		
LOT	BLOCK	ELEVATION MSL
1,2,3	A	1308.5
4-17	A	1306

NOTE:  
 NO BUILDING PERMITS ARE TO BE ISSUED FOR ANY LOTS THAT SHOWS A  
 STRUCTURE IN THE SPECIAL FLOOD HAZARD AREA WITHIN "BELRIV ADDITION"  
 UNLESS THE LOWEST FLOOR CAN BE CONSTRUCTED AT OR ABOVE THE BASE  
 FLOOD ELEVATION, OR UNLESS A LETTER OF MAP REVISION HAS BEEN ISSUED  
 BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY, THAT REMOVES THE  
 SUBJECT PROPERTY FROM THE SPECIAL FLOOD HAZARD AREA, WHICH WOULD  
 THEN ALLOW BUILDINGS TO BE CONSTRUCTED AT THE LOWEST OPENING AS  
 SPECIFIED ABOVE.

## UTILITY PLAN BELRIV ADDITION SEDGWICK COUNTY, KANSAS

Proposed 24" Water Main  
 Per Existing Petition.

Abandon Part of Existing Sanitary Sewer



SSMH  
 RW=1297.4  
 I.W.=1299.06  
 O.W.=1298.86  
 (PER PLAN)  
 (LOCATION NOT FIELD VERIFIED)

SSMH  
 RW=1305.2  
 I.W.=1299.18  
 O.W.=1299.18  
 (PER PLAN)  
 (LOCATION NOT FIELD VERIFIED)

05 APRIL 1991