

Basin **Area acres** **C2** **C5** **C100** **C2 cfs**

1	21.8	0.46	0.49	0.7	38.4
2	3.5	0.46	0.49	0.7	6.2
3	2	0.46	0.49	0.7	3.5
4	1.1	0.46	0.49	0.7	1.9
5	1.7	0.46	0.49	0.7	3.0
6	1.9	0.46	0.49	0.7	3.3
7	1.5	0.46	0.49	0.7	2.6
8	3.1	0.46	0.49	0.7	5.5
9	0.8	0.46	0.49	0.7	1.4
10	1.3	0.46	0.49	0.7	2.3
11	2	0.46	0.49	0.7	3.5
12	1.5	0.46	0.49	0.7	2.6
13	2	0.46	0.49	0.7	3.5
14	2	0.46	0.49	0.7	3.5
15	0.8	0.46	0.49	0.7	1.4
16	4.7	0.46	0.49	0.7	8.3
17	1.2	0.46	0.49	0.7	2.1
18	0.9	0.46	0.49	0.7	1.6
19	1	0.46	0.49	0.7	1.8
20	1.2	0.46	0.49	0.7	2.1
21	0.7	0.46	0.49	0.7	1.2
22	0.1	0.46	0.49	0.7	0.2
23	1.3	0.46	0.49	0.7	2.3
24	1.6	0.46	0.49	0.7	2.8
25	2.5	0.46	0.49	0.7	4.4
26	1	0.46	0.49	0.7	1.8
27	1.1	0.46	0.49	0.7	1.9

Basin	Area acres	C2	C5	C100	Q2 cfs	Q5 cfs	Q100 cfs
1	21.8	0.46	0.49	0.7	38.4	48.7	112.5
2	3.5	0.46	0.49	0.7	6.2	7.8	18.1
3	2	0.46	0.49	0.7	3.5	4.5	10.3
4	1.1	0.46	0.49	0.7	1.9	2.5	5.7
5	1.7	0.46	0.49	0.7	3.0	3.8	8.8
6	1.9	0.46	0.49	0.7	3.3	4.2	9.8
7	1.5	0.46	0.49	0.7	2.6	3.4	7.7
8	3.1	0.46	0.49	0.7	5.5	6.9	16.0
9	0.8	0.46	0.49	0.7	1.4	1.8	4.1
10	1.3	0.46	0.49	0.7	2.3	2.9	6.7
11	2	0.46	0.49	0.7	3.5	4.5	10.3
12	1.5	0.46	0.49	0.7	2.6	3.4	7.7
13	2	0.46	0.49	0.7	3.5	4.5	10.3
14	2	0.46	0.49	0.7	3.5	4.5	10.3
15	0.8	0.46	0.49	0.7	1.4	1.8	4.1
16	4.7	0.46	0.49	0.7	8.3	10.5	24.2
17	1.2	0.46	0.49	0.7	2	2.7	6.2
18	0.9	0.46	0.49	0.7	1.6	2.0	4.6
19	1	0.46	0.49	0.7	2	2.2	5.2
20	1.2	0.46	0.49	0.7	2	2.7	6.2
21	0.7	0.46	0.49	0.7	1.2	1.6	3.6
22	0.1	0.46	0.49	0.7	0.2	0.2	0.5
23	1.3	0.46	0.49	0.7	2.3	2.9	6.7
24	1.6	0.46	0.49	0.7	2.8	3.6	8.3
25	2.5	0.46	0.49	0.7	4.4	5.6	12.9
26	1	0.46	0.49	0.7	1.8	2.2	5.2
27	1.1	0.46	0.49	0.7	1.9	2.5	5.7
28	0.7	0.46	0.49	0.7	1.2	1.6	3.6
29	2.2	0.46	0.49	0.7	3.9	4.9	11.3
30	1.1	0.46	0.49	0.7	1.9	2.5	5.7
31	3.4	0.46	0.49	0.7	6.0	7.6	17.5
32	1.1	0.46	0.49	0.7	1.9	2.5	5.7
33	1.1	0.46	0.49	0.7	1.9	2.5	5.7
34	1.1	0.46	0.49	0.7	1.9	2.5	5.7
35	0.3	0.46	0.49	0.7	0.5	0.7	1.5
36	0.5	0.46	0.49	0.7	0.9	1.1	2.6
37	0.3	0.46	0.49	0.7	0.5	0.7	1.5
38	0.3	0.46	0.49	0.7	0.5	0.7	1.5
39	0.8	0.46	0.49	0.7	1.4	1.8	4.1
40	0.7	0.46	0.49	0.7	1.2	1.6	3.6
41	0.8	0.46	0.49	0.7	1.4	1.8	4.1
42	0.8	0.46	0.49	0.7	1.4	1.8	4.1
43	0.4	0.46	0.49	0.7	0.7	0.9	2.1
44	0.9	0.46	0.49	0.7	1.6	2.0	4.6
45	0.7	0.46	0.49	0.7	1.2	1.6	3.6
46	0.9	0.46	0.49	0.7	1.6	2.0	4.6
47	0.7	0.46	0.49	0.7	1.2	1.6	3.6
48	0.7	0.46	0.49	0.7	1.2	1.6	3.6
49	0.6	0.46	0.49	0.7	1.1	1.3	3.1

NOTE:
A master grading plan for drainage has been developed for this subdivision and is on file with the City of Wichita, Kansas. All drainage easements, right-of-ways, or reserves shall remain at established grades or as modified with the approval of the City Engineer of the City of Wichita, Kansas. No obstructions which impede the flow of this drainage system be allowed.

DATE OF PREPARATION: 9 FEBRUARY 2004

11 FEBRUARY 2004

BAUGHMAN COMPANY P. A.
ENGINEERING, SURVEYING, & PLANNING
316-262-7271 • 315 ELLIS • WICHITA, KANSAS 67211