

STAFF REPORT
(One-Step Final Plat)

CASE NUMBER: SUB 2004-140 -- WATERWALK PHASE 1 ADDITION

OWNER/APPLICANT: City of Wichita, Property Management, 13th Floor, Attn: John Philbrick, 455 N. Main, Wichita, KS 67202

SURVEYOR/ENGINEER: Johnson & Associates, Inc., Attn: Tim Johnson, 100 E. California, 3rd Fl., Oklahoma City, OK 73104

LOCATION: North of Kellogg, West of Broadway

SITE SIZE: 2.5 acres

NUMBER OF LOTS


| | |
|--------------|---|
| Residential: | |
| Office: | |
| Commercial: | |
| Industrial: | 1 |
| Total: | 1 |

MINIMUM LOT AREA: 2.5 acres

CURRENT ZONING: LI, Limited Industrial

PROPOSED ZONING: Same

VICINITY MAP



SUB 2004-140 -- One-Step Final Plat of WATERWALK PHASE 1 ADDITION
December 2, 2004 - Page 2

NOTE: This is a replat of the Eastbank 1st Addition. This replat includes the vacation of Wichita Street.

STAFF COMMENTS:

- A. Municipal services are available to serve the site.
- B. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning Department for recording.
- C. City Engineering needs to comment on the status of the applicant's drainage plan.
- D. The final plat tracing shall denote complete access control along Kellogg and reference the access control in the plat's text.
- E. A Block shall be designated on the face of the plat as referenced in the plat's text.
- F. County Surveying advises that the legal description does not match the plat boundary.
- G. County Surveying advises that according to the City of Wichita Resurvey of 1962 the East line of this plat will have a deflection angle at the centerline of Dewey.
- H. County Surveying advises that this plat does not meet the Kansas Minimum Standards for a Boundary Survey.
- I. The public access and street easement need to be referenced in the plat's text.
- J. The Applicant is advised of the need for potential KDOT approval for off-site parking to the south as denoted on the site plan.
- K. The plat's text shall include the language "Existing public easements and dedications being vacated by virtue of K.S.A. 12-512(b)."
- L. The plat's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- M. The applicant shall install or guarantee the installation of all utilities and facilities that are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- N. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- O. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone: 316-946-4556) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.

SUB 2004-140 -- One-Step Final Plat of WATERWALK PHASE 1 ADDITION
December 2, 2004 - Page 3

- P. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- Q. The owner of the subdivision should note that any construction that results in earthwork activities that will disturb one (1) acre or more of ground cover requires a Federal/State NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Also, for projects located within the City of Wichita, erosion and sediment control devices must be used on ALL projects. For projects outside of the City of Wichita, but within the Wichita Metropolitan area, the owner should contact the appropriate governmental jurisdiction concerning erosion and sediment control device requirements.
- R. Perimeter closure computations shall be submitted with the final plat tracing.
- S. Recording of the plat within 30 days after approval by the City Council and/or County Commission.
- T. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- U. The applicant is reminded that a compact disc (CD) shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD, or sent via e-mail to MAPD (cholloway@wichita.gov). This will be used by the City and County GIS Department.