

SUBDIVISION COMMITTEE
METROPOLITAN AREA PLANNING COMMISSION

STAFF REPORT
(One-Step Final Plat)

CASE NUMBER:

SUB 2008-99 – BULLOCH ADDITION

OWNER/APPLICANT:

Gordon A. Bulloch, Barbara Bulloch, 10414 E. Harry, Wichita, KS 67207

SURVEYOR:

Savoy Company, P.A., 433 S. Hydraulic, Wichita, KS 67211-1911

AGENT:

Certified Engineering Design, P.A., 810 W. Douglas, Suite C, Wichita, KS 67203

LOCATION:

North side of Harry, West of Greenwich (District II)

SITE SIZE:

1.66 acres

NUMBER OF LOTS

Residential:

Office:

Commercial:

Industrial:

Total:

1

1

MINIMUM LOT AREA:

1.42 acres


CURRENT ZONING:

SF-5 Single-family Residential

PROPOSED ZONING:

NR Neighborhood Retail

VICINITY MAP



SUB 2008-99 – One-Step Final Plat of BULLOCH ADDITION
December 24, 2008 - Page 2

NOTE: The site has been approved for a zone change (ZON 2008-39) from SF-5 Single-Family Residential to NR Neighborhood Retail. A Protective Overlay #222 was also approved for this site addressing building height, permitted uses and density.

STAFF COMMENTS:

- A. Wichita Water Utilities Department advises that municipal services are available to serve the site. New construction on this lot will require the existing sewer service line to be reviewed (by Sewer Maintenance and Office of Central Inspection) and brought up to current City Code.
- B. If improvements are guaranteed by petition(s), a notarized certificate listing the petition(s) shall be submitted to the Planning Department for recording.
- C. City Engineering needs to comment on the status of the applicant's drainage plan. County Engineering has requested a drainage plan and notes the need for minimum pads, a base flood elevation and a floodplain notation on the plat.
- D. County Surveying requests a benchmark.
- E. County Surveying requests that monuments are shown.
- F. County Surveying requests a vicinity map on the plat.
- G. County Surveying requests a legend on the final plat.
- H. County Surveying advises that the label for the southeast corner of the southeast quarter needs to be corrected.
- I. The plat proposes one opening along Harry. Traffic Engineering has approved the access controls subject to the opening being defined.
- J. A Protective Overlay Certificate shall be submitted to MAPD prior to City Council consideration, identifying the approved Protective Overlay and its special conditions for development on this property.
- K. Effective January 14, 2009, the signature line for the County Clerk needs to be revised to reference "Kelly Arnold".
- L. The year "2009" needs to replace "2008" within the signature blocks.
- M. The Applicant is reminded that a platting binder is required with the final plat. Approval of this plat will be subject to submittal of this binder and any relevant conditions found by such a review.
- N. The plat's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- O. The applicant shall install or guarantee the installation of all utilities and facilities that are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- P. The Register of Deeds requires all names to be printed beneath the signatures on the plat and any associated documents.
- Q. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the United States Postal Service Growth Management Coordinator (Phone: 316-946-4556) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- R. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- S. The owner of the subdivision should note that any construction that results in earthwork activities that will disturb one (1) acre or more of ground cover requires a Federal/State National Pollutant Discharge Elimination System Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Also, for projects located within the City of Wichita, erosion and sediment control devices must be used on ALL projects.

SUB 2008-99 – One-Step Final Plat of BULLOCH ADDITION
December 24, 2008 - Page 3

For projects outside of the City of Wichita, but within the Wichita Metropolitan area, the owner should contact the appropriate governmental jurisdiction concerning erosion and sediment control device requirements.

- T. Perimeter closure computations shall be submitted with the final plat tracing.
- U. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- V. A compact disc (CD), which will be used by the City and County GIS Departments, detailing the final plat in digital format in AutoCAD. If a disc is not provided, please send via e-mail to Cheryl Holloway (E-Mail address: cholloway@wichita.gov). Please include the name of the plat on the disc.