



Maize Road



- Basin Boundary
- Proposed Storm Sewer
- FEMA Effective Floodplain Boundary
- FEMA Effective Floodway Boundary
- Proposed Floodplain Boundary
- Proposed Floodway Boundary
- Stream Centerline
- Direction of Storm Water Flow
- ⊕ Basin Identification
- Storm Sewer Node

NOTES:

1. The first 1.2" of runoff on the site shall be treated by an engineered storm water filtering system before being released to the City storm sewer or receiving stream. The exact type and location of filtering system shall be designed with the final site plans and shall meet all City of Wichita Standards.
2. At the time of building permit, public easements for the stormsewer will need to be submitted to the City of Wichita for approval and recording.
3. The storm sewer as shown is conceptual in location and size. Final plans will need to be submitted to the City for review and approval prior to construction.



Subject Property


Elevations = NAVD 88
Topo Dated October 21, 2008

Site Bench Mark:
Square Cut Top of Curb 35' West
of the SW Corner Lot 1, Block A,
Kansas State Bank Addition
Elevation = 1321.83 NAVD 88

MINIMUM PAD ELEVATIONS	
BLOCK A	
LOT 1	1318.50
LOT 2	1318.00
LOT 3	1318.00

IMPERVIOUS AREA	
Existing	1.0 Ac
Proposed*	8.4 Ac

* Assumed 85% of Lots 1-3, Block A



SECTION A-A

ASM	Engineering Consultants, LLC Rail, Industrial & Commercial Civil Design 12469 SW 15th Benton, KS 67017 Office: 316-778-2215 Fax: 316-778-1204	Client: Maize 54 Addition Northeast Corner of Maize & Kellogg Drive	Drawing No. 1 Project No. 281-09
Rev.	Date	By	Description
Designer:	Date:	Drawn By:	Revision No.