







Benchmark:
 135th St. W. & Maple - City of Wichita
 Benchmark Disc on headwall at NE
 corner of intersection
 34.00' SW to Section Cor. iron.
 Elev. = 150.29 City Datum
 (1337.69 NAVD29)

- Notes:
- 1) All earthwork activities shall be performed in accordance with the City of Wichita's Standard Specifications.
 - 2) Areas of Fill Placement shown on this plan shall be compacted to a minimum of 95% optimum density and verified by a licensed Geotechnical Engineer.
 - 3) Maximum slope of grading for areas above the static water surface shall be 4' horizontal to 1' vertical (25% slope).
 - 4) This project shall be subject to a Stormwater Pollution Prevention Plan (SWPPP), to be developed.
 - 5) This plan depicts placement of fill in areas that may be subject to flooding under existing conditions. Additional material may be required to achieve final development grading.

-  = Area of Proposed Excavation
-  = Area of Proposed Fill
-  = Effective Zone A Boundary
-  = Proposed 100-yr Floodplain Boundary
-  = Proposed Floodway Boundary

| | | |
|---|---|--|
|  | SHADOW WOODS Application for Channel Change & Floodplain Fill | |
| | <small>Baughman Company, P.A. 315 Elm St. Wichita KS 67211 P 316-262-7771 F 316-262-1149 ENGINEERING SURVEYING PLANNING LANDSCAPE ARCHITECTURE</small> | |
| PROJECT NUMBER C4-06-E911 | DESIGN TRK | DRAWN TRK |
| REVISIONS: | APPROVED DATE 4/20/05 | SCALE NOTED SHEET 2 OF 6 |