

STAFF REPORT
(One-Step Final Plat)

CASE NUMBER: SUB 2011-00036 – CAMPBELL AUTO ADDITION

OWNER/APPLICANT: Ernie Doyon, 1506 South Broadway, Wichita, KS 67211; Dave Campbell, 921 South Broadway, Wichita, KS 67211

SURVEYOR/AGENT: K.E. Miller Engineering, P.A., 516 S. Market, Wichita, KS 67202

LOCATION: North of 31st Street South, East side of Broadway (District III)

SITE SIZE: .79 acres

NUMBER OF LOTS


Residential:	
Office:	
Commercial:	1
Industrial:	—
Total:	1

MINIMUM LOT AREA: 34,412 square feet

CURRENT ZONING: GC General Commercial

PROPOSED ZONING: Same

VICINITY MAP



SUB 2011-00036 -- One-Step Final Plat of CAMPBELL AUTO ADDITION
August 11, 2011 - Page 2

NOTE: This is an unplatted site located within the City of Wichita.

The Subdivision Committee may recommend a modification of the design criteria in Article 7 of the Subdivision Regulations only if it finds that the strict application of the design criteria will create an unwarranted hardship, the proposed modification is in harmony with the intended purpose of the Subdivision Regulations and the public safety and welfare will be protected.

STAFF COMMENTS:

- A. City of Wichita Public Works and Utilities Department advises that water and sewer services are available to serve the site.
- B. If improvements are guaranteed by petition(s), a notarized certificate listing the petition(s) shall be submitted to the Planning Department for recording.
- C. City Stormwater Management needs to comment on the drainage plan.
- D. Traffic Engineering has approved access controls. The plat proposes one opening along Broadway. Access controls need referenced in the plat's text.
- E. Traffic Engineering needs to comment on the need for additional right-of-way along Broadway. The plat's text shall note the dedication of the streets to and for the use of the public.
- F. County Surveying requests the plat show "(M) Measured" and "(D) Described" dimensions around plat boundary.
- G. The plat's text needs corrected to read, "... and unobstructed to allow for the conveyance of stormwater. And further that the land contained herein is held".
- H. County Surveying requests that plat show the recording data on the face of the plat for "Misc. Book 237, Page 376."
- I. On the final plat tracing, the MAPC signature block needs to reference "Debra Miller Stevens" as Chair.
- J. The Applicant is reminded that a platting binder is required with the final plat. Approval of this plat will be subject to submittal of this binder and any relevant conditions found by such a review.
- K. The plat's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- L. The applicant shall install or guarantee the installation of all utilities and facilities that are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- M. The Register of Deeds requires all names to be printed beneath the signatures on the plat and any associated documents.
- N. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the United States Postal Service Growth Management Coordinator (Phone: 316-946-4556) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- O. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- P. The owner of the subdivision should note that any construction that results in earthwork activities that will disturb one (1) acre or more of ground cover requires a Federal/State National Pollutant Discharge Elimination System Stormwater Discharge Permit from the Kansas Department of Health and Environment in Topeka. Also, for projects located within the City of Wichita, erosion and sediment control devices must be used on ALL projects. For projects outside of the City of Wichita, but within the Wichita Metropolitan area, the owner should contact the appropriate governmental jurisdiction concerning erosion and sediment control device requirements.
- Q. Perimeter closure computations shall be submitted with the final plat tracing.

SUB 2011-00036 -- One-Step Final Plat of CAMPBELL AUTO ADDITION
August 11, 2011 - Page 3

- R. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- S. A compact disc (CD) should be provided, which will be used by the City and County GIS Departments, detailing the final plat in digital format in AutoCAD. If a disc is not provided, please send the information via e-mail to Cheryl Holloway (E-Mail address: cholloway@wichita.gov). Please include the name of the plat on the disc.