

# ENGINEERING SUCCESS



411 N. Webb Rd.  
Wichita, KS 67206  
316.684.9600

## PRELIMINARY DRAINAGE REPORT FOR

Westgate Village Addition  
Wichita, Kansas

PROJECT NUMBER: 1401010187  
DATE: May 2014  
REVISION: June 2014





## City of Wichita/Sedgwick County Subdivision Drainage Plan Checklist



Submit completed forms to:  
City of Wichita Public Works & Utilities, 455 N. Main 8th Floor, Wichita KS 67202; or  
Sedgwick County Stormwater Management, 1144 S. Seneca, Wichita KS 67213.

<b>Project Name:</b> _____			
<b>Total Area of Project:</b> _____		acres	
<b>Development Type:</b> _____		<b>Other:</b> _____	
<b>Developer Name:</b> _____		<b>Contact:</b> _____	<b>Phone:</b> _____
<b>Email:</b> _____			
<b>Engineer Name:</b> _____		<b>Contact:</b> _____	<b>Phone:</b> _____
<b>Email:</b> _____			

**Directions:**

- (1) Fill-out this checklist completely and include it with the Drainage Plan submittal. This checklist should be included in the bound copy, behind the cover sheet for the submittal. Incomplete Drainage Plans and checklists will not be accepted.
- (2) Indicate whether a plan element is included or not included in the submittal by choosing "Yes" or "No" from the dropdown list in the "Element Included?" column. The question must be answered for every plan element for this checklist to be considered complete. An explanation must be provided for all "No" answers.

Drainage Plan Checklist			
#	Plan Element Description	Element Included?	Explanation/Notes
<b>1.0</b>	<b>General</b>		
1.1	Digital copy of drainage plan, including preliminary Master Grading Plan, preliminary plat and proposed plat, in PDF format and one half size, bound, paper copy.		
1.2	Professional Engineer's seal, signature and date on plan cover.		
1.3	Site location map, using color ortho-imagery and showing the project boundaries, a north arrow and an accurate scale.		
1.4	Narrative of the development type, existing conditions and proposed impacts on stormwater runoff, wetlands, riparian zones and floodplains/floodways.		
1.5	Discussion of off-site conditions surrounding the proposed development.		
1.6	Summary table of runoff calculations (pre/post development).		
1.7	Narrative description of the type and function of the permanent structural stormwater management facilities.		
<b>2.0</b>	<b>Existing Conditions Information</b>		
<b>2.1</b>	<b>Existing Conditions Drainage Map</b>		
2.1.1	On-site and off-site topography: NAVD 88 datum, one-foot contours with spot elevations.		
2.1.2	On-site and off-site drainage features, including perennial and intermittent streams (with names labeled), conveyance systems such as open channels, ditches, swales and areas of overland flow. Flow direction must be indicated by arrows.		
2.1.3	Storm sewer system components, including storm drains, inlets, catch basins, gutters, manholes, headwalls, pipes and culverts. Material and size must be noted for all pipes and culverts.		
2.1.4	Location and boundaries of natural features such as wetlands, lakes, ponds with the normal water elevation noted, rock outcroppings, wooded areas and tree rows.		
2.1.5	Location, dimensions and elevations of existing bridges and culvert crossings.		
2.1.6	Location of existing utilities (e.g., water, sewer, gas, electric, cable, etc.) with labels and easement boundaries.		
2.1.7	Groundwater elevations, if applicable.		
2.1.8	Delineation of predominant soil based on USDA soil surveys and/or on-site soil borings; indicate NRCS soil name and Hydrologic Soil Group for undisturbed surface soils.		
2.1.9	Land use types per NRCS nomenclature.		
2.1.10	Footprint of existing impervious areas (labeled, area given in acres).		
2.1.11	Internal drainage subbasin boundaries used for hydrologic calculations (labeled with ID, total area in acres, impervious area in acres and curve number).		
2.1.12	Time of concentration flow paths. Indicate and label each segment separately (i.e., overland flow, shallow concentrated, channel1, channel2, etc.). For each segment, provide the appropriate data to calculate Tc (e.g., length, slope, cover type, paved/unpaved, roughness parameters, geometric properties, etc.).		
<b>2.2</b>	<b>Existing Conditions Hydrology and Hydraulics Analysis</b>		

Drainage Plan Checklist			
#	Plan Element Description	Element Included?	Explanation/Notes
2.2.1	Narrative of the hydrologic analysis methodology used (e.g., unit hydrograph or other approved methods).		
2.2.2	A summary table of drainage subbasin hydrologic parameters (subbasin ID, area in acres, curve number, Tc, etc.).		
2.2.3	Table of existing condition runoff curve numbers with supporting data and calculations.		
2.2.4	Table of existing condition times of concentration with supporting data and calculations.		
2.2.5	A summary table of rainfall data used in the hydrologic analysis, and a reference for the source of the data.		
2.2.6	Cross-sections and other diagrams of existing open channels, bridge and culvert sections and other hydraulic features as required to illustrate the basis for hydraulic analysis.		
2.2.7	Hydrologic and hydraulic analyses for runoff rates, volumes, velocities and elevations. Provide supporting data not specified above and identify assumptions. Include detailed calculations for the 2, 5, 10, 25 & 100-year, 24-hour storm events. Provide results in a tabular form. Provide digital copies of any computer files and models used.		
<b>3.0 postdevelopment Conditions Information</b>			
<b>3.1 postdevelopment Conditions Drainage Map</b>			
3.1.1	Proposed project boundary.		
3.1.2	on-site and off-site topography: NAVD 88 datum, one-foot contours with spot elevations.		
3.1.3	Existing on-site and off-site drainage features that are to remain after development, including perennial and intermittent streams (with names labeled), conveyance systems such as open channels, ditches, swales and areas of overland flow. Flow direction must be indicated by arrows.		
3.1.4	Location and description of off-site through-drainage conveyances which are confined to an easement, dedication and/or reserve.		
3.1.5	Footprint of proposed impervious areas, including roads, parking lots, buildings and other structures.		
3.1.6	Location of proposed utilities (e.g., water, sewer, gas, electric, cable, etc.) with labels and easement boundaries.		
3.1.7	Delineation of predominant soils, based on anticipated soil textures and NRCS guidelines if different from predevelopment soil conditions; indicate NRCS soil name and Hydrologic Soil Group for surface soils.		
3.1.8	Land use cover per NRCS nomenclature.		
3.1.9	Internal drainage subbasin boundaries used for hydrologic calculations (labeled with ID, total area in acres, impervious area in acres and curve number).		
3.1.10	Proposed limits of land disturbing activity (i.e., grading limits).		
3.1.11	Time of concentration flow paths. Indicate and label each segment separately (i.e., overland flow, shallow concentrated, channel1, channel2, etc.). For each segment, provide the appropriate data to calculate Tc (e.g., length, slope, cover type, paved/unpaved, roughness parameters, geometric properties, etc.)		
<b>3.2 Proposed Conveyances Map</b>			
3.2.1	on-site and off-site drainage features, including perennial and intermittent streams (with names labeled), proposed conveyance systems (such as open channels, ditches, swales and areas of overland flow, including backyard drainage). Flow direction must be indicated by arrows.		
3.2.2	Storm sewer system components, including storm drains, inlets, catchbasins, gutters, manholes, headwalls, pipes and culverts. Material and size must be noted for all pipes and culverts.		
3.2.3	For any subbasin or drainage area > 40 acres, show that the stormwater flow is confined to an open channel with required side benches and freeboard, or conformance to applicable policy and design requirements if partially enclosed.		
3.2.4	Location(s) of stormwater management facilities and any associated drainage easements.		
3.2.5	Proposed energy dissipaters and other channel protection devices.		
3.2.6	Location(s) and dimension(s) of proposed channel, bridge and culvert crossings.		
3.2.7	Normal pool and 100-year pool elevations for ponds and lakes.		
3.2.8	Permanent concrete outfall control structure(s) for ponds.		
3.2.9	Emergency overflow spillways and top of berm elevations for ponds and other volume/peak discharge control facilities.		
3.2.10	Floodplains, ponds, and stormwater management facilities located in reserves.		
<b>3.3 postdevelopment Conditions Hydrology &amp; Hydraulics</b>			
3.3.1	Narrative of the hydrologic analysis methodology used (e.g., unit hydrograph or other approved methods).		

Drainage Plan Checklist			
#	Plan Element Description	Element Included?	Explanation/Notes
3.3.2	A summary table of drainage subbasin hydrologic parameters (subbasin ID, area in acres, curve number, Tc, etc.).		
3.3.3	Table of postdevelopment condition runoff curve numbers with supporting data and calculations.		
3.3.4	Table of postdevelopment condition times of concentration with supporting data and calculations.		
3.3.5	Cross-sections and other diagrams of existing open channels, bridge and culvert sections and other hydraulic features as		
3.3.6	Hydrologic and hydraulic analyses for runoff rates, volumes, velocities and elevations. Provide supporting data not specified above and identify assumptions. Include detailed calculations for the 2, 5, 10, 25 & 100-year, 24-hour storm events. Provide results in a tabular form. Provide digital copies of any computer files and models used.		
3.3.7	Downstream peak discharge assessment (10% Rule) results and supporting data and calculations. Provide digital copies of any computer files and models used.		
3.3.8	Stage-storage-discharge or other outlet rating curves and inflow/outflow hydrographs for all ponds.		
3.3.9	Demonstrate that the pond contours on the master grading plan and the stage-storage-discharge data are consistent for all ponds.		
3.3.10	Demonstrate that all ponds have one foot of freeboard above the 100-year, 24-hour high water level.		
3.3.11	Demonstrate that runoff from the proposed project site is discharged in the same manner as prior to development, using level spreaders, energy dissipaters, other devices or grading as required, or identify an appropriate flowage easement.		
<b>3.4 Stormwater Quantity Control Sizing</b>			
3.4.1	Hydraulic sizing calculations for all stormwater management controls.		
3.4.2	Table(s) listing all stormwater management controls. Present the types, sizes, elevations, flows, velocities and depths for each control, as applicable. Verify that velocities are self-cleaning and non-erosive.		
3.4.3	Typical details (including cross-sections where applicable) for outlet structures, embankments, spillways, grade control structures, conveyance channels, etc.		
<b>3.5 Stormwater Quality Management Facilities</b>			
3.5.1	Table(s) listing all stormwater management facilities. Present the description, % TSS removal value, water quality volume handled, contributing drainage area in acres and contributing impervious area in acres.		
3.5.2	Indicate the responsible party for maintenance, as shown in the plat text (i.e., Home Owners Association, Lot Owners Association, property owner, etc.).		
3.5.3	Water quality volume (total and by facility), with supporting data and calculations.		
3.5.4	% TSS removal value (total and by facility) with supporting data and calculation. Must be equal to or greater than 80%.		
3.5.5	Channel protection volume with supporting data and calculations.		
3.5.6	Water quality volume and channel protection volume orifice size calculations.		
3.5.7	Other calculations required for each stormwater management facility as specified in the Wichita/Sedgwick County Stormwater Manual.		
3.5.8	Typical details (including cross-sections where applicable) for outlet structures, embankments, internal grading, forebays and other siltation prefilters, filtration/infiltration media, vegetation, check dams, operational controls, etc.		
<b>4.0 Floodplains</b>			
4.1	Reference the source of flood profile, floodplain, floodway and stream discharge information.		
4.2	Delineation of nearest base flood elevations.		
4.3	Delineation of predevelopment regulatory floodplain/floodway limits using FEMA's current GIS database; limits to be per elevation and scaled location.		
4.4	Delineation of postdevelopment regulatory floodplain/floodway limits; limits to be per elevation and scaled location, with project limits shown.		
4.5	Floodway data table and discharges.		
4.6	Hydrologic and hydraulic study information for local floodplain analysis, unnumbered Zone A elevation determinations and floodplain map revisions or required permits.		
4.7	Regulatory floodway and four natural profile models (10, 50, 100 and 500-year) for existing and postdevelopment conditions.		
4.8	Floodplains and floodways located within a reserve, where necessary.		
4.9	Floodplain cut and fill calculations for volume sensitive basins.		

Drainage Plan Checklist			
#	Plan Element Description	Element Included?	Explanation/Notes
4.10	Demonstrate that floodway elevations and velocities do not increase due to construction in the floodway ("No Rise Certification").		
<b>5.0 Federal, State and Local Permits</b>			
5.1	US Army Corps of Engineers regulatory program permits (Section 404 permit).		
5.2	Kansas Department of Agriculture - Division of Water Resources Permits (Stream Obstruction, Channel Change, Floodplain Fill, Levee, Water Appropriations, Dam Safety permit, etc.).		
5.3	FEMA letters of map change/revision - LOMA, LOMR, LOMR-f, CLOMR, etc.; shall be included and approved when project modifies the limits of the floodplain/floodway.		
<b>6.0 Half Scale Preliminary Master Grading Plan</b>			
6.1	One set of plans and associated PDF of plans.		
6.2	Professional Engineer's seal, signature and date.		
6.3	Title block including subdivision name and phase and dated revision documentation.		
6.4	Future phases shown but cross-hatched as information only.		
6.5	Scale, not greater than 1-inch = 60 feet.		
6.6	North arrow.		
6.7	Index or legend key.		
6.8	Benchmarks (minimum of 2) used for site control (NAVD 88 vertical datum).		
6.9	Existing contours of entire site with contour interval of one foot.		
6.10	Proposed contours for channels, ponds, and other permanent stormwater management facilities, with contour interval of one foot.		
6.11	Spot elevations shown to the nearest tenth of a foot for critical locations, including lot and property boundaries.		
6.12	Proposed lot and street layout.		
6.13	Locations of underground storm drains.		
6.14	Overflow locations for storms exceeding storm drain capacity, with elevations.		
6.15	Top elevations of storm drains at all inlets, manholes, and flow line elevations for all outfalls.		
6.16	Locations of open ditches and lakes.		
6.17	Flow direction arrows.		
6.18	Proposed flow line elevations of all open ditches at maximum 100 foot intervals, and 100-year flood elevations thereon.		
6.19	Ponds: Location, bottom elevation, normal pool elevation, 100-year flood elevation, emergency overflow elevation.		
6.20	Proposed top-of-curb elevations at points where drainage will be required to flow over the curb.		
6.21	Platted minimum building opening elevation for each lot, in table form for all lots (excluding basement floor elevations).		
6.22	Standard foundation and elevation detail for slab on grade, full basement, view-out, partial view-out and/or walk-out construction.		
6.23	Top of foundation elevation for each lot.		
6.24	Notation for builders for each lot as to the type of structure that may be constructed and the view-out, walk-out or pad elevation, as applicable.		
6.25	Indicate that all lots are above the 100-year flood elevation.		
6.26	Indicate that grading around structures conforms to perimeter drainage requirements.		
6.27	Indicate that backyard drainage grading conforms to backyard drainage requirements.		
6.28	Adjacent subdivision lot lines, with lot labels and subdivision names.		
6.29	Boundaries and labels for all easements, rights-of-way and reserves.		
6.30	Statement on proposed final plat: "A drainage plan has been developed for the subdivision and all drainage easements, rights-of-way, or reserves shall remain at the established grades and remain unobstructed to allow for the conveyance of stormwater."		
<b>End of Checklist</b>			

# Table of Contents

---

<b>General Information</b> .....	<b>2</b>
<b>Location</b> .....	<b>2</b>
<b>Datum</b> .....	<b>2</b>
<b>Soils</b> .....	<b>2</b>
<b>Flood Insurance Rate Map (FIRM)</b> .....	<b>2</b>
<b>Groundwater</b> .....	<b>2</b>
<b>Hydrologic Analysis</b> .....	<b>2</b>
Table 1. Rainfall Depths (inches) for 24-Hour Design Storms.....	2
<b>Existing Development</b> .....	<b>3</b>
<b>Description</b> .....	<b>3</b>
<b>Land Use</b> .....	<b>3</b>
<b>Drainage Patterns</b> .....	<b>3</b>
Table 2. Existing Conditions Basin Characteristics.....	3
Table 3. Peak flow rates (cfs) for Existing Conditions.....	4
Table 4. Existing Channel Details.....	4
<b>Utilities</b> .....	<b>4</b>
Sanitary Sewer .....	4
Water .....	4
Storm Water .....	4
Other Utilities.....	4
<b>Proposed Development</b> .....	<b>4</b>
<b>Description</b> .....	<b>4</b>
<b>Land Use</b> .....	<b>5</b>
<b>Drainage Patterns</b> .....	<b>5</b>
Table 5. Proposed Conditions Drainage Basins.....	5
Table 6. Peak flow rates (cfs) for Proposed Conditions .....	6
Table 7. Proposed Channel/Pond Details.....	6
Table 8. Flow to SWS Comparison.....	6
Table 9. Flow to Westgate Street Comparison.....	6
<b>Downstream Peak Discharge Assessment (10% Rule)</b> .....	<b>6</b>
Table 10. Downstream Peak Discharge comparison.....	7
<b>Water Quality</b> .....	<b>7</b>
<b>Channel Protection</b> .....	<b>7</b>
<b>Utilities</b> .....	<b>7</b>
Sanitary Sewer .....	7
Water .....	7
Stormwater Sewer .....	7
Other Utilities.....	7
<b>Lot Grading Plan</b> .....	<b>7</b>
<b>Permits</b> .....	<b>7</b>
U.S. Army Corps of Engineers .....	7
Kansas Department of Agriculture Division of Water Resources .....	8
FEMA.....	8
Kansas Department of Health and Environment.....	8
<b>Summary</b> .....	<b>8</b>
<b>Appendix A - USGS Quadrangle Map</b> .....	<b>9</b>
<b>Appendix B - Aerial Photograph</b> .....	<b>10</b>
<b>Appendix C - Soil Survey</b> .....	<b>11</b>
<b>Appendix D - Flood Insurance Rate Map (FIRM)</b> .....	<b>12</b>
<b>Appendix E - Hydraflow Hydrographs</b> .....	<b>13</b>
<b>Appendix F - Time of Concentration Calculations</b> .....	<b>14</b>
<b>Appendix G - Curve Number Calculations</b> .....	<b>15</b>

<b>Appendix H - Existing Drainage Basins .....</b>	<b>16</b>
<b>Appendix I - Drainage and Utility Plan .....</b>	<b>17</b>
<b>Appendix J - Plat .....</b>	<b>18</b>
<b>Appendix K - Proposed Drainage Basins .....</b>	<b>19</b>
<b>Appendix L - Water Quality .....</b>	<b>20</b>
<b>Appendix M - Lot Grading Plan.....</b>	<b>21</b>

## General Information

---

### Location

The subject property is in the City of Wichita, Sedgwick County, Kansas. The proposed development is located south of near 13<sup>th</sup> Street North and Maize Road. The site is bounded by 13<sup>th</sup> Street North to the south, Westgate Street to the west, and Westgate Village 2<sup>nd</sup> Addition to the north and east. The development has an area of approximately 1.6 acres. The site lies in the southeast ¼ of the southeast ¼ of the southeast ¼, Section 7, Township 27 South, Range 1 West of the 6<sup>th</sup> Prime Meridian. The site is shown on the USGS Quadrangle, Appendix A. The site is also shown on the Aerial Photograph, Appendix B.

### Datum

The site is shown in NAVD 88 datum.

### Soils

According to the NRCS (SCS) Sedgwick County Soil Survey, Appendix C, soils on the site are:

- Blanket silt loam, 0 to 1 percent slopes, HSG "C"

The Hydraulic Soil Group (HSG) used to select runoff coefficients onsite is "B".

The soils found in the drainage basin also include:

- Tabler silty clay loam, 0 to 1 percent slopes, HSG "D"

Composite curve numbers were calculated in basins containing both soil types.

### Flood Insurance Rate Map (FIRM)

The site is shown on the FEMA FIRM Panels 20173C0330E effective February 2, 2007, Appendix D. The site is in Zone X (unshaded), areas outside of the of 0.2% annual chance flood.

### Groundwater

According to the Kansas Geological Survey Water Well Completion Records (<http://www.kgs.ku.edu/Magellan/WaterWell/index.html>) the static water level of existing water wells in the vicinity is approximately 19-28 feet deep.

### Hydrologic Analysis

The rainfall depths used for various design storms are shown in Table 1. The hydrologic analysis was completed using Hydraflow Hydrographs for AutoCAD 2009, Appendix E.

**Table 1. Rainfall Depths (inches) for 24-Hour Design Storms.**

Design Storm	1-Yr	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr	500-Yr
Sedgwick County	2.8	3.5	4.5	5.2	6.1	6.9	7.8	9.4

The time of concentration for each drainage basin was calculated using the methods described in The City of Wichita/Sedgwick County Stormwater Manual dated March 16, 2011, Volume 2, Section 4.3.3. An excel spreadsheet was used to perform the calculations, Appendix F.

The curve numbers for each drainage basin were calculated using the methods described in The City of Wichita/Sedgwick County Stormwater Manual dated March 16, 2011, Volume 2, Section 4.3.3. An excel spreadsheet was used to perform the calculations, Appendix G.

# Existing Development

---

## Description

The site is currently platted, undeveloped land. The site was platted as Lot 2 of Westgate Village 2<sup>nd</sup> Addition. No existing improvements exist on site.

## Land Use

The site is currently open space. There is no impervious area on site. The curve number used to represent the undeveloped site with no impervious area is 80.

## Drainage Patterns

The eastern edge of the property is a high point with an elevation of approximately 1350. The site drains to the northwest and south east. The site is shown on the Existing Drainage Basins Exhibit, Appendix H.

Runoff from the offsite to the north, Basin A, drains into an existing channel that was constructed to alleviate flooding concerns in a residential development. Flow from a developed commercial property to the east, Basin B, flows onto the site near the northeast corner. Basin C is undeveloped ground from onsite that flows northwest into the existing channel. Commercial development east of the site flows onto the site near the southeast corner of the site, Basin D. A portion of the site flows directly to the west into the existing channel, Basin E. The flow from Basins A, B, C, D, and E combine to provide detention in the existing channel. Basin F includes Westgate Street that flows into 13<sup>th</sup> Street. Basin G flows from South of 13<sup>th</sup> Street to an existing SWS inlet along 13<sup>th</sup> Street. At this inlet, the drainage area of the site is 10% of the basin area. Basin time of concentrations, curve numbers, and areas are shown in Table 2.

**Table 2. Existing Conditions Basin Characteristics.**

Basin	Location	Area (ac)	Tc (min.)	CN
Basin A	Offsite to the north	6.1	29.4	88.1
Basin B	Offsite commercial to northeast	0.5	2.6	95.9
Basin C	Onsite north	0.5	16.5	80.0
Basin D	Offsite commercial to southeast	0.4	8.0	95.9
Basin E	Onsite south	1.2	10.0	80.0
Basin F	Offsite Westgate St.	2.8	24.4	90.6
Basin G	Offsite south of 13 <sup>th</sup> St.	4.9	23.8	88.1

The channel flows into an existing 18" RCP with a flow line of 1343.9. The 18" RCP flows into a 15" RCP under Westgate Street. The control structure for the detention in the existing channel was modeled as a 15" RCP with a flow line of 1343.9. Runoff that flows to the northeast enters an existing channel that flows from north to south along the west edge of the property. The runoff that flows to the southeast flows to the channel along the west property line. The top of the channel bank is at an elevation of approximately 1347. The channel drains to an 18" RCP stormwater sewer system with a flow line of 1343.9. When the ponding builds up to an elevation of 1346.9, the storm water runoff overtops the curb and flows into Westgate Street. Overtopping occurs in a 10-year or greater design storm. The peak runoff flow rates are included, Table 3.

**Table 3. Peak flow rates (cfs) for Existing Conditions.**

Design Storm	1-Yr	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
Onsite Basin C	0.7	1.0	1.6	2.0	2.6	3.0	3.4
Onsite Basin E	2.1	3.1	4.8	5.9	7.7	8.9	10.2
To Channel	11.0	15.3	22.3	26.9	33.9	39.2	43.8
To SWS System	6.7	7.6	8.9	9.2	9.3	9.4	9.5
To Westgate Street	0.0	0.0	0.0	6.9	13.1	17.9	22.3
To 10% Point	20.0	25.3	33.7	39.2	55.5	66.2	75.9

**Table 4. Existing Channel Details.**

Design Storm	1-Yr	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
Flow In (cfs)	11.0	15.3	22.3	26.9	33.9	39.2	43.8
Flow Out to SWS (cfs)	6.7	7.6	8.9	9.2	9.3	9.4	9.5
Flow Out to Westgate (cfs)	0.0	0.0	0.0	6.9	13.1	17.9	22.3
Water Surface Elev. (ft)	1346.1	1346.4	1346.9	1347.0	1347.1	1347.1	1347.2
Storage (ac-ft)	0.24	0.38	0.62	0.68	0.78	0.86	0.91
Primary Outlet	15" RCP at 1343.9						
Secondary Outlet	Overtopping embankment/curb approx. 70' wide at 1346.9						

## Utilities

### Sanitary Sewer

An existing 12" sanitary sewer line flows from east to west along the south side of the property, Appendix I.

### Water

A 12" asbestos concrete water line runs through the right-of-way along 13<sup>th</sup> Street North. An 8" asbestos concrete water line runs along the west side of Westgate Street, Appendix I.

### Storm Water

The site drains into an existing 18" stormwater sewer system that flows to the southwest into a system along 13<sup>th</sup> Street North, Appendix I. The system flows to the west.

### Other Utilities

There is existing gas along the south side of the site, Appendix I. Underground telephone runs along the south and west sides of the property. Existing overhead electric is located in the right-of-way along 13<sup>th</sup> Street North.

## Proposed Development

### Description

The proposed site will develop as a single commercial lot. The lot will have one commercial building and parking. A detention pond will be located along the north property line. The site is shown on the plat, Appendix J.

## Land Use

The land use for the proposed site will be approximately 98 percent impervious for the commercial development. A curve number for the residential and commercial is 95.9 to represent 85% impervious commercial development.

## Drainage Patterns

The proposed site will continue to flow into the existing drainage ditch. The ditch will be expanded to a dry detention pond along the north property line of the site. Along the west side of the site the drainage ditch will be widened to provide additional detention. Vertical retaining walls will be constructed along the north edge of the parking lot and the west side of the building to provide the storage volume.

Drainage Basins A, B, D, F, and G will continue to drain as they do under existing conditions, Appendix K. Basins C and E onsite have been modified to reflect the drainage patterns of the proposed site plan, time of concentration has been decreased, and curve numbers have been increased. A summary of the drainage basin characteristics is included, Table 5. Peak flow rates for the proposed basins is included, Table 6.

Basins A, B, C, D, E, and F will drain into the channel/pond. The channel/pond will provide detention for the site without increasing the peak water surface elevation upstream or the peak flow rate downstream, Table 7. The pond and channel will be controlled by the existing 15" RCP under Westgate. The pipe will be extended to the north side of the proposed driveway. A comparison of the flow rates to the 15" RCP is included, Table 8. Percolation tests are being conducted at the location of the proposed pond. The pond will be constructed with a soakage trench and will allow the pond to drain. Due to the flat slopes, a proposed trickle channel will be constructed in the existing channel along Westgate Street to reduce maintenance. The flow into Westgate Street will increase from 0.0 cfs to 0.4 cfs in the 5-year design event, but flow rates in larger events are less than pre-project conditions. A comparison of the flows to Westgate is included, Table 9.

Flow from offsite basins B and D will be sheet flow to the channel/pond.

**Table 5. Proposed Conditions Drainage Basins.**

<b>Basin</b>	<b>Location</b>	<b>Area (ac)</b>	<b>Tc (min.)</b>	<b>CN</b>
Basin A	Offsite to the north	6.1	29.4	88.1
Basin B	Offsite commercial to northeast	0.5	2.6	95.9
Basin C	Onsite north	0.6	2.2	95.9
Basin D	Offsite commercial to southeast	0.4	8.0	95.9
Basin E	Onsite south	1.1	2.0	95.9
Basin F	Offsite Westgate St.	2.8	24.4	90.6
Basin G	Offsite south of 13 <sup>th</sup> St.	4.9	23.8	88.1

**Table 6. Peak flow rates (cfs) for Proposed Conditions.**

Design Storm	1-Yr	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
Onsite Basin C	2.4	3.1	4.1	4.7	5.7	6.4	7.0
Onsite Basin E	4.4	5.6	7.4	8.6	10.4	11.8	12.9
To Channel/Pond	14.4	18.8	25.8	30.4	37.4	42.6	47.2
To SWS System	1.3	2.3	5.2	5.7	6.0	6.2	6.3
To Westgate Street	0.0	0.0	0.4	5.3	10.9	15.3	19.2
To 10% Point	13.5	18.9	28.0	34.9	49.2	59.4	68.6

**Table 7. Proposed Channel/Pond Details.**

Design Storm	1-Yr	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
Flow In (cfs)	14.4	118.8	25.8	30.4	37.4	42.6	47.2
Flow Out to SWS (cfs)	1.3	2.3	5.2	5.7	6.0	6.2	6.3
Flow Out to Westgate (cfs)	0.0	0.0	0.4	5.3	10.9	15.3	19.2
Water Surface Elev. (ft)	1346.1	1346.4	1346.9	1347.0	1347.1	1347.2	1347.2
Storage (ac-ft)	0.76	0.98	1.28	1.40	1.58	1.70	1.79
Primary Outlet	15" RCP at 1345.1						
Secondary Outlet	Overtopping embankment/curb approx. 40' wide at 1346.9						

**Table 8. Flow to SWS Comparison.**

Design Storm	1-Yr	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
Existing	6.7	7.6	8.9	9.2	9.3	9.4	9.5
Proposed	1.3	2.3	5.2	5.7	6.0	6.2	6.3
Change	-5.4	-5.3	-3.7	-3.5	-3.3	-3.2	-3.2

**Table 9. Flow to Westgate Street Comparison.**

Design Storm	1-Yr	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
Existing	0.0	0.0	0.0	6.9	13.1	17.9	22.3
Proposed	0.0	0.0	0.4	5.3	10.9	15.3	19.2
Change	0.0	0.0	0.4	-1.6	-2.2	-2.6	-3.1

### Downstream Peak Discharge Assessment (10% Rule)

The area of the site is 1.6 acres. An inlet just downstream of the site in 13<sup>th</sup> Street North has a drainage area of 16.4 acres. The site is less than 10% of the total drainage basin at that point. The runoff to the 10% point has been calculated under existing and proposed conditions, Table 10. Due to the proposed detention, the peak flow rates to the 10% point have not increased with the proposed development.

**Table 10. Downstream Peak Discharge comparison.**

<b>Design Storm</b>	<b>1-Yr</b>	<b>2-Yr</b>	<b>5-Yr</b>	<b>10-Yr</b>	<b>25-Yr</b>	<b>50-Yr</b>	<b>100-Yr</b>
Existing	20.0	25.3	33.7	39.2	55.5	66.2	75.9
Proposed	13.5	18.9	28.0	34.9	49.2	59.4	68.6

## **Water Quality**

The volume required for water quality is 0.14 acre-feet. The water quality volume for the site is based on 1.7 acres of the site 85% impervious. Water quality volume for this site was calculated using an Excel Spreadsheet, Appendix L. The water quality volume will be provided in the proposed detention facility. A soakage trench will be provided in the detention pond and will remove 90% of the total suspended solids. Percolation testing is being done to determine if a soakage trench will be feasible. If a soakage trench is not possible, a proprietary device may be used.

An existing stormwater sewer manhole will be modified or replaced as required to include a catch basin with a hooded outlet cover to provide additional water quality treatment. The hooded outlet cover will treat stormwater runoff that does not drain to the proposed detention with the soakage trench.

## **Channel Protection**

The site is less than five acres of drainage area; therefore downstream channel protection volume is not required.

## **Utilities**

### **Sanitary Sewer**

The site has access to the existing 12" sanitary sewer service along the south side of the property.

### **Water**

The site has access to the existing 12" water line along the south side of the property.

### **Stormwater Sewer**

Stormwater Sewer will be designed as shown on the Drainage and Utility Plan, Appendix I. The existing storm water sewer will be extended under the proposed driveway. A second culvert will be constructed under the northern driveway.

### **Other Utilities**

Easements are provided for electric, telephone, cable, and other utilities.

## **Lot Grading Plan**

Lot grading will be determined at the time of site design. The lot will match exiting grades and improvements around the perimeter, Appendix M.

## **Permits**

### **U.S. Army Corps of Engineers**

The project is not affecting any jurisdictional waters of the U.S. or any wetlands. Permitting through the U.S. Army Corps of Engineers will not be required.

## **Kansas Department of Agriculture Division of Water Resources**

The drainage area of the basin that flows through the project is less than 640 acres; therefore Water Structures permit will not be required.

### **FEMA**

The proposed project does not impact FEMA floodplains. FEMA applications will not be required.

### **Kansas Department of Health and Environment**

A Notice of Intent (NOI) will be filed with KDHE for coverage under NPDES. A Storm Water Pollution Prevention plan will be prepared and will include the NOI.

## **Summary**


---

The proposed Westgate Village Third Addition will develop as one commercial lot. The site will continue to drain to the west into the drainage channel. The channel will be expanded and a proposed pond will be constructed on site to provide detention for the development. The existing stormwater sewer system under 13<sup>th</sup> Street will continue to serve as the control structure for the proposed pond. A soakage trench will be constructed in the pond to obtain the water quality requirement and drain the flat slopes that are proposed. A concrete trickle channel will be constructed in the existing channel due to the flat slopes.

Peak flow rates to the existing stormwater sewer system have decreased with the proposed development. Flow rates to the 10% point have also decreased with the proposed development. The channel/pond does not overtop into Westgate Street during the 1 and 2 year design storms under both existing and proposed conditions. The peak flow rate to Westgate Street has increased from 0.0 cfs to 0.4 cfs in the 5-year design event. The peak flow rate to Westgate Street has decreased in the 10, 50, and 100-year design events.

## **Appendix A - USGS Quadrangle Map**

---





**USGS QUAD EXHIBIT**  
**WESTGATE VILLAGE THIRD ADDITION**

©2013  
MKEC Engineering  
All Rights Reserved  
www.mkec.com

These drawings and their contents, including, but not limited to, all concepts, designs, & ideas are the exclusive property of MKEC Engineering (MKEC), and may not be used or reproduced in any way without the express consent of MKEC.


**SEC: 7**  
**TWP: T27S**  
**RNG: R1W**



PROJECT NO.	1401010187	
DATE	5/14/2014	
SCALE	1"=2000'	
DESIGNED	MKEC	
DRAWN	MKEC	
CHECKED	MKEC	
NO.	REVISION	DATE
SHEET NO.		
<b>1 OF 1</b>		

## **Appendix B - Aerial Photograph**

---



**Project Location**

WESTGATE ST

MAIZE RD

NANTUCKET ST


13TH ST

BRANDT  
COMMERCIAL  
2ND ADD

WESTLINK  
VILLAGE  
14TH ADD

WESTGATE  
VILLAGE  
2ND ADD

SEC: 7  
TWP: T27S  
RNG: R1W



©2013  
MKEC Engineering  
All Rights Reserved  
www.mkec.com  
These drawings and their contents,  
including, but not limited to, all  
concepts, designs, & ideas are the  
exclusive property of MKEC  
Engineering (MKEC), and may not be  
used or reproduced in any way without  
the express consent of MKEC.




Wichita, KS · 316.684.9600

**AERIAL EXHIBIT**  
**WESTGATE VILLAGE THIRD ADDITION**

PROJECT NO. 1401010187	DATE: 5/14/2014	SHEET NO.
DRAWN BY: JGD	DESIGNED BY: JGD	APPROVED BY: KLA
		1 OF 1

## **Appendix C - Soil Survey**

---



**6322**  
Blanket silt loam, 0 to 1 percent slopes  
C

**5976**  
Vanoss silt loam, 0 to 1 percent slopes  
B

**5967**  
Tabler silty clay loam, 0 to 1 percent slopes  
D

**MAIZE RD**


**Project Boundary**

**13TH ST**

**5977**  
Vanoss silt loam, 1 to 3 percent slopes  
B



SEC: 7  
TWP: T27S  
RNG: R1W




©2013  
MKEC Engineering  
All Rights Reserved  
www.mkec.com  
These drawings and their contents,  
including, but not limited to, all  
concepts, designs, & ideas are the  
exclusive property of MKEC  
Engineering (MKEC), and may not be  
used or reproduced in any way without  
the express consent of MKEC.



**NRCS Soil Survey Exhibit**  
**WESTGATE VILLAGE THIRD ADDITION**

PROJECT NO. 1401010187	DATE: 5/14/2014	SHEET NO.
DRAWN BY: JGD	DESIGNED BY: JGD	APPROVED BY: KLA
		1 OF 1

## **Appendix D - Flood Insurance Rate Map (FIRM)**



**Project Boundary**

**NFP**

**PANEL 0330F**

**FIRM**  
FLOOD INSURANCE RATE MAP


**SEDGWICK COUNTY, KANSAS AND INCORPORATED AREAS**

**PANEL 330 OF 700**  
(SEE LOCATOR DIAGRAM OR MAP INDEX FOR FIRM PANEL LAYOUT)

**CONTAINS:**


COMMUNITY	NUMBER	PANEL	SUFFIX
MAIZE, CITY OF	200520	0330	F
SEDGWICK COUNTY	200321	0330	F
WICHITA, CITY OF	200326	0330	F

Notice to User: The Map Number shown below should be used when placing map orders; the Community Number shown above should be used on insurance applications for the subject community.

 **MAP NUMBER 20173C0330F**  
**MAP REVISED MAY 2, 2012**

Federal Emergency Management Agency

**SEC: 7**  
**TWP: T27S**  
**RNG: R1W**



0 250 500 1,000  
Feet

©2013  
MKEC Engineering  
All Rights Reserved  
www.mkec.com

These drawings and their contents, including, but not limited to, all concepts, designs, & ideas are the exclusive property of MKEC Engineering (MKEC), and may not be used or reproduced in any way without the express consent of MKEC.

  
**MKEC**  
Wichita, KS · 316.684.9600

**FEMA FIRM EXHIBIT**  
**WESTGATE VILLAGE THIRD ADDITION**

PROJECT NO. 1401010187	DATE: 5/14/2014	SHEET NO.
DRAWN BY: JGD	DESIGNED BY: JGD	APPROVED BY: KLA
		<b>1 OF 1</b>


Path: J:\Projects\2014\1401010187\_EquityVentures Commercial Dev\05-CivilGIS\FEMA Floodplain.mxd - Date: 5/14/2014

**Appendix E - Hydraflow Hydrographs**

---

# Watershed Model Schematic

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066



## Legend

Hyd. Origin	Description
1	SCS Runoff Basin A
2	SCS Runoff Basin B
3	SCS Runoff Basin C - Existing
4	Combine Channel at NW Corner of Site - Existing
5	SCS Runoff Basin D
6	SCS Runoff Basin E - Existing
7	Combine To Existing Channel
8	Reservoir Existing Channel Det
9	Diversion1 To SWS System
10	Diversion2 To Westgate Street
11	SCS Runoff Basin F
12	SCS Runoff Basin G
13	Combine 10% Point - Existing
15	SCS Runoff Basin A
16	SCS Runoff Basin B
17	SCS Runoff Basin C - Proposed
18	Combine Channel at NW Corner of Site
19	SCS Runoff Basin D
20	SCS Runoff Basin E - Proposed
21	Combine To Channel/Pond
22	Reservoir Proposed Channel/Pond
23	Diversion1 To SWS
24	Diversion2 To Westgate Street
25	SCS Runoff Basin F
26	SCS Runoff Basin G
27	Combine 10% Point - Proposed

# Hydrograph Return Period Recap

Hydroflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066

Hyd. No.	Hydrograph type (origin)	Inflow Hyd(s)	Peak Outflow (cfs)								Hydrograph description
			1-Yr	2-Yr	3-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr	
1	SCS Runoff	-----	9.151	12.50	-----	17.84	21.34	26.58	30.56	34.03	Basin A
2	SCS Runoff	-----	2.018	2.549	-----	3.380	3.920	4.728	5.342	5.879	Basin B
3	SCS Runoff	-----	0.698	1.041	-----	1.614	2.001	2.591	3.044	3.442	Basin C - Existing
4	Combine	1, 2, 3	9.840	13.48	-----	19.31	23.13	28.86	33.22	37.02	Channel at NW Corner of Site - Existi
5	SCS Runoff	-----	1.430	1.809	-----	2.400	2.785	3.360	3.797	4.179	Basin D
6	SCS Runoff	-----	2.117	3.119	-----	4.806	5.943	7.669	8.993	10.15	Basin E - Existing
7	Combine	4, 5, 6	11.01	15.30	-----	22.27	26.89	33.86	39.17	43.82	To Existing Channel
8	Reservoir	7	6.754	7.613	-----	8.924	16.08	22.40	27.31	31.84	Existing Channel Det
9	Diversion1	8	6.754	7.613	-----	8.924	9.196	9.336	9.436	9.512	To SWS System
10	Diversion2	8	0.000	0.000	-----	0.000	6.885	13.06	17.87	22.33	To Westgate Street
11	SCS Runoff	-----	5.262	7.001	-----	9.738	11.52	14.19	16.21	17.97	Basin F
12	SCS Runoff	-----	8.246	11.25	-----	16.04	19.17	23.87	27.43	30.54	Basin G
13	Combine	9, 10, 11, 12	19.95	25.28	-----	33.73	39.24	55.52	66.18	75.86	10% Point - Existing
15	SCS Runoff	-----	9.151	12.50	-----	17.84	21.34	26.58	30.56	34.03	Basin A
16	SCS Runoff	-----	2.018	2.549	-----	3.380	3.920	4.728	5.342	5.879	Basin B
17	SCS Runoff	-----	2.421	3.059	-----	4.056	4.705	5.674	6.411	7.054	Basin C - Proposed
18	Combine	15, 16, 17	9.618	13.09	-----	18.61	22.24	27.66	31.78	35.38	Channel at NW Corner of Site
19	SCS Runoff	-----	1.430	1.809	-----	2.400	2.785	3.360	3.797	4.179	Basin D
20	SCS Runoff	-----	4.439	5.609	-----	7.436	8.625	10.40	11.75	12.93	Basin E - Proposed
21	Combine	18, 19, 20	14.38	18.81	-----	25.83	30.44	37.35	42.60	47.19	To Channel/Pond
22	Reservoir	21	1.256	2.252	-----	5.653	11.03	16.93	21.55	25.57	Proposed Channel/Pond
23	Diversion1	22	1.256	2.252	-----	5.208	5.697	6.025	6.230	6.389	To SWS
24	Diversion2	22	0.000	0.000	-----	0.444	5.329	10.91	15.32	19.18	To Westgate Street
25	SCS Runoff	-----	5.262	7.001	-----	9.738	11.52	14.19	16.21	17.97	Basin F
26	SCS Runoff	-----	8.246	11.25	-----	16.04	19.17	23.87	27.43	30.54	Basin G
27	Combine	23, 24, 25, 26	13.51	18.90	-----	28.03	34.92	49.17	59.40	68.60	10% Point - Proposed

# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to peak (min)	Hyd. volume (acft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (acft)	Hydrograph description
1	SCS Runoff	9.151	1	731	0.838	-----	-----	-----	Basin A
2	SCS Runoff	2.018	1	715	0.092	-----	-----	-----	Basin B
3	SCS Runoff	0.698	1	724	0.046	-----	-----	-----	Basin C - Existing
4	Combine	9.840	1	731	0.976	1, 2, 3	-----	-----	Channel at NW Corner of Site - Existi
5	SCS Runoff	1.430	1	718	0.076	-----	-----	-----	Basin D
6	SCS Runoff	2.117	1	720	0.110	-----	-----	-----	Basin E - Existing
7	Combine	11.01	1	720	1.163	4, 5, 6	-----	-----	To Existing Channel
8	Reservoir	6.754	1	743	0.931	7	1346.13	0.238	Existing Channel Det
9	Diversion1	6.754	1	743	0.931	8	-----	-----	To SWS System
10	Diversion2	0.000	1	824	0.000	8	-----	-----	To Westgate Street
11	SCS Runoff	5.262	1	728	0.432	-----	-----	-----	Basin F
12	SCS Runoff	8.246	1	728	0.673	-----	-----	-----	Basin G
13	Combine	19.95	1	728	2.036	9, 10, 11, 12	-----	-----	10% Point - Existing
15	SCS Runoff	9.151	1	731	0.838	-----	-----	-----	Basin A
16	SCS Runoff	2.018	1	715	0.092	-----	-----	-----	Basin B
17	SCS Runoff	2.421	1	715	0.110	-----	-----	-----	Basin C - Proposed
18	Combine	9.618	1	731	1.040	15, 16, 17	-----	-----	Channel at NW Corner of Site
19	SCS Runoff	1.430	1	718	0.076	-----	-----	-----	Basin D
20	SCS Runoff	4.439	1	715	0.202	-----	-----	-----	Basin E - Proposed
21	Combine	14.38	1	716	1.318	18, 19, 20	-----	-----	To Channel/Pond
22	Reservoir	1.256	1	771	0.236	21	1346.05	0.760	Proposed Channel/Pond
23	Diversion1	1.256	1	771	0.236	22	-----	-----	To SWS
24	Diversion2	0.000	1	928	0.000	22	-----	-----	To Westgate Street
25	SCS Runoff	5.262	1	728	0.432	-----	-----	-----	Basin F
26	SCS Runoff	8.246	1	728	0.673	-----	-----	-----	Basin G
27	Combine	13.51	1	728	1.341	23, 24, 25, 26	-----	-----	10% Point - Proposed
Westgate Village Third.gpw					Return Period: 1 Year			Friday, May 16, 2014	

# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to peak (min)	Hyd. volume (acft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (acft)	Hydrograph description	
1	SCS Runoff	12.50	1	731	1.148	-----	-----	-----	Basin A	
2	SCS Runoff	2.549	1	715	0.118	-----	-----	-----	Basin B	
3	SCS Runoff	1.041	1	723	0.068	-----	-----	-----	Basin C - Existing	
4	Combine	13.48	1	730	1.335	1, 2, 3	-----	-----	Channel at NW Corner of Site - Existi	
5	SCS Runoff	1.809	1	718	0.098	-----	-----	-----	Basin D	
6	SCS Runoff	3.119	1	719	0.162	-----	-----	-----	Basin E - Existing	
7	Combine	15.30	1	720	1.595	4, 5, 6	-----	-----	To Existing Channel	
8	Reservoir	7.613	1	746	1.320	7	1346.41	0.375	Existing Channel Det	
9	Diversion1	7.613	1	746	1.320	8	-----	-----	To SWS System	
10	Diversion2	0.000	1	850	0.000	8	-----	-----	To Westgate Street	
11	SCS Runoff	7.001	1	728	0.580	-----	-----	-----	Basin F	
12	SCS Runoff	11.25	1	728	0.922	-----	-----	-----	Basin G	
13	Combine	25.28	1	728	2.822	9, 10, 11, 12	-----	-----	10% Point - Existing	
15	SCS Runoff	12.50	1	731	1.148	-----	-----	-----	Basin A	
16	SCS Runoff	2.549	1	715	0.118	-----	-----	-----	Basin B	
17	SCS Runoff	3.059	1	715	0.141	-----	-----	-----	Basin C - Proposed	
18	Combine	13.09	1	731	1.407	15, 16, 17	-----	-----	Channel at NW Corner of Site	
19	SCS Runoff	1.809	1	718	0.098	-----	-----	-----	Basin D	
20	SCS Runoff	5.609	1	715	0.259	-----	-----	-----	Basin E - Proposed	
21	Combine	18.81	1	716	1.765	18, 19, 20	-----	-----	To Channel/Pond	
22	Reservoir	2.252	1	760	0.525	21	1346.42	0.981	Proposed Channel/Pond	
23	Diversion1	2.252	1	760	0.525	22	-----	-----	To SWS	
24	Diversion2	0.000	1	943	0.000	22	-----	-----	To Westgate Street	
25	SCS Runoff	7.001	1	728	0.580	-----	-----	-----	Basin F	
26	SCS Runoff	11.25	1	728	0.922	-----	-----	-----	Basin G	
27	Combine	18.90	1	729	2.027	23, 24, 25, 26	-----	-----	10% Point - Proposed	
Westgate Village Third.gpw					Return Period: 2 Year			Friday, May 16, 2014		

# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to peak (min)	Hyd. volume (acft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (acft)	Hydrograph description
1	SCS Runoff	17.84	1	731	1.654	-----	-----	-----	Basin A
2	SCS Runoff	3.380	1	715	0.159	-----	-----	-----	Basin B
3	SCS Runoff	1.614	1	723	0.106	-----	-----	-----	Basin C - Existing
4	Combine	19.31	1	730	1.918	1, 2, 3	-----	-----	Channel at NW Corner of Site - Existi
5	SCS Runoff	2.400	1	718	0.132	-----	-----	-----	Basin D
6	SCS Runoff	4.806	1	719	0.250	-----	-----	-----	Basin E - Existing
7	Combine	22.27	1	720	2.301	4, 5, 6	-----	-----	To Existing Channel
8	Reservoir	8.924	1	748	1.940	7	1346.90	0.616	Existing Channel Det
9	Diversion1	8.924	1	748	1.940	8	-----	-----	To SWS System
10	Diversion2	0.000	1	688	0.000	8	-----	-----	To Westgate Street
11	SCS Runoff	9.738	1	728	0.818	-----	-----	-----	Basin F
12	SCS Runoff	16.04	1	728	1.328	-----	-----	-----	Basin G
13	Combine	33.73	1	728	4.086	9, 10, 11, 12	-----	-----	10% Point - Existing
15	SCS Runoff	17.84	1	731	1.654	-----	-----	-----	Basin A
16	SCS Runoff	3.380	1	715	0.159	-----	-----	-----	Basin B
17	SCS Runoff	4.056	1	715	0.191	-----	-----	-----	Basin C - Proposed
18	Combine	18.61	1	731	2.004	15, 16, 17	-----	-----	Channel at NW Corner of Site
19	SCS Runoff	2.400	1	718	0.132	-----	-----	-----	Basin D
20	SCS Runoff	7.436	1	715	0.350	-----	-----	-----	Basin E - Proposed
21	Combine	25.83	1	716	2.486	18, 19, 20	-----	-----	To Channel/Pond
22	Reservoir	5.653	1	754	1.048	21	1346.91	1.28	Proposed Channel/Pond
23	Diversion1	5.208	1	754	1.044	22	-----	-----	To SWS
24	Diversion2	0.444	1	754	0.004	22	-----	-----	To Westgate Street
25	SCS Runoff	9.738	1	728	0.818	-----	-----	-----	Basin F
26	SCS Runoff	16.04	1	728	1.328	-----	-----	-----	Basin G
27	Combine	28.03	1	729	3.194	23, 24, 25, 26	-----	-----	10% Point - Proposed
Westgate Village Third.gpw					Return Period: 5 Year			Friday, May 16, 2014	

# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to peak (min)	Hyd. volume (acft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (acft)	Hydrograph description
1	SCS Runoff	21.34	1	731	1.991	-----	-----	-----	Basin A
2	SCS Runoff	3.920	1	715	0.186	-----	-----	-----	Basin B
3	SCS Runoff	2.001	1	723	0.131	-----	-----	-----	Basin C - Existing
4	Combine	23.13	1	730	2.309	1, 2, 3	-----	-----	Channel at NW Corner of Site - Existi
5	SCS Runoff	2.785	1	718	0.155	-----	-----	-----	Basin D
6	SCS Runoff	5.943	1	719	0.311	-----	-----	-----	Basin E - Existing
7	Combine	26.89	1	720	2.775	4, 5, 6	-----	-----	To Existing Channel
8	Reservoir	16.08	1	741	2.384	7	1347.01	0.684	Existing Channel Det
9	Diversion1	9.196	1	741	2.222	8	-----	-----	To SWS System
10	Diversion2	6.885	1	741	0.162	8	-----	-----	To Westgate Street
11	SCS Runoff	11.52	1	728	0.976	-----	-----	-----	Basin F
12	SCS Runoff	19.17	1	728	1.600	-----	-----	-----	Basin G
13	Combine	39.24	1	728	4.960	9, 10, 11, 12	-----	-----	10% Point - Existing
15	SCS Runoff	21.34	1	731	1.991	-----	-----	-----	Basin A
16	SCS Runoff	3.920	1	715	0.186	-----	-----	-----	Basin B
17	SCS Runoff	4.705	1	715	0.224	-----	-----	-----	Basin C - Proposed
18	Combine	22.24	1	731	2.401	15, 16, 17	-----	-----	Channel at NW Corner of Site
19	SCS Runoff	2.785	1	718	0.155	-----	-----	-----	Basin D
20	SCS Runoff	8.625	1	715	0.410	-----	-----	-----	Basin E - Proposed
21	Combine	30.44	1	716	2.966	18, 19, 20	-----	-----	To Channel/Pond
22	Reservoir	11.03	1	747	1.444	21	1347.03	1.40	Proposed Channel/Pond
23	Diversion1	5.697	1	747	1.257	22	-----	-----	To SWS
24	Diversion2	5.329	1	747	0.186	22	-----	-----	To Westgate Street
25	SCS Runoff	11.52	1	728	0.976	-----	-----	-----	Basin F
26	SCS Runoff	19.17	1	728	1.600	-----	-----	-----	Basin G
27	Combine	34.92	1	728	4.019	23, 24, 25, 26	-----	-----	10% Point - Proposed
Westgate Village Third.gpw					Return Period: 10 Year			Friday, May 16, 2014	

# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to peak (min)	Hyd. volume (acft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (acft)	Hydrograph description	
1	SCS Runoff	26.58	1	731	2.504	-----	-----	-----	Basin A	
2	SCS Runoff	4.728	1	715	0.227	-----	-----	-----	Basin B	
3	SCS Runoff	2.591	1	723	0.171	-----	-----	-----	Basin C - Existing	
4	Combine	28.86	1	730	2.902	1, 2, 3	-----	-----	Channel at NW Corner of Site - Existi	
5	SCS Runoff	3.360	1	718	0.189	-----	-----	-----	Basin D	
6	SCS Runoff	7.669	1	719	0.405	-----	-----	-----	Basin E - Existing	
7	Combine	33.86	1	720	3.497	4, 5, 6	-----	-----	To Existing Channel	
8	Reservoir	22.40	1	739	3.069	7	1347.07	0.783	Existing Channel Det	
9	Diversion1	9.336	1	739	2.620	8	-----	-----	To SWS System	
10	Diversion2	13.06	1	739	0.449	8	-----	-----	To Westgate Street	
11	SCS Runoff	14.19	1	727	1.215	-----	-----	-----	Basin F	
12	SCS Runoff	23.87	1	728	2.012	-----	-----	-----	Basin G	
13	Combine	55.52	1	730	6.295	9, 10, 11, 12	-----	-----	10% Point - Existing	
15	SCS Runoff	26.58	1	731	2.504	-----	-----	-----	Basin A	
16	SCS Runoff	4.728	1	715	0.227	-----	-----	-----	Basin B	
17	SCS Runoff	5.674	1	715	0.273	-----	-----	-----	Basin C - Proposed	
18	Combine	27.66	1	731	3.004	15, 16, 17	-----	-----	Channel at NW Corner of Site	
19	SCS Runoff	3.360	1	718	0.189	-----	-----	-----	Basin D	
20	SCS Runoff	10.40	1	715	0.500	-----	-----	-----	Basin E - Proposed	
21	Combine	37.35	1	716	3.693	18, 19, 20	-----	-----	To Channel/Pond	
22	Reservoir	16.93	1	744	2.062	21	1347.12	1.58	Proposed Channel/Pond	
23	Diversion1	6.025	1	744	1.530	22	-----	-----	To SWS	
24	Diversion2	10.91	1	744	0.532	22	-----	-----	To Westgate Street	
25	SCS Runoff	14.19	1	727	1.215	-----	-----	-----	Basin F	
26	SCS Runoff	23.87	1	728	2.012	-----	-----	-----	Basin G	
27	Combine	49.17	1	729	5.288	23, 24, 25, 26	-----	-----	10% Point - Proposed	
Westgate Village Third.gpw					Return Period: 25 Year			Friday, May 16, 2014		

# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to peak (min)	Hyd. volume (acft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (acft)	Hydrograph description	
1	SCS Runoff	30.56	1	731	2.899	-----	-----	-----	Basin A	
2	SCS Runoff	5.342	1	715	0.258	-----	-----	-----	Basin B	
3	SCS Runoff	3.044	1	723	0.202	-----	-----	-----	Basin C - Existing	
4	Combine	33.22	1	730	3.359	1, 2, 3	-----	-----	Channel at NW Corner of Site - Existi	
5	SCS Runoff	3.797	1	718	0.215	-----	-----	-----	Basin D	
6	SCS Runoff	8.993	1	719	0.479	-----	-----	-----	Basin E - Existing	
7	Combine	39.17	1	720	4.052	4, 5, 6	-----	-----	To Existing Channel	
8	Reservoir	27.31	1	737	3.599	7	1347.11	0.855	Existing Channel Det	
9	Diversion1	9.436	1	737	2.915	8	-----	-----	To SWS System	
10	Diversion2	17.87	1	737	0.684	8	-----	-----	To Westgate Street	
11	SCS Runoff	16.21	1	727	1.398	-----	-----	-----	Basin F	
12	SCS Runoff	27.43	1	728	2.328	-----	-----	-----	Basin G	
13	Combine	66.18	1	730	7.325	9, 10, 11, 12	-----	-----	10% Point - Existing	
15	SCS Runoff	30.56	1	731	2.899	-----	-----	-----	Basin A	
16	SCS Runoff	5.342	1	715	0.258	-----	-----	-----	Basin B	
17	SCS Runoff	6.411	1	715	0.310	-----	-----	-----	Basin C - Proposed	
18	Combine	31.78	1	730	3.467	15, 16, 17	-----	-----	Channel at NW Corner of Site	
19	SCS Runoff	3.797	1	718	0.215	-----	-----	-----	Basin D	
20	SCS Runoff	11.75	1	715	0.568	-----	-----	-----	Basin E - Proposed	
21	Combine	42.60	1	716	4.250	18, 19, 20	-----	-----	To Channel/Pond	
22	Reservoir	21.55	1	742	2.541	21	1347.18	1.70	Proposed Channel/Pond	
23	Diversion1	6.230	1	742	1.713	22	-----	-----	To SWS	
24	Diversion2	15.32	1	742	0.828	22	-----	-----	To Westgate Street	
25	SCS Runoff	16.21	1	727	1.398	-----	-----	-----	Basin F	
26	SCS Runoff	27.43	1	728	2.328	-----	-----	-----	Basin G	
27	Combine	59.40	1	729	6.267	23, 24, 25, 26	-----	-----	10% Point - Proposed	
Westgate Village Third.gpw					Return Period: 50 Year			Friday, May 16, 2014		

# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to peak (min)	Hyd. volume (acft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (acft)	Hydrograph description	
1	SCS Runoff	34.03	1	731	3.245	-----	-----	-----	Basin A	
2	SCS Runoff	5.879	1	715	0.286	-----	-----	-----	Basin B	
3	SCS Runoff	3.442	1	723	0.229	-----	-----	-----	Basin C - Existing	
4	Combine	37.02	1	730	3.760	1, 2, 3	-----	-----	Channel at NW Corner of Site - Existi	
5	SCS Runoff	4.179	1	718	0.238	-----	-----	-----	Basin D	
6	SCS Runoff	10.15	1	719	0.544	-----	-----	-----	Basin E - Existing	
7	Combine	43.82	1	720	4.542	4, 5, 6	-----	-----	To Existing Channel	
8	Reservoir	31.84	1	736	4.068	7	1347.15	0.910	Existing Channel Det	
9	Diversion1	9.512	1	736	3.168	8	-----	-----	To SWS System	
10	Diversion2	22.33	1	736	0.899	8	-----	-----	To Westgate Street	
11	SCS Runoff	17.97	1	727	1.559	-----	-----	-----	Basin F	
12	SCS Runoff	30.54	1	727	2.607	-----	-----	-----	Basin G	
13	Combine	75.86	1	730	8.233	9, 10, 11, 12	-----	-----	10% Point - Existing	
15	SCS Runoff	34.03	1	731	3.245	-----	-----	-----	Basin A	
16	SCS Runoff	5.879	1	715	0.286	-----	-----	-----	Basin B	
17	SCS Runoff	7.054	1	715	0.343	-----	-----	-----	Basin C - Proposed	
18	Combine	35.38	1	730	3.874	15, 16, 17	-----	-----	Channel at NW Corner of Site	
19	SCS Runoff	4.179	1	718	0.238	-----	-----	-----	Basin D	
20	SCS Runoff	12.93	1	715	0.628	-----	-----	-----	Basin E - Proposed	
21	Combine	47.19	1	716	4.739	18, 19, 20	-----	-----	To Channel/Pond	
22	Reservoir	25.57	1	740	2.963	21	1347.22	1.79	Proposed Channel/Pond	
23	Diversion1	6.389	1	740	1.870	22	-----	-----	To SWS	
24	Diversion2	19.18	1	740	1.093	22	-----	-----	To Westgate Street	
25	SCS Runoff	17.97	1	727	1.559	-----	-----	-----	Basin F	
26	SCS Runoff	30.54	1	727	2.607	-----	-----	-----	Basin G	
27	Combine	68.60	1	729	7.128	23, 24, 25, 26	-----	-----	10% Point - Proposed	
Westgate Village Third.gpw					Return Period: 100 Year			Friday, May 16, 2014		

# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 1

### Basin A

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 6.100 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 34.03 cfs  
 Time to peak = 731 min  
 Hyd. volume = 3.245 acft  
 Curve number = 88.1  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 29.40 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 2

### Basin B

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 0.500 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 5.879 cfs  
 Time to peak = 715 min  
 Hyd. volume = 0.286 acft  
 Curve number = 95.9  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 2.60 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 3

Basin C - Existing

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 0.500 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 3.442 cfs  
 Time to peak = 723 min  
 Hyd. volume = 0.229 acft  
 Curve number = 80  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 16.50 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066

Friday, May 16, 2014


## Hyd. No. 4

Channel at NW Corner of Site - Existing

Hydrograph type = Combine  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Inflow hyds. = 1, 2, 3

Peak discharge = 37.02 cfs  
 Time to peak = 730 min  
 Hyd. volume = 3.760 acft  
 Contrib. drain. area = 7.100 ac

**Channel at NW Corner of Site - Existing**



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 5

### Basin D

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 0.400 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 4.179 cfs  
 Time to peak = 718 min  
 Hyd. volume = 0.238 acft  
 Curve number = 95.9  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 8.00 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 6

Basin E - Existing

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 1.200 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 10.15 cfs  
 Time to peak = 719 min  
 Hyd. volume = 0.544 acft  
 Curve number = 80  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 10.00 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 7

To Existing Channel

Hydrograph type = Combine  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Inflow hyds. = 4, 5, 6

Peak discharge = 43.82 cfs  
 Time to peak = 720 min  
 Hyd. volume = 4.542 acft  
 Contrib. drain. area = 1.600 ac



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 8

Existing Channel Det

Hydrograph type	= Reservoir	Peak discharge	= 31.84 cfs
Storm frequency	= 100 yrs	Time to peak	= 736 min
Time interval	= 1 min	Hyd. volume	= 4.068 acft
Inflow hyd. No.	= 7 - To Existing Channel	Max. Elevation	= 1347.15 ft
Reservoir name	= Existing Channel	Max. Storage	= 0.910 acft

Storage Indication method used. Exfiltration extracted from Outflow.



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 9

To SWS System

Hydrograph type = Diversion1  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Inflow hydrograph = 8 - Existing Channel Det  
 Diversion method = Pond - Existing Channel

Peak discharge = 9.512 cfs  
 Time to peak = 736 min  
 Hyd. volume = 3.168 acft  
 2nd diverted hyd. = 10  
 Pond structure = Culv/Orf A



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 10

To Westgate Street

Hydrograph type = Diversion2  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Inflow hydrograph = 8 - Existing Channel Det  
 Diversion method = Pond - Existing Channel

Peak discharge = 22.33 cfs  
 Time to peak = 736 min  
 Hyd. volume = 0.899 acft  
 2nd diverted hyd. = 9  
 Pond structure = Culv/Orf A



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 11

Basin F

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 2.800 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 17.97 cfs  
 Time to peak = 727 min  
 Hyd. volume = 1.559 acft  
 Curve number = 90.6  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 24.40 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 12

### Basin G

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 4.900 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 30.54 cfs  
 Time to peak = 727 min  
 Hyd. volume = 2.607 acft  
 Curve number = 88.1  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 23.80 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 13

10% Point - Existing

Hydrograph type = Combine  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Inflow hyds. = 9, 10, 11, 12

Peak discharge = 75.86 cfs  
 Time to peak = 730 min  
 Hyd. volume = 8.233 acft  
 Contrib. drain. area = 7.700 ac



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 15

Basin A

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 6.100 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 34.03 cfs  
 Time to peak = 731 min  
 Hyd. volume = 3.245 acft  
 Curve number = 88.1  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 29.40 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 16

### Basin B

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 0.500 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 5.879 cfs  
 Time to peak = 715 min  
 Hyd. volume = 0.286 acft  
 Curve number = 95.9  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 2.60 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 17

Basin C - Proposed

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 0.600 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 7.054 cfs  
 Time to peak = 715 min  
 Hyd. volume = 0.343 acft  
 Curve number = 95.9  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 2.20 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 18

Channel at NW Corner of Site

Hydrograph type = Combine  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Inflow hyds. = 15, 16, 17

Peak discharge = 35.38 cfs  
 Time to peak = 730 min  
 Hyd. volume = 3.874 acft  
 Contrib. drain. area = 7.200 ac



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 19

### Basin D

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 0.400 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 4.179 cfs  
 Time to peak = 718 min  
 Hyd. volume = 0.238 acft  
 Curve number = 95.9  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 8.00 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 20

Basin E - Proposed

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 1.100 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 12.93 cfs  
 Time to peak = 715 min  
 Hyd. volume = 0.628 acft  
 Curve number = 95.9  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 2.00 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 21

To Channel/Pond

Hydrograph type = Combine  
Storm frequency = 100 yrs  
Time interval = 1 min  
Inflow hyds. = 18, 19, 20

Peak discharge = 47.19 cfs  
Time to peak = 716 min  
Hyd. volume = 4.739 acft  
Contrib. drain. area = 1.500 ac



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066

Friday, May 16, 2014


## Hyd. No. 22

### Proposed Channel/Pond

Hydrograph type = Reservoir  
Storm frequency = 100 yrs  
Time interval = 1 min  
Inflow hyd. No. = 21 - To Channel/Pond  
Reservoir name = Channel/Pond

Peak discharge = 25.57 cfs  
Time to peak = 740 min  
Hyd. volume = 2.963 acft  
Max. Elevation = 1347.22 ft  
Max. Storage = 1.790 acft

Storage Indication method used. Exfiltration extracted from Outflow.



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 23

To SWS

Hydrograph type = Diversion1  
Storm frequency = 100 yrs  
Time interval = 1 min  
Inflow hydrograph = 22 - Proposed Channel/Pond  
Diversion method = Pond - Channel/Pond

Peak discharge = 6.389 cfs  
Time to peak = 740 min  
Hyd. volume = 1.870 acft  
2nd diverted hyd. = 24  
Pond structure = Culv/Orf A



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 24

To Westgate Street

Hydrograph type = Diversion2  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Inflow hydrograph = 22 - Proposed Channel/Pond  
 Diversion method = Pond - Channel/Pond

Peak discharge = 19.18 cfs  
 Time to peak = 740 min  
 Hyd. volume = 1.093 acft  
 2nd diverted hyd. = 23  
 Pond structure = Culv/Orf A



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 25

Basin F

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 2.800 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 17.97 cfs  
 Time to peak = 727 min  
 Hyd. volume = 1.559 acft  
 Curve number = 90.6  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 24.40 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 26

### Basin G

Hydrograph type = SCS Runoff  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Drainage area = 4.900 ac  
 Basin Slope = 0.0 %  
 Tc method = USER  
 Total precip. = 7.80 in  
 Storm duration = 24 hrs

Peak discharge = 30.54 cfs  
 Time to peak = 727 min  
 Hyd. volume = 2.607 acft  
 Curve number = 88.1  
 Hydraulic length = 0 ft  
 Time of conc. (Tc) = 23.80 min  
 Distribution = Type II  
 Shape factor = 484



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2009 by Autodesk, Inc. v6.066


Friday, May 16, 2014

## Hyd. No. 27

10% Point - Proposed

Hydrograph type = Combine  
 Storm frequency = 100 yrs  
 Time interval = 1 min  
 Inflow hyds. = 23, 24, 25, 26

Peak discharge = 68.60 cfs  
 Time to peak = 729 min  
 Hyd. volume = 7.128 acft  
 Contrib. drain. area = 7.700 ac



## **Appendix F - Time of Concentration Calculations**

Project	Westgate Village Third Addition
Feature	
Analyst	Kara Anderson
Version	
Notes	

Sheet	Subbasin	Number of Segments	Sheet Flow (mins)	Shallow Concentrated Flow (mins)	Open Channel Ditch Flow (mins)	Open Channel Pipe Flow (mins)	Open Channel General Flow (mins)	Other (mins)	Total Tc (mins)	Length (feet)	Drop (feet)	Avg. Slope (%)	Avg. Vel. (fps)	Lag (mins)	Lag (hours)	Area (acres)
1	A	3	7.8	20.3	1.3	0.0	0.0	0.0	<b>29.4</b>	1320	5	0.38	0.75	17.6	0.294	6.1
2	B	2	1.5	1.0	0.0	0.0	0.0	0.0	<b>2.6</b>	200	2	1.00	1.30	1.5	0.026	0.5
3	C - Existing	2	15.3	1.2	0.0	0.0	0.0	0.0	<b>16.5</b>	240	4	1.67	0.24	9.9	0.165	0.5
4	D	5	1.3	2.1	0.0	0.2	0.1	4.2	<b>8.0</b>	1000	18	1.80	2.09	4.8	0.080	0.4
5	E - Existing	2	9.3	0.7	0.0	0.0	0.0	0.0	<b>10.0</b>	180	5	2.78	0.30	6.0	0.100	1.2
6	F	2	7.8	16.6	0.0	0.0	0.0	0.0	<b>24.4</b>	900	3	0.28	0.61	14.7	0.244	2.8
7	G	1	23.8	0.0	0.0	0.0	0.0	0.0	<b>23.8</b>	100	1	0.50	0.07	14.3	0.238	4.9
8	C - Proposed	2	1.3	0.9	0.0	0.0	0.0	0.0	<b>2.2</b>	240	4	1.67	1.85	1.3	0.022	0
9	E - Proposed	2	0.8	0.5	0.0	0.0	0.0	0.0	<b>1.3</b>	180	5	2.78	2.26	0.8	0.013	0

<b>Subbasin Name</b>	<b>A</b>
<b>Drainage Area (ac)</b>	6.1
<b>Drainage Area (sq mi)</b>	0.00953125

**Sheet Flow**

**Total**

selected>>	Select (0 or 1)	1						1 segments
	Length (ft)	50						50 feet length
	Top Elevation (ft)	1350.0						
	Bottom Elevation (ft)	1349.0						
	Cover	0.24, Dense grasses						
	Specify alternate "n"							
	Sheet Flow "n" (dim)	0.240						
	2-yr, 24-hr Rainfall (ins)	3.50						
	Drop (ft)	1						1 feet drop
	Slope (ft/ft)	0.0200						
	Slope (%)	2.00						
	Velocity (fps)	0.11						
	Travel Time (hrs)	0.131						
	Travel Time (mins)	7.84						7.8 mins travel

selected>>	<b>Shallow Concentrated Flow</b>							<b>Total</b>
	Select (0 or 1)	1						1 segments
	Length (ft)	1000						### feet length
	Top Elevation (ft)	1349						
	Bottom Elevation (ft)	1346						
	Cover	15, Grassed waterway						
	Specify alternate "K"							
	Surface Coeff (dim)	15.00						
	Drop (ft)	3						3 feet drop
	Slope (ft/ft)	0.0030						
	Slope (%)	0.30						
	Velocity (fps)	0.82						
	Travel Time (mins)	20.29						20.3 mins travel

selected>>	<b>Open Channel Ditch Flow</b>							<b>Total</b>
	Select (0 or 1)	1						1 segments
	Length (ft)	270						270 feet length
	Top Elevation (ft)	1346						
	Bottom Elevation (ft)	1345						
	Channel Lining	0.03, Grassed						
	Bottom Width (ft)	5.00						
	Left Side Slope (H:V)	3.00						
	Right Side Slope (H:V)	3.00						
	Depth (ft)	2.00						
	Specify alternate "n"							
	Manning "n" (dim)	0.030						
	Drop (ft)	1						1 feet drop
	Slope (ft/ft)	0.0037						
	Slope (%)	0.37						
	Flow Area (sq ft)	22.00						
	Wet Perimeter (ft)	17.65						
	Hydraulic Radius (ft)	1.25						
	Velocity (fps)	3.50						
	Normal Flow (cfs)	77.0						
	Travel Time (mins)	1.29						1.3 mins travel

	<b>Open Channel Pipe Flow</b>							<b>Total</b>
	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Top Elevation (ft)							
	Bottom Elevation (ft)							
	Pipe Material							
	Diameter (ins)							
	Flow Depth (ins)							
	Specify alternate "n"							
	Manning "n" (dim)							
	Drop (ft)							0 feet drop
	Slope (ft/ft)							
	Slope (%)							
	Theta (radians)							
	Flow Area (sq ft)							
	Wet Perimeter (ft)							
	Hydraulic Radius (ft)							
	Velocity (fps)							
	Normal Flow (cfs)							
	Travel Time (mins)							0.0 mins travel

	<b>Open Channel General Flow</b>							<b>Total</b>
	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Top Elevation (ft)							
	Bottom Elevation (ft)							
	Hydraulic Radius (ft)							
	Channel Lining							
	Specify alternate "n"							
	Manning "n" (dim)							
	Drop (ft)							0 feet drop
	Slope (ft/ft)							
	Slope (%)							
	Velocity (fps)							
	Travel Time (mins)							0.0 mins travel

	<b>Other (Computed Separately)</b>							<b>Total</b>
	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Drop (ft)							0 feet drop
	Velocity (fps)							
	Slope (ft/ft)							
	Slope (%)							
	Travel Time (mins)							0.0 mins travel

<b>Total for Subbasin</b>	
Segments	3
Length (ft)	1320
Drop (ft)	5
Slope (ft/ft)	0.0038
Slope (%)	0.38
Velocity (fps)	0.75
Travel Time (mins)	<b>29.4</b>
Lag (mins)	17.6
Lag (hrs)	0.294

<b>Subbasin Name</b>	<b>B</b>
<b>Drainage Area (ac)</b>	0.5
<b>Drainage Area (sq mi)</b>	0.00078125

**Sheet Flow**

**Total**

selected>>	Select (0 or 1)	1						1 segments
	Length (ft)	100						100 feet length
	Top Elevation (ft)	1350.0						
	Bottom Elevation (ft)	1349.0						
	Cover	0.011, Concrete, asphalt, etc.						
	Specify alternate "n"							
	Sheet Flow "n" (dim)	0.011						
	2-yr, 24-hr Rainfall (ins)	3.50						
	Drop (ft)	1						1 feet drop
	Slope (ft/ft)	0.0100						
	Slope (%)	1.00						
	Velocity (fps)	1.09						
	Travel Time (hrs)	0.025						
	Travel Time (mins)	1.53						1.5 mins travel

selected>>	<b>Shallow Concentrated Flow</b>							<b>Total</b>
	Select (0 or 1)	1						1 segments
	Length (ft)	100						100 feet length
	Top Elevation (ft)	1349						
	Bottom Elevation (ft)	1348						
	Cover	16.1, Unpaved						
	Specify alternate "K"							
	Surface Coeff (dim)	16.10						
	Drop (ft)	1						1 feet drop
	Slope (ft/ft)	0.0100						
	Slope (%)	1.00						
	Velocity (fps)	1.61						
	Travel Time (mins)	1.04						1.0 mins travel

**Open Channel Ditch Flow**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Top Elevation (ft)							
	Bottom Elevation (ft)							
	Channel Lining							
	Bottom Width (ft)							
	Left Side Slope (H:V)							
	Right Side Slope (H:V)							
	Depth (ft)							
	Specify alternate "n"							
	Manning "n" (dim)							
	Drop (ft)							0 feet drop
	Slope (ft/ft)							
	Slope (%)							
	Flow Area (sq ft)							
	Wet Perimeter (ft)							
	Hydraulic Radius (ft)							
	Velocity (fps)							
	Normal Flow (cfs)							
	Travel Time (mins)							0.0 mins travel

**Open Channel Pipe Flow**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Top Elevation (ft)							
	Bottom Elevation (ft)							
	Pipe Material							
	Diameter (ins)							
	Flow Depth (ins)							
	Specify alternate "n"							
	Manning "n" (dim)							
	Drop (ft)							0 feet drop
	Slope (ft/ft)							
	Slope (%)							
	Theta (radians)							
	Flow Area (sq ft)							
	Wet Perimeter (ft)							
	Hydraulic Radius (ft)							
	Velocity (fps)							
	Normal Flow (cfs)							
	Travel Time (mins)							0.0 mins travel

**Open Channel General Flow**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Top Elevation (ft)							
	Bottom Elevation (ft)							
	Hydraulic Radius (ft)							
	Channel Lining							
	Specify alternate "n"							
	Manning "n" (dim)							
	Drop (ft)							0 feet drop
	Slope (ft/ft)							
	Slope (%)							
	Velocity (fps)							
	Travel Time (mins)							0.0 mins travel

**Other (Computed Separately)**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Drop (ft)							0 feet drop
	Velocity (fps)							
	Slope (ft/ft)							
	Slope (%)							
	Travel Time (mins)							0.0 mins travel

**Total for Subbasin**

Segments	2
Length (ft)	200
Drop (ft)	2
Slope (ft/ft)	0.0100
Slope (%)	1.00
Velocity (fps)	1.30
Travel Time (mins)	2.6
Lag (mins)	1.5
Lag (hrs)	0.026

<b>Subbasin Name</b>	C - Existing
<b>Drainage Area (ac)</b>	0.5
<b>Drainage Area (sq mi)</b>	0.00078125

**Sheet Flow**

**Total**

selected->	Select (0 or 1)	1					1 segments
	Length (ft)	100					100 feet length
	Top Elevation (ft)	1350.0					
	Bottom Elevation (ft)	1348.5					
	Cover	0.24, Dense grasses					
	Specify alternate "n"						
	Sheet Flow "n" (dim)	0.240					
	2-yr, 24-hr Rainfall (ins)	3.50					
	Drop (ft)	2					2 feet drop
	Slope (ft/ft)	0.0150					
	Slope (%)	1.50					
	Velocity (fps)	0.11					
	Travel Time (hrs)	0.255					
	Travel Time (mins)	15.31					15.3 mins travel

**Shallow Concentrated Flow**

**Total**

selected->	Select (0 or 1)	1					1 segments
	Length (ft)	140					140 feet length
	Top Elevation (ft)	1348.5					
	Bottom Elevation (ft)	1346					
	Cover	15, Grassed waterway					
	Specify alternate "K"						
	Surface Coeff (dim)	15.00					
	Drop (ft)	3					2.5 feet drop
	Slope (ft/ft)	0.0179					
	Slope (%)	1.79					
	Velocity (fps)	2.00					
	Travel Time (mins)	1.16					1.2 mins travel

**Open Channel Ditch Flow**

**Total**

	Select (0 or 1)						0 segments
	Length (ft)						0 feet length
	Top Elevation (ft)						
	Bottom Elevation (ft)						
	Channel Lining						
	Bottom Width (ft)						
	Left Side Slope (H:V)						
	Right Side Slope (H:V)						
	Depth (ft)						
	Specify alternate "n"						
	Manning "n" (dim)						
	Drop (ft)						0 feet drop
	Slope (ft/ft)						
	Slope (%)						
	Flow Area (sq ft)						
	Wet Perimeter (ft)						
	Hydraulic Radius (ft)						
	Velocity (fps)						
	Normal Flow (cfs)						
	Travel Time (mins)						0.0 mins travel

**Open Channel Pipe Flow**

**Total**

	Select (0 or 1)						0 segments
	Length (ft)						0 feet length
	Top Elevation (ft)						
	Bottom Elevation (ft)						
	Pipe Material						
	Diameter (ins)						
	Flow Depth (ins)						
	Specify alternate "n"						
	Manning "n" (dim)						
	Drop (ft)						0 feet drop
	Slope (ft/ft)						
	Slope (%)						
	Theta (radians)						
	Flow Area (sq ft)						
	Wet Perimeter (ft)						
	Hydraulic Radius (ft)						
	Velocity (fps)						
	Normal Flow (cfs)						
	Travel Time (mins)						0.0 mins travel

**Open Channel General Flow**

**Total**

	Select (0 or 1)						0 segments
	Length (ft)						0 feet length
	Top Elevation (ft)						
	Bottom Elevation (ft)						
	Hydraulic Radius (ft)						
	Channel Lining						
	Specify alternate "n"						
	Manning "n" (dim)						
	Drop (ft)						0 feet drop
	Slope (ft/ft)						
	Slope (%)						
	Velocity (fps)						
	Travel Time (mins)						0.0 mins travel

**Other (Computed Separately)**

**Total**

	Select (0 or 1)						0 segments
	Length (ft)						0 feet length
	Drop (ft)						0 feet drop
	Velocity (fps)						
	Slope (ft/ft)						
	Slope (%)						
	Travel Time (mins)						0.0 mins travel

**Total for Subbasin**

Segments	2
Length (ft)	240
Drop (ft)	4
Slope (ft/ft)	0.0167

<b>Subbasin Name</b>	<b>D</b>
<b>Drainage Area (ac)</b>	0.4
<b>Drainage Area (sq mi)</b>	0.000625

**Sheet Flow**

**Total**

selected->	Select (0 or 1)	1					1 segments
	Length (ft)	100					100 feet length
	Top Elevation (ft)	1351.0					
	Bottom Elevation (ft)	1349.5					
	Cover	0.011, Concrete, asphalt, etc.					
	Specify alternate "n"						
	Sheet Flow "n" (dim)	0.011					
	2-yr, 24-hr Rainfall (ins)	3.50					
	Drop (ft)	2					2 feet drop
	Slope (ft/ft)	0.0150					
	Slope (%)	1.50					
	Velocity (fps)	1.28					
	Travel Time (hrs)	0.022					
	Travel Time (mins)	1.30					1.3 mins travel

**Shallow Concentrated Flow**

**Total**

selected->	Select (0 or 1)	1					1 segments
	Length (ft)	150					150 feet length
	Top Elevation (ft)	1349.5					
	Bottom Elevation (ft)	1349					
	Cover	20.3, Paved					
	Specify alternate "K"						
	Surface Coeff (dim)	20.30					
	Drop (ft)	1					0.5 feet drop
	Slope (ft/ft)	0.0033					
	Slope (%)	0.33					
	Velocity (fps)	1.17					
	Travel Time (mins)	2.13					2.1 mins travel

**Open Channel Ditch Flow**

**Total**

selected->	Select (0 or 1)						0 segments
	Length (ft)						0 feet length
	Top Elevation (ft)						
	Bottom Elevation (ft)						
	Channel Lining						
	Bottom Width (ft)						
	Left Side Slope (H:V)						
	Right Side Slope (H:V)						
	Depth (ft)						
	Specify alternate "n"						
	Manning "n" (dim)						
	Drop (ft)						0 feet drop
	Slope (ft/ft)						
	Slope (%)						
	Flow Area (sq ft)						
	Wet Perimeter (ft)						
	Hydraulic Radius (ft)						
	Velocity (fps)						
	Normal Flow (cfs)						
	Travel Time (mins)						0.0 mins travel

**Open Channel Pipe Flow**

**Total**

selected->	Select (0 or 1)	1					1 segments
	Length (ft)	100					100 feet length
	Top Elevation (ft)	20					
	Bottom Elevation (ft)	18					
	Pipe Material	0.017, Rough concrete					
	Diameter (ins)	24.00					
	Flow Depth (ins)	24.00					
	Specify alternate "n"						
	Manning "n" (dim)	0.017					
	Drop (ft)	2					2 feet drop
	Slope (ft/ft)	0.0200					
	Slope (%)	2.00					
	Theta (radians)	6.283					
	Flow Area (sq ft)	3.14					
	Wet Perimeter (ft)	6.28					
	Hydraulic Radius (ft)	0.50					
	Velocity (fps)	7.81					
	Normal Flow (cfs)	24.5					
	Travel Time (mins)	0.21					0.2 mins travel

**Open Channel General Flow**

**Total**

selected->	Select (0 or 1)	1					1 segments
	Length (ft)	150					150 feet length
	Top Elevation (ft)	30					
	Bottom Elevation (ft)	26					
	Hydraulic Radius (ft)	2.30					
	Channel Lining	0.025, Clean Earth					
	Specify alternate "n"						
	Manning "n" (dim)	0.025					
	Drop (ft)	4					4 feet drop
	Slope (ft/ft)	0.0267					
	Slope (%)	2.67					
	Velocity (fps)	16.96					
	Travel Time (mins)	0.15					0.1 mins travel

**Other (Computed Separately)**

**Total**

selected->	Select (0 or 1)	1					1 segments
	Length (ft)	500					500 feet length
	Drop (ft)	10					10 feet drop
	Velocity (fps)	2.00					
	Slope (ft/ft)	0.0200					
	Slope (%)	2.00					
	Travel Time (mins)	4.17					4.2 mins travel

**Total for Subbasin**

Segments	5
Length (ft)	1000
Drop (ft)	18
Slope (ft/ft)	0.0180

<b>Subbasin Name</b>	E - Existing
<b>Drainage Area (ac)</b>	1.2
<b>Drainage Area (sq mi)</b>	0.001875

**Sheet Flow**

**Total**

selected->	Select (0 or 1)	1						1 segments
	Length (ft)	80						80 feet length
	Top Elevation (ft)	1351.0						
	Bottom Elevation (ft)	1348.3						
	Cover	0.24, Dense grasses						
	Specify alternate "n"							
	Sheet Flow "n" (dim)	0.240						
	2-yr, 24-hr Rainfall (ins)	3.50						
	Drop (ft)	3						3 feet drop
	Slope (ft/ft)	0.0338						
	Slope (%)	3.38						
	Velocity (fps)	0.14						
	Travel Time (hrs)	0.154						
	Travel Time (mins)	9.26						9.3 mins travel

**Shallow Concentrated Flow**

**Total**

selected->	Select (0 or 1)	1						1 segments
	Length (ft)	100						100 feet length
	Top Elevation (ft)	1348.3						
	Bottom Elevation (ft)	1346						
	Cover	15, Grassed waterway						
	Specify alternate "K"							
	Surface Coeff (dim)	15.00						
	Drop (ft)	2						2.3 feet drop
	Slope (ft/ft)	0.0230						
	Slope (%)	2.30						
	Velocity (fps)	2.27						
	Travel Time (mins)	0.73						0.7 mins travel

**Open Channel Ditch Flow**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Top Elevation (ft)							
	Bottom Elevation (ft)							
	Channel Lining							
	Bottom Width (ft)							
	Left Side Slope (H:V)							
	Right Side Slope (H:V)							
	Depth (ft)							
	Specify alternate "n"							
	Manning "n" (dim)							
	Drop (ft)							0 feet drop
	Slope (ft/ft)							
	Slope (%)							
	Flow Area (sq ft)							
	Wet Perimeter (ft)							
	Hydraulic Radius (ft)							
	Velocity (fps)							
	Normal Flow (cfs)							
	Travel Time (mins)							0.0 mins travel

**Open Channel Pipe Flow**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Top Elevation (ft)							
	Bottom Elevation (ft)							
	Pipe Material							
	Diameter (ins)							
	Flow Depth (ins)							
	Specify alternate "n"							
	Manning "n" (dim)							
	Drop (ft)							0 feet drop
	Slope (ft/ft)							
	Slope (%)							
	Theta (radians)							
	Flow Area (sq ft)							
	Wet Perimeter (ft)							
	Hydraulic Radius (ft)							
	Velocity (fps)							
	Normal Flow (cfs)							
	Travel Time (mins)							0.0 mins travel

**Open Channel General Flow**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Top Elevation (ft)							
	Bottom Elevation (ft)							
	Hydraulic Radius (ft)							
	Channel Lining							
	Specify alternate "n"							
	Manning "n" (dim)							
	Drop (ft)							0 feet drop
	Slope (ft/ft)							
	Slope (%)							
	Velocity (fps)							
	Travel Time (mins)							0.0 mins travel

**Other (Computed Separately)**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Drop (ft)							0 feet drop
	Velocity (fps)							
	Slope (ft/ft)							
	Slope (%)							
	Travel Time (mins)							0.0 mins travel

**Total for Subbasin**

Segments	2
Length (ft)	180
Drop (ft)	5
Slope (ft/ft)	0.0278

<b>Subbasin Name</b>	<b>F</b>
<b>Drainage Area (ac)</b>	2.8
<b>Drainage Area (sq mi)</b>	0.004375

**Sheet Flow**

**Total**

selected>>	Select (0 or 1)	1							1 segments
	Length (ft)	50							50 feet length
	Top Elevation (ft)	1350.0							
	Bottom Elevation (ft)	1349.0							
	Cover	0.24, Dense grasses							
	Specify alternate "n"								
	Sheet Flow "n" (dim)	0.240							
	2-yr, 24-hr Rainfall (ins)	3.50							
	Drop (ft)	1							1 feet drop
	Slope (ft/ft)	0.0200							
	Slope (%)	2.00							
	Velocity (fps)	0.11							
	Travel Time (hrs)	0.131							
	Travel Time (mins)	7.84							7.8 mins travel

**Shallow Concentrated Flow**

**Total**

selected>>	Select (0 or 1)	1							1 segments
	Length (ft)	850							850 feet length
	Top Elevation (ft)	1349							
	Bottom Elevation (ft)	1348							
	Cover	20.3, Paved							
	Specify alternate "K"								
	Surface Coeff (dim)	20.30							
	Drop (ft)	2							1.5 feet drop
	Slope (ft/ft)	0.0018							
	Slope (%)	0.18							
	Velocity (fps)	0.85							
	Travel Time (mins)	16.61							16.6 mins travel

**Open Channel Ditch Flow**

**Total**

	Select (0 or 1)								0 segments
	Length (ft)								0 feet length
	Top Elevation (ft)								
	Bottom Elevation (ft)								
	Channel Lining								
	Bottom Width (ft)								
	Left Side Slope (H:V)								
	Right Side Slope (H:V)								
	Depth (ft)								
	Specify alternate "n"								
	Manning "n" (dim)								
	Drop (ft)								0 feet drop
	Slope (ft/ft)								
	Slope (%)								
	Flow Area (sq ft)								
	Wet Perimeter (ft)								
	Hydraulic Radius (ft)								
	Velocity (fps)								
	Normal Flow (cfs)								
	Travel Time (mins)								0.0 mins travel

**Open Channel Pipe Flow**

**Total**

	Select (0 or 1)								0 segments
	Length (ft)								0 feet length
	Top Elevation (ft)								
	Bottom Elevation (ft)								
	Pipe Material								
	Diameter (ins)								
	Flow Depth (ins)								
	Specify alternate "n"								
	Manning "n" (dim)								
	Drop (ft)								0 feet drop
	Slope (ft/ft)								
	Slope (%)								
	Theta (radians)								
	Flow Area (sq ft)								
	Wet Perimeter (ft)								
	Hydraulic Radius (ft)								
	Velocity (fps)								
	Normal Flow (cfs)								
	Travel Time (mins)								0.0 mins travel

**Open Channel General Flow**

**Total**

	Select (0 or 1)								0 segments
	Length (ft)								0 feet length
	Top Elevation (ft)								
	Bottom Elevation (ft)								
	Hydraulic Radius (ft)								
	Channel Lining								
	Specify alternate "n"								
	Manning "n" (dim)								
	Drop (ft)								0 feet drop
	Slope (ft/ft)								
	Slope (%)								
	Velocity (fps)								
	Travel Time (mins)								0.0 mins travel

**Other (Computed Separately)**

**Total**

	Select (0 or 1)								0 segments
	Length (ft)								0 feet length
	Drop (ft)								0 feet drop
	Velocity (fps)								
	Slope (ft/ft)								
	Slope (%)								
	Travel Time (mins)								0.0 mins travel

**Total for Subbasin**

Segments	2
Length (ft)	900
Drop (ft)	3
Slope (ft/ft)	0.0028

<b>Subbasin Name</b>	<b>G</b>
<b>Drainage Area (ac)</b>	4.9
<b>Drainage Area (sq mi)</b>	0.00765625

Sheet Flow					Total
selected>> Select (0 or 1)		1			1 segments
Length (ft)		100			100 feet length
Top Elevation (ft)		1346.5			
Bottom Elevation (ft)		1346.0			
Cover		0.24, Dense grasses			
Specify alternate "n"					
Sheet Flow "n" (dim)		0.240			
2-yr, 24-hr Rainfall (ins)		3.50			
Drop (ft)		1			1 feet drop
Slope (ft/ft)		0.0050			
Slope (%)		0.50			
Velocity (fps)		0.07			
Travel Time (hrs)		0.396			
Travel Time (mins)		23.76			23.8 mins travel

Shallow Concentrated Flow					Total
Select (0 or 1)					0 segments
Length (ft)					0 feet length
Top Elevation (ft)					
Bottom Elevation (ft)					
Cover					
Specify alternate "K"					
Surface Coeff (dim)					
Drop (ft)					0 feet drop
Slope (ft/ft)					
Slope (%)					
Velocity (fps)					
Travel Time (mins)					0.0 mins travel

Open Channel Ditch Flow					Total
Select (0 or 1)					0 segments
Length (ft)					0 feet length
Top Elevation (ft)					
Bottom Elevation (ft)					
Channel Lining					
Bottom Width (ft)					
Left Side Slope (H:V)					
Right Side Slope (H:V)					
Depth (ft)					
Specify alternate "n"					
Manning "n" (dim)					
Drop (ft)					0 feet drop
Slope (ft/ft)					
Slope (%)					
Flow Area (sq ft)					
Wet Perimeter (ft)					
Hydraulic Radius (ft)					
Velocity (fps)					
Normal Flow (cfs)					
Travel Time (mins)					0.0 mins travel

Open Channel Pipe Flow					Total
Select (0 or 1)					0 segments
Length (ft)					0 feet length
Top Elevation (ft)					
Bottom Elevation (ft)					
Pipe Material					
Diameter (ins)					
Flow Depth (ins)					
Specify alternate "n"					
Manning "n" (dim)					
Drop (ft)					0 feet drop
Slope (ft/ft)					
Slope (%)					
Theta (radians)					
Flow Area (sq ft)					
Wet Perimeter (ft)					
Hydraulic Radius (ft)					
Velocity (fps)					
Normal Flow (cfs)					
Travel Time (mins)					0.0 mins travel

Open Channel General Flow					Total
Select (0 or 1)					0 segments
Length (ft)					0 feet length
Top Elevation (ft)					
Bottom Elevation (ft)					
Hydraulic Radius (ft)					
Channel Lining					
Specify alternate "n"					
Manning "n" (dim)					
Drop (ft)					0 feet drop
Slope (ft/ft)					
Slope (%)					
Velocity (fps)					
Travel Time (mins)					0.0 mins travel

Other (Computed Separately)					Total
Select (0 or 1)					0 segments
Length (ft)					0 feet length
Drop (ft)					0 feet drop
Velocity (fps)					
Slope (ft/ft)					
Slope (%)					
Travel Time (mins)					0.0 mins travel

Total for Subbasin	
Segments	1
Length (ft)	100
Drop (ft)	1
Slope (ft/ft)	0.0050

<b>Subbasin Name</b>	C - Proposed
<b>Drainage Area (ac)</b>	
<b>Drainage Area (sq mi)</b>	0

**Sheet Flow**

**Total**

selected>>	Select (0 or 1)	1					1 segments
	Length (ft)	100					100 feet length
	Top Elevation (ft)	1350.0					
	Bottom Elevation (ft)	1348.5					
	Cover	0.011, Concrete, asphalt, etc.					
	Specify alternate "n"						
	Sheet Flow "n" (dim)	0.011					
	2-yr, 24-hr Rainfall (ins)	3.50					
	Drop (ft)	2					2 feet drop
	Slope (ft/ft)	0.0150					
	Slope (%)	1.50					
	Velocity (fps)	1.28					
	Travel Time (hrs)	0.022					
	Travel Time (mins)	1.30					1.3 mins travel

**Shallow Concentrated Flow**

**Total**

selected>>	Select (0 or 1)	1					1 segments
	Length (ft)	140					140 feet length
	Top Elevation (ft)	1348.5					
	Bottom Elevation (ft)	1346					
	Cover	20.3, Paved					
	Specify alternate "K"						
	Surface Coeff (dim)	20.30					
	Drop (ft)	3					2.5 feet drop
	Slope (ft/ft)	0.0179					
	Slope (%)	1.79					
	Velocity (fps)	2.71					
	Travel Time (mins)	0.86					0.9 mins travel

**Open Channel Ditch Flow**

**Total**

	Select (0 or 1)						0 segments
	Length (ft)						0 feet length
	Top Elevation (ft)						
	Bottom Elevation (ft)						
	Channel Lining						
	Bottom Width (ft)						
	Left Side Slope (H:V)						
	Right Side Slope (H:V)						
	Depth (ft)						
	Specify alternate "n"						
	Manning "n" (dim)						
	Drop (ft)						0 feet drop
	Slope (ft/ft)						
	Slope (%)						
	Flow Area (sq ft)						
	Wet Perimeter (ft)						
	Hydraulic Radius (ft)						
	Velocity (fps)						
	Normal Flow (cfs)						
	Travel Time (mins)						0.0 mins travel

**Open Channel Pipe Flow**

**Total**

	Select (0 or 1)						0 segments
	Length (ft)						0 feet length
	Top Elevation (ft)						
	Bottom Elevation (ft)						
	Pipe Material						
	Diameter (ins)						
	Flow Depth (ins)						
	Specify alternate "n"						
	Manning "n" (dim)						
	Drop (ft)						0 feet drop
	Slope (ft/ft)						
	Slope (%)						
	Theta (radians)						
	Flow Area (sq ft)						
	Wet Perimeter (ft)						
	Hydraulic Radius (ft)						
	Velocity (fps)						
	Normal Flow (cfs)						
	Travel Time (mins)						0.0 mins travel

**Open Channel General Flow**

**Total**

	Select (0 or 1)						0 segments
	Length (ft)						0 feet length
	Top Elevation (ft)						
	Bottom Elevation (ft)						
	Hydraulic Radius (ft)						
	Channel Lining						
	Specify alternate "n"						
	Manning "n" (dim)						
	Drop (ft)						0 feet drop
	Slope (ft/ft)						
	Slope (%)						
	Velocity (fps)						
	Travel Time (mins)						0.0 mins travel

**Other (Computed Separately)**

**Total**

	Select (0 or 1)						0 segments
	Length (ft)						0 feet length
	Drop (ft)						0 feet drop
	Velocity (fps)						
	Slope (ft/ft)						
	Slope (%)						
	Travel Time (mins)						0.0 mins travel

**Total for Subbasin**

Segments	2
Length (ft)	240
Drop (ft)	4
Slope (ft/ft)	0.0167

<b>Subbasin Name</b>	E - Proposed
<b>Drainage Area (ac)</b>	
<b>Drainage Area (sq mi)</b>	0

**Sheet Flow**

**Total**

selected->	Select (0 or 1)	1						1 segments
	Length (ft)	80						80 feet length
	Top Elevation (ft)	1351.0						
	Bottom Elevation (ft)	1348.3						
	Cover	0.011, Concrete, asphalt, etc.						
	Specify alternate "n"							
	Sheet Flow "n" (dim)	0.011						
	2-yr, 24-hr Rainfall (ins)	3.50						
	Drop (ft)	3						3 feet drop
	Slope (ft/ft)	0.0338						
	Slope (%)	3.38						
	Velocity (fps)	1.70						
	Travel Time (hrs)	0.013						
	Travel Time (mins)	0.79						0.8 mins travel

**Shallow Concentrated Flow**

**Total**

selected->	Select (0 or 1)	1						1 segments
	Length (ft)	100						100 feet length
	Top Elevation (ft)	1348.3						
	Bottom Elevation (ft)	1346						
	Cover	20.3, Paved						
	Specify alternate "K"							
	Surface Coeff (dim)	20.30						
	Drop (ft)	2						2.3 feet drop
	Slope (ft/ft)	0.0230						
	Slope (%)	2.30						
	Velocity (fps)	3.08						
	Travel Time (mins)	0.54						0.5 mins travel

**Open Channel Ditch Flow**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Top Elevation (ft)							
	Bottom Elevation (ft)							
	Channel Lining							
	Bottom Width (ft)							
	Left Side Slope (H:V)							
	Right Side Slope (H:V)							
	Depth (ft)							
	Specify alternate "n"							
	Manning "n" (dim)							
	Drop (ft)							0 feet drop
	Slope (ft/ft)							
	Slope (%)							
	Flow Area (sq ft)							
	Wet Perimeter (ft)							
	Hydraulic Radius (ft)							
	Velocity (fps)							
	Normal Flow (cfs)							
	Travel Time (mins)							0.0 mins travel

**Open Channel Pipe Flow**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Top Elevation (ft)							
	Bottom Elevation (ft)							
	Pipe Material							
	Diameter (ins)							
	Flow Depth (ins)							
	Specify alternate "n"							
	Manning "n" (dim)							
	Drop (ft)							0 feet drop
	Slope (ft/ft)							
	Slope (%)							
	Theta (radians)							
	Flow Area (sq ft)							
	Wet Perimeter (ft)							
	Hydraulic Radius (ft)							
	Velocity (fps)							
	Normal Flow (cfs)							
	Travel Time (mins)							0.0 mins travel

**Open Channel General Flow**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Top Elevation (ft)							
	Bottom Elevation (ft)							
	Hydraulic Radius (ft)							
	Channel Lining							
	Specify alternate "n"							
	Manning "n" (dim)							
	Drop (ft)							0 feet drop
	Slope (ft/ft)							
	Slope (%)							
	Velocity (fps)							
	Travel Time (mins)							0.0 mins travel

**Other (Computed Separately)**

**Total**

	Select (0 or 1)							0 segments
	Length (ft)							0 feet length
	Drop (ft)							0 feet drop
	Velocity (fps)							
	Slope (ft/ft)							
	Slope (%)							
	Travel Time (mins)							0.0 mins travel

**Total for Subbasin**

Segments	2
Length (ft)	180
Drop (ft)	5
Slope (ft/ft)	0.0278

## **Appendix G - Curve Number Calculations**

---

**Curve Number Calculations**  
**Westgate Village Third Lot 1 Block 1**  
**Proposed Site**  
**Estimate Imperviousness per Land Use**

HSG A			HSG B			HSG C			HSG D		
Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)
Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%	1.7	Commercial and Business	85%	
Industrial	72%		Industrial	72%		Industrial	72%		Industrial	72%	
Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%	
Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%	
Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%	
Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%	
Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%	
Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%	
Impervious Area (acres)		0	Impervious Area (acres)		0	Impervious Area (acres)		1.445	Impervious Area (acres)		0

**Composite Curve Number (CN)**

HSG A			HSG B			HSG C			HSG D		
Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)
Pre-Developed or Undisturbed Pervious	55		Pre-Developed or Undisturbed Pervious	71		Pre-Developed or Undisturbed Pervious	80		Pre-Developed or Undisturbed Pervious	84	
Developed or Disturbed Pervious	71		Developed or Disturbed Pervious	80		Developed or Disturbed Pervious	84	0.255	Developed or Disturbed Pervious	88	
Impervious	98	0	Impervious	98		Impervious	98	1.445	Impervious	98	
Composite Curve Number HSG A (CN)	0.0	0	Composite Curve Number HSG B (CN)	0.0	0	Composite Curve Number HSG C (CN)	95.9	1.7	Composite Curve Number HSG D (CN)	0.0	0

<b>Total Weighted Composite Curve Number (CN)</b>	<b>95.9</b>
<b>Total Area (A) (acres)</b>	<b>1.7</b>

**Curve Number Calculations**  
**Westgate Village Third Addition**  
Proposed Site  
Estimate Imperviousness per Land Use

HSG A			HSG B			HSG C			HSG D		
Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)
Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%	0.2
Industrial	72%		Industrial	72%		Industrial	72%		Industrial	72%	
Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%	
Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%	4	Residential 1/4 acre	38%	0.7
Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%	
Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%	
Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%	
Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%	
Impervious Area (acres)		0	Impervious Area (acres)		0	Impervious Area (acres)		1.52	Impervious Area (acres)		0.436

**Composite Curve Number (CN)**

HSG A			HSG B			HSG C			HSG D		
Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)
Pre-Developed or Undisturbed Pervious	55		Pre-Developed or Undisturbed Pervious	71		Pre-Developed or Undisturbed Pervious	80	1	Pre-Developed or Undisturbed Pervious	84	0.2
Developed or Disturbed Pervious	71		Developed or Disturbed Pervious	80		Developed or Disturbed Pervious	84	2.48	Developed or Disturbed Pervious	88	0.464
Impervious	98	0	Impervious	98		Impervious	98	1.52	Impervious	98	0.436
Composite Curve Number HSG A (CN)	0.0	0	Composite Curve Number HSG B (CN)	0.0	0	Composite Curve Number HSG C (CN)	87.5	5	Composite Curve Number HSG D (CN)	91.2	1.1

<b>Total Weighted Composite Curve Number (CN)</b>	<b>88.1</b>
<b>Total Area (A) (acres)</b>	<b>6.1</b>

**Curve Number Calculations**  
**Westgate Village Third Addition**  
Proposed Site  
Estimate Imperviousness per Land Use

HSG A			HSG B			HSG C			HSG D		
Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)
Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%	0.2	Commercial and Business	85%	
Industrial	72%		Industrial	72%		Industrial	72%		Industrial	72%	
Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%	
Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%	
Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%	
Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%	
Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%	
Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%	
Impervious Area (acres)		0	Impervious Area (acres)		0	Impervious Area (acres)		0.17	Impervious Area (acres)		0

**Composite Curve Number (CN)**

HSG A			HSG B			HSG C			HSG D		
Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)
Pre-Developed or Undisturbed Pervious	55		Pre-Developed or Undisturbed Pervious	71		Pre-Developed or Undisturbed Pervious	80		Pre-Developed or Undisturbed Pervious	84	
Developed or Disturbed Pervious	71		Developed or Disturbed Pervious	80		Developed or Disturbed Pervious	84	0.03	Developed or Disturbed Pervious	88	
Impervious	98	0	Impervious	98		Impervious	98	0.17	Impervious	98	
Composite Curve Number HSG A (CN)	0.0	0	Composite Curve Number HSG B (CN)	0.0	0	Composite Curve Number HSG C (CN)	95.9	0.2	Composite Curve Number HSG D (CN)	0.0	0

<b>Total Weighted Composite Curve Number (CN)</b>	<b>95.9</b>
<b>Total Area (A) (acres)</b>	<b>0.2</b>

**Curve Number Calculations**  
**Westgate Village Third Addition**  
Proposed Site  
Estimate Imperviousness per Land Use

HSG A			HSG B			HSG C			HSG D		
Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)
Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%	
Industrial	72%		Industrial	72%		Industrial	72%		Industrial	72%	
Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%	
Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%	
Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%	
Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%	
Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%	
Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%	
Impervious Area (acres)		0	Impervious Area (acres)		0	Impervious Area (acres)		0	Impervious Area (acres)		0

**Composite Curve Number (CN)**

HSG A			HSG B			HSG C			HSG D		
Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)
Pre-Developed or Undisturbed Pervious	55		Pre-Developed or Undisturbed Pervious	71		Pre-Developed or Undisturbed Pervious	80	0.5	Pre-Developed or Undisturbed Pervious	84	
Developed or Disturbed Pervious	71		Developed or Disturbed Pervious	80		Developed or Disturbed Pervious	84	0	Developed or Disturbed Pervious	88	
Impervious	98	0	Impervious	98		Impervious	98	0	Impervious	98	
Composite Curve Number HSG A (CN)	0.0	0	Composite Curve Number HSG B (CN)	0.0	0	Composite Curve Number HSG C (CN)	80.0	0.5	Composite Curve Number HSG D (CN)	0.0	0

<b>Total Weighted Composite Curve Number (CN)</b>	<b>80.0</b>
<b>Total Area (A) (acres)</b>	<b>0.5</b>

**Curve Number Calculations**  
**Westgate Village Third Addition**  
Proposed Site  
Estimate Imperviousness per Land Use

HSG A			HSG B			HSG C			HSG D		
Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)
Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%	0.4	Commercial and Business	85%	
Industrial	72%		Industrial	72%		Industrial	72%		Industrial	72%	
Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%	
Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%	
Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%	
Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%	
Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%	
Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%	
Impervious Area (acres)		0	Impervious Area (acres)		0	Impervious Area (acres)		0.34	Impervious Area (acres)		0

**Composite Curve Number (CN)**

HSG A			HSG B			HSG C			HSG D		
Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)
Pre-Developed or Undisturbed Pervious	55		Pre-Developed or Undisturbed Pervious	71		Pre-Developed or Undisturbed Pervious	80		Pre-Developed or Undisturbed Pervious	84	
Developed or Disturbed Pervious	71		Developed or Disturbed Pervious	80		Developed or Disturbed Pervious	84	0.06	Developed or Disturbed Pervious	88	
Impervious	98	0	Impervious	98		Impervious	98	0.34	Impervious	98	
Composite Curve Number HSG A (CN)	0.0	0	Composite Curve Number HSG B (CN)	0.0	0	Composite Curve Number HSG C (CN)	95.9	0.4	Composite Curve Number HSG D (CN)	0.0	0

<b>Total Weighted Composite Curve Number (CN)</b>	<b>95.9</b>
<b>Total Area (A) (acres)</b>	<b>0.4</b>

**Curve Number Calculations**  
**Westgate Village Third Addition**  
Proposed Site  
Estimate Imperviousness per Land Use

HSG A			HSG B			HSG C			HSG D		
Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)
Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%	
Industrial	72%		Industrial	72%		Industrial	72%		Industrial	72%	
Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%	
Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%	
Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%	
Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%	
Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%	
Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%	
Impervious Area (acres)		0	Impervious Area (acres)		0	Impervious Area (acres)		0	Impervious Area (acres)		0

**Composite Curve Number (CN)**

HSG A			HSG B			HSG C			HSG D		
Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)
Pre-Developed or Undisturbed Pervious	55		Pre-Developed or Undisturbed Pervious	71		Pre-Developed or Undisturbed Pervious	80	1.2	Pre-Developed or Undisturbed Pervious	84	
Developed or Disturbed Pervious	71		Developed or Disturbed Pervious	80		Developed or Disturbed Pervious	84	0	Developed or Disturbed Pervious	88	
Impervious	98	0	Impervious	98		Impervious	98	0	Impervious	98	
Composite Curve Number HSG A (CN)	0.0	0	Composite Curve Number HSG B (CN)	0.0	0	Composite Curve Number HSG C (CN)	80.0	1.2	Composite Curve Number HSG D (CN)	0.0	0

<b>Total Weighted Composite Curve Number (CN)</b>	<b>80.0</b>
<b>Total Area (A) (acres)</b>	<b>1.2</b>

**Curve Number Calculations**  
**Westgate Village Third Addition**  
Proposed Site  
Estimate Imperviousness per Land Use

HSG A			HSG B			HSG C			HSG D		
Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)
Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%	
Industrial	72%		Industrial	72%		Industrial	72%		Industrial	72%	
Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%	
Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%	1.4	Residential 1/4 acre	38%	1.4
Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%	
Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%	
Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%	
Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%	
Impervious Area (acres)		0	Impervious Area (acres)		0	Impervious Area (acres)		0.532	Impervious Area (acres)		0.532

**Composite Curve Number (CN)**

HSG A			HSG B			HSG C			HSG D		
Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)
Pre-Developed or Undisturbed Pervious	55		Pre-Developed or Undisturbed Pervious	71		Pre-Developed or Undisturbed Pervious	80		Pre-Developed or Undisturbed Pervious	84	
Developed or Disturbed Pervious	71		Developed or Disturbed Pervious	80		Developed or Disturbed Pervious	84	0.868	Developed or Disturbed Pervious	88	0.868
Impervious	98	0	Impervious	98		Impervious	98	0.532	Impervious	98	0.532
Composite Curve Number HSG A (CN)	0.0	0	Composite Curve Number HSG B (CN)	0.0	0	Composite Curve Number HSG C (CN)	89.3	1.4	Composite Curve Number HSG D (CN)	91.8	1.4

<b>Total Weighted Composite Curve Number (CN)</b>	<b>90.6</b>
<b>Total Area (A) (acres)</b>	<b>2.8</b>

**Curve Number Calculations**  
**Westgate Village Third Addition**  
Proposed Site  
Estimate Imperviousness per Land Use

HSG A			HSG B			HSG C			HSG D		
Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)	Land Use	Average % Impervious	Area (ac)
Commercial and Business	85%		Commercial and Business	85%		Commercial and Business	85%	2.5	Commercial and Business	85%	
Industrial	72%		Industrial	72%		Industrial	72%		Industrial	72%	
Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%		Residential 1/8 acre or less (townhouse)	65%	
Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%		Residential 1/4 acre	38%	
Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%		Residential 1/3 acre	30%	
Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%		Residential 1/2 acre	25%	
Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%		Residential 1 acre	20%	
Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%		Residential 2 acres	12%	
Impervious Area (acres)		0	Impervious Area (acres)		0	Impervious Area (acres)		2.125	Impervious Area (acres)		0


**Composite Curve Number (CN)**

HSG A			HSG B			HSG C			HSG D		
Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)	Land Use	CN	Area (ac)
Pre-Developed or Undisturbed Pervious	55		Pre-Developed or Undisturbed Pervious	71		Pre-Developed or Undisturbed Pervious	80	2.4	Pre-Developed or Undisturbed Pervious	84	
Developed or Disturbed Pervious	71		Developed or Disturbed Pervious	80		Developed or Disturbed Pervious	84	0.375	Developed or Disturbed Pervious	88	0
Impervious	98	0	Impervious	98		Impervious	98	2.125	Impervious	98	0
Composite Curve Number HSG A (CN)	0.0	0	Composite Curve Number HSG B (CN)	0.0	0	Composite Curve Number HSG C (CN)	88.1	4.9	Composite Curve Number HSG D (CN)	0.0	0

<b>Total Weighted Composite Curve Number (CN)</b>	<b>88.1</b>
<b>Total Area (A) (acres)</b>	<b>4.9</b>

## **Appendix H - Existing Drainage Basins**

---



Drainage Area = 7.1 ac.

Drainage Area = 8.7 ac.

Project Boundary

Drainage Area = 0.5 ac.

Drainage Area = 0.4 ac.

Drainage Area = 11.5 ac.

**A**  
6.1 Ac.

**B**  
0.5 Ac.

**C**  
0.5 Ac.


**D**  
0.4 Ac.

**E**  
1.2 Ac.

**F**  
2.8 Ac.

**G**  
4.9 Ac.

SEC: 7  
TWP: T27S  
RNG: R1W



©2013  
MKEC Engineering  
All Rights Reserved  
www.mkec.com  
These drawings and their contents,  
including, but not limited to, all  
concepts, designs, & ideas are the  
exclusive property of MKEC  
Engineering (MKEC), and may not be  
used or reproduced in any way without  
the express consent of MKEC.



**Existing Drainage Basins**  
**WESTGATE VILLAGE THIRD ADDITION**

PROJECT NO. 1401010187	DATE: 5/15/2014	SHEET NO.
DRAWN BY: JGD	DESIGNED BY: JGD	APPROVED BY: KLA
		1 OF 1

## **Appendix I - Drainage and Utility Plan**

---

DRAINAGE & UTILITY PLAN FOR



# WESTGATE VILLAGE THIRD ADDITION

WICHITA, KANSAS

©2013 MKEC Engineering  
 All Rights Reserved  
 www.mkec.com  
 These drawings and their contents, including, but not limited to, all concepts, designs, & ideas are the exclusive property of MKEC Engineering (MKEC), and may not be used or reproduced in any way without the express consent of MKEC.

## DRAINAGE & UTILITY PLAN

PROJECT NO.	14187	
DATE	MAY 2014	
SCALE	AS NOTED	
DESIGNED	DRAWN	CHECKED
KLA	DM	GJA
NO.	REVISION	DATE
1	HOODED OUTLET	8/14
SHEET NO.		



### LEGEND

- - PROPOSED DRAINAGE BOUNDARY
- - FLOW ARROWS
- - PROPOSED WATER
- - PROPOSED SANITARY SEWER
- - PROPOSED STORM WATER SEWER
- - EXISTING WATER
- - EXISTING SANITARY SEWER
- - EXISTING STORM WATER SEWER
- WESTGATE VILLAGE THIRD BOUNDARY

**Table 7. Proposed Channel/Pond Details.**

Design Storm	1-Yr	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
<b>Flow In (cfs)</b>	<b>14.4</b>	<b>18.8</b>	<b>25.8</b>	<b>30.4</b>	<b>37.4</b>	<b>42.6</b>	<b>47.2</b>
<b>Flow Out to SWS (cfs)</b>	<b>1.3</b>	<b>2.3</b>	<b>5.2</b>	<b>5.7</b>	<b>6.0</b>	<b>6.2</b>	<b>6.3</b>
<b>Flow Out to Westgate (cfs)</b>	<b>0.0</b>	<b>0.0</b>	<b>0.4</b>	<b>5.3</b>	<b>10.9</b>	<b>15.3</b>	<b>19.2</b>
<b>Water Surface Elev. (ft)</b>	<b>1346.1</b>	<b>1346.4</b>	<b>1346.9</b>	<b>1347.0</b>	<b>1347.1</b>	<b>1347.2</b>	<b>1347.2</b>
<b>Storage (ac-ft)</b>	<b>0.76</b>	<b>0.98</b>	<b>1.28</b>	<b>1.40</b>	<b>1.58</b>	<b>1.70</b>	<b>1.79</b>
<b>Primary Outlet</b>	<b>15" RCP at 1345.1</b>						
<b>Secondary Outlet</b>	<b>Overtopping embankment/curb approx. 40' wide at 1346.9</b>						

J:\PROJECTS\2014\1401010187\_EQUIV\VENTURES COMMERCIAL DEV\05-CIVIL\CAD\DRAWING\14187\_DUP.DWG

**Appendix J - Plat**

---

## LEGAL DESCRIPTION

A replat of Lot 2, Westgate Village 2nd Addition, Wichita, Sedgwick County, Kansas.

## NOTES

- LOCATION: Located in west Wichita, west of Maize Road and north of 13th Street in an area of mixed uses having single family housing, multi-family housing, business offices, commercial retail, bank, convenience store and restaurants.
- LOT TOTAL - 1
- EXISTING/PROPOSED USES: Existing - Vacant Land  
Proposed - Retail Grocery Store
- ZONING: Existing - Limited Commercial Zoning District - "LC"  
Proposed - Limited Commercial Zoning - "LC"  
Plat Area: 70,996 sq. ft. or 1.63 acres ±
- SURVEY DATE: April 2014 (by MKEC)
- PUBLIC UTILITIES: A municipal sanitary sewer and water is provided along the south side of the property north of 13th Street.
- ACCESS / ACCESS CONTROLS: Two full movement openings on the west side of property. One full movement openings on the south side of property, as shown hereon.
- RESERVES: One Reserve
- FLOOD: According to FEMA FIRM Community Unit Panel 20173C0330F, effective date February 2nd, 2007; this property lies within flood zone "X", "Areas determined to be outside the 0.2% annual chance floodplain."
- DRAINAGE: A drainage report shall accompany this plat and will be submitted to the Public Works & Utilities Department - Stormwater Management Division.
- BUILDING SETBACKS: As per Zoning District

## LEGEND

- ▲ - Section Corner Monument Found
- - Set 3/4" rebar w/ MKEC  
CLS 39 id. cap or see annotation for type
- - Found 3/4" rebar w/ MKEC  
CLS 39 id cap or see annotation for type
- ◆ - Benchmark
- (M) - Measured
- (CP) - Calculated from platted
- (P) - Platted
- ⊕ - Water Meter
- ⊕ - Water Valve
- ⊕ - Fire Hydrant
- ⊕ - Stormwater Manhole
- ⊕ - Sanitary Sewer Manhole
- ⊕ - Manhole
- ⊕ - Storm Inlet
- ⊕ - Telephone Manhole
- ⊕ - Telephone Vault
- ⊕ - Telephone Riser
- ⊕ - Telephone Riser
- ⊕ - Light Pole
- ⊕ - Traffic Signal Manhole
- ⊕ - Sign
- ⊕ - Electrical Control Box
- ⊕ - Power Pole
- ⊕ - Overhead Electric
- ⊕ - Gas Line
- ⊕ - Sanitary Sewer Line
- ⊕ - Storm Sewer Line
- ⊕ - Underground Telephone Line
- ⊕ - Water Line
- ⊕ - Major Contour
- ⊕ - Minor Contour
- ⊕ - Existing Structure




1"=30' / 1 : 360

Basis of Bearing: Kansas coordinate system of 1983 south zone grid bearing of S87°03'10"E on the south line of the SE 1/4, Sec. 7, T27S, R1W, 6th P.M. This plat is surveyed and platted on NAVD88-09 using Kansas state plane south zone coordinates, modified to the surface, having a combined adjustment scale factor of 1.000120014401728

## BENCH MARK

BM#1 Chiseled square on top of curb at the north return near the Northwest corner of Westgate and 13th Street.  
Elev. = 1346.63 NAVD 88.

SW. cor., SE 1/4, Sec. 7, T27S, R1W, 6th P.M.  
Set 3/4" Pipe



# PRELIMINARY PLAT

A portion of the SE 1/4, Sec. 7, T27S, R1W, 6th P.M.


# WESTGATE VILLAGE THIRD ADDITION

DEVELOPER: Equity Ventures Commercial Development, L.C.  
OWNER: Credit Union of America

3501 SW Fairlawn Road, Suite 200 Topeka, KS 66614 (785) 272-1398  
P.O. Box 47528 Wichita, KS 67201 (316) 265-3272

MINIMUM PAD ELEVATION LOWEST OPENING		
LOT	BLOCK	ELEVATION (NAVD88)
1	1	1351.0

Date submitted: May 12th, 2014  
Subdivision Hearing: May 29th, 2014



Westgate Village Third Addition

CERTIFICATE OF SURVEY

I, Curtis W. Luttrell, a registered land surveyor in Kansas, do hereby certify that I have been in responsible charge of surveying and platting of "WESTGATE VILLAGE THIRD ADDITION" an addition to Wichita, Sedgwick County, Kansas, into a Lot, and a Block, the same being accurately set forth in the accompanying plat and described herein:

A replat of Lot 2, Westgate Village 2nd Addition, Wichita, Sedgwick County, Kansas.

All streets, easements, rights-of-way, building setbacks, access controls, together with all other public dedications within the above described property, are hereby vacated and replatted by virtue of K.S.A. 12-512b, as amended.

I hereby certify that the details of this plat are correct to the best of my knowledge and belief this \_\_\_ day of \_\_\_, 2014.

Curtis W. Luttrell, R.L.S. #1238
MKEC Engineering, Inc.
411 North Webb Road
Wichita, Kansas 67206

OWNER'S CERTIFICATE

Know all men by these presents that we the undersigned property owners of the land above set forth in the Registered Land Surveyor's Certificate, have caused the same to be surveyed and platted into a Lot, and a Block, the same to be known as "WESTGATE VILLAGE THIRD ADDITION" an addition to Wichita, Sedgwick County, Kansas.

Easements for the construction and maintenance of drainage and utilities, as indicated hereon, are hereby granted to the public.

All abutters rights of access to or from 13th Street Avenue over and across the south line of "WESTGATE VILLAGE THIRD ADDITION," are hereby granted to the appropriate governing body, provided however one full movement opening as indicated on adjoining Lot hereon. All abutters rights of access to or from Westgate Street over and across the west line of "WESTGATE VILLAGE THIRD ADDITION," are hereby granted to the appropriate governing body, provided however two full movement openings as indicated hereon.

A drainage plan has been developed for this plat. All drainage easements, rights-of-way, shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.

Lot 1, Block 1, shall adhere to the minimum pad elevation table shown hereon.

Reserve "A" is platted for landscaping, irrigation, signs, monuments, walls / fences, parking, drainage, and utilities confined to easements.

Credit Union of America

Bob Thurman, President

STATE OF KANSAS, SEDGWICK COUNTY) ss:



This Instrument was acknowledged before me on \_\_\_ day of \_\_\_, 2014, by Bob Thurman, President, Credit Union of America.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, the day and year last above written.

Attest Seal


Notary Public:

My Term Expires:



Basis of Bearing: Kansas coordinate system of 1983 south zone grid bearing of S87°03'10"E on the south line of the SE 1/4, Sec. 7, T27S, R1W, 6th P.M. This plat is surveyed and platted on NAVD88-09 using Kansas state plane south zone coordinates, modified to the surface, having a combined adjustment scale factor of 1.000120014401728

FINAL PLAT
WESTGATE VILLAGE THIRD ADDITION
AN ADDITION TO WICHITA, SEDGWICK COUNTY, KANSAS



LEGEND

- Section Corner Monument Found
Set 3/8" rebar w/ MKEC CLS 39 id, cap or see annotation for type
Found 3/8" rebar w/ MKEC CLS 39 id cap or see annotation for type
Benchmark (M) = Measured
(CP) = Calculated from platted
(P) = Platted

BENCH MARK

Chiseled square on top of curb at the north return near the northwest corner of Westgate and 13th Street. Elev.=1346.63 NAVD 88.

Table with columns: LOT, BLOCK, ELEVATION (NAVD88). Row 1: 1, 1, 1351.0

PLANNING COMMISSION CERTIFICATE

This plat of "WESTGATE THIRD ADDITION" has been submitted to and approved by the Wichita-Sedgwick County Metropolitan Area Planning Commission, Wichita, Kansas.

Dated this \_\_\_ day of \_\_\_, 2014

WICHITA-SEDGWICK COUNTY METROPOLITAN AREA PLANNING COMMISSION

By Don Klausmeyer, Chair

Attest:

John L. Schlegel, Secretary

GOVERNING BODY CERTIFICATE

This Plat approved and all dedications shown hereon, accepted by the Wichita City Council of the City of Wichita, Kansas dated this \_\_\_ day of \_\_\_, 2014.

At the direction of the City Council.

Carl Brewer, Mayor

Attest:

Karen Sublett, City Clerk

TRANSFER RECORD

STATE OF KANSAS, SEDGWICK COUNTY) ss:

Entered on transfer record this \_\_\_ day of \_\_\_, 2014

Kelly B. Arnold, County Clerk

REGISTER OF DEEDS' CERTIFICATE

STATE OF KANSAS, SEDGWICK COUNTY) ss:

This is to certify that this instrument was filed for record in the Register of Deeds Office this day of \_\_\_, 2014, at \_\_\_ o'clock \_\_\_ M; and is duly recorded.

Bill Meek, Register of Deeds

Attest:

Tonya E. Buckingham, Deputy

COUNTY SURVEYOR

STATE OF KANSAS, SEDGWICK COUNTY) ss:


Reviewed in accordance with K.S.A. 58-2005 on this \_\_\_ day of \_\_\_, 2014.

Tricia L. Robello, LS #1246
Deputy County Surveyor
Sedgwick County, Kansas



## **Appendix K - Proposed Drainage Basins**

---



Drainage Area = 7.1 ac.

Drainage Area = 8.7 ac.

Project Boundary

Drainage Area = 0.5 ac.

Drainage Area = 0.4 ac.

Drainage Area = 11.5 ac.

Drainage Area = 16.4 ac.

**A**  
6.1 Ac.

**B**  
0.5 Ac.

**C**  
0.6 Ac.

**D**  
0.4 Ac.

**E**  
1.1 Ac.

**F**  
2.8 Ac.

**G**  
4.9 Ac.

SEC: 7  
TWP: T27S  
RNG: R1W

©2013  
MKEC Engineering  
All Rights Reserved  
www.mkec.com  
These drawings and their contents, including, but not limited to, all concepts, designs, & ideas are the exclusive property of MKEC Engineering (MKEC), and may not be used or reproduced in any way without the express consent of MKEC.

**MKEC**  
Wichita, KS · 316.684.9600

Proposed Drainage Basins WESTGATE VILLAGE THIRD ADDITION			
PROJECT NO. 1401010187	DATE: 5/16/2014	SHEET NO.	
DRAWN BY: JGD	DESIGNED BY: JGD	APPROVED BY: KLA	1 OF 1

Path: J:\Projects\201417401010187\_EquityVentures Commercial Dev\05-Civil\GIS\Proposed Drainage Basins.mxd - Date: 5/16/2014

## **Appendix L - Water Quality**

---

**Water Quality Volume Calculations  
Westgate Village Third Addition**

**Proposed Site**

**Volumetric Runoff Coefficients by Land Use and Hydraulic Soil Group**

Land Use	Hydrologic Soil Group								Total Area (ac)
	A		B		C		D		
	Area (ac)	R <sub>v</sub>	Area (ac)	R <sub>v</sub>	Area (ac)	R <sub>v</sub>	Area (ac)	R <sub>v</sub>	
Undisturbed		0.02		0.03		0.04		0.05	0
Disturbed Pervious		0.15		0.20	0.255	0.22		0.25	0.255
Impervious Cover		0.95		0.95	1.445	0.95		0.95	1.445
<b>Total Area (ac)</b>	0.00		0.00		1.70		0		<b>1.7</b>
<b>Volumetric Runoff Coefficient (R<sub>v</sub>)</b>	0.00		0.00		0.84		0.00		<b>0.84</b>

Rainfall Depth (P) (in)	1.2
Water Quality Protection Volume (WQ <sub>v</sub> ) (ac-ft)	0.14
Water Quality Protection Volume (Q <sub>wv</sub> ) (in)	1.01
Redevelopment	No

## **Appendix M - Lot Grading Plan**

---

LOT GRADING PLAN FOR  
**WESTGATE VILLAGE THIRD ADDITION**  
WICHITA, KANSAS

©2013 MKEC Engineering  
All Rights Reserved  
www.mkec.com  
These drawings and their contents, including, but not limited to, all concepts, designs, & notes are the exclusive property of MKEC Engineering (MKEC), and may not be used or reproduced in any way without the express consent of MKEC.




LOT GRADING PLAN

PROJECT NO.	14187	
DATE	MAY 2014	
SCALE	AS NOTED	
DESIGNED	DRAWN	CHECKED
KLA	DM	GJA

NO.	REVISION	DATE

SHEET NO.

J:\PROJECTS\2014\14187\10187\_EQUITYVENTURES COMMERCIAL DEV\05-CIVIL\CAD\GRO\14187\_LGP.DWG



- LEGEND**
- CONIFEROUS TREE & DIAMETER
  - DECIDUOUS TREE & DIAMETER
  - SIGN
  - BUSH
  - EDGE OF TREES
  - FENCE
  - SANITARY SEWER MANHOLE
  - GAS METER
  - POLE
  - HIGH LINE POLE
  - GATE
  - WALL
  - LIGHT POLE
  - FIRE HYDRANT
  - WATER VALVE
  - WATER METER
  - POWER POLE AND GUY ANCHOR
  - TELEPHONE RISER
  - INLET
  - STORM SEWER PIPE
  - WATER LINE
  - SANITARY SEWER LINE
  - GAS LINE
  - TELEPHONE LINE
  - UGE --- UNDERGROUND ELECTRIC LINE
  - OHT --- OVERHEAD TELEPHONE
  - OHE --- OVERHEAD ELECTRIC
  - FOC --- UNDERGROUND FIBER OPTIC CABLE
  - △ SECTION CORNER
  - PROPERTY CORNER FOUND
  - BENCHMARK
  - WO - WALKOUT
  - VO - VIEWOUT
  - TWO - TERRACED MEWOUT
  - TWO - TERRACED WALKOUT
  - \* MAY REQUIRE THICKER FOOTING AND/OR ENGINEERED FILL UNDER FOOTINGS
  - 50.0 - SPOT ELEV.
  - PAD=1362.8  
ADD 2 STEPS  
TF=1364.8  
WO=1357.1  
PAD=1362.8  
ADD 2 STEPS  
TF=1364.8  
VO=1357.1
  - PROP. HOUSE ELEV.
  - EXIST. PLOT PLAN HOUSE ELEV.
  - FLOW ARROWS

SW. cor., SE. 1/4, Sec. 7,  
T27S, R1W, 6th P.M.  
Set 3/4" Pipe

**BENCH MARK**  
BM#1 Chiseled square on top of curb at the north return near the northwest corner of Westgate and 13th Street.  
Elev.=1346.63 NAVD 88.

SE. cor., SE. 1/4, Sec. 7,  
T27S, R1W, 6th P.M.  
Set 3/4" Bar