

Table of Contents

***** MASTER SUMMARY *****

Watershed..... Master Network Summary 1.01

***** DESIGN STORMS SUMMARY *****

Sedgwick24..... Design Storms 2.01

Sedgwick24..... 2y24h
Design Storms 2.03

***** POND VOLUMES *****

POND A..... Vol: Elev-Area 3.01

POND B..... Vol: Elev-Area 3.02

POND C..... Vol: Elev-Area 3.03

POND D..... Vol: Elev-Area 3.04

MASTER DESIGN STORM SUMMARY

Default Network Design Storm File, ID SEDGWICK.RN Sedgwick24

Return Event	Total Depth in	Rainfall Type	RNF File	RNF ID
2y24h	3.5000	Synthetic Curve	SCSTYPES	Type I 24hr
5y24h	4.5000	Synthetic Curve	SCSTYPES	Type I 24hr
10y24h	5.3000	Synthetic Curve	SCSTYPES	Type I 24hr
25y24h	6.1000	Synthetic Curve	SCS	SCSI
50y24h	7.0000	Synthetic Curve	SCSTYPES	Type I 24hr
100y24	7.9000	Synthetic Curve	SCSTYPES	Type I 24hr
500y24	9.6000	Synthetic Curve	SCSTYPES	Type I 24hr

ICPM CALCULATION TOLERANCES

Target Convergence= .000 cfs +/-
 Max. Iterations = 35 loops
 ICPM Time Step = .0500 hrs
 Output Time Step = .0500 hrs
 ICPM Ending Time = 35.0000 hrs

MASTER NETWORK SUMMARY
 SCS Unit Hydrograph Method

(*Node=Outfall; +Node=Diversi on;)
 (Trun= HYG Truncati on; Blank=None; L=Left; R=Rt; LR=Left&Rt)

Storage Node ID	Return Type	Event	HYG Vol ac-ft	Trun	Qpeak hrs	Qpeak cfs	Max WSEL ft	Max Pond ac-ft
BASIN A	AREA	2	.487		12.0500	6.66		
BASIN A	AREA	5	.809		12.0500	11.54		
BASIN A	AREA	10	1.093		12.0500	15.79		
BASIN A	AREA	25	1.394		12.0000	9.44		
BASIN A	AREA	50	1.749		12.0500	25.43		
BASIN A	AREA	100	2.116		12.0500	30.74		
BASIN A	AREA	500	2.836		12.0500	40.96		
BASIN B	AREA	2	1.369		12.0500	18.71		
BASIN B	AREA	5	2.274		12.0500	32.43		
BASIN B	AREA	10	3.072		12.0500	44.38		

MASTER NETWORK SUMMARY
SCS Unit Hydrograph Method

(*Node=Outfall; +Node=Diversi on;)
(Trun= HYG Truncati on; Bl ank=None; L=Left; R=Rt; LR=Left&Rt)

Storage Node ID	Return Type	Event	HYG Vol		Qpeak	Qpeak	Max WSEL	Max Pond
			ac-ft	Trun	hrs	cfs	ft	ac-ft
-								
BASIN B	AREA	25	3.919		12.0000	26.52		
BASIN B	AREA	50	4.915		12.0500	71.47		
BASIN B	AREA	100	5.948		12.0500	86.38		
BASIN B	AREA	500	7.969		12.0500	115.11		
BASIN C	AREA	2	7.881		12.0500	107.67		
BASIN C	AREA	5	13.084		12.0500	186.63		
BASIN C	AREA	10	17.678		12.0500	255.38		
BASIN C	AREA	25	22.550		12.0000	152.63		
BASIN C	AREA	50	28.285		12.0500	411.26		
BASIN C	AREA	100	34.226		12.0500	497.06		
BASIN C	AREA	500	45.861		12.0500	662.43		
BASIN D	AREA	2	1.344		12.0500	18.37		
BASIN D	AREA	5	2.232		12.0500	31.84		
BASIN D	AREA	10	3.015		12.0500	43.56		
BASIN D	AREA	25	3.846		12.0000	26.04		
BASIN D	AREA	50	4.825		12.0500	70.15		
BASIN D	AREA	100	5.838		12.0500	84.79		
BASIN D	AREA	500	7.823		12.0500	112.99		
POND A	POND	2	.854		12.0000	10.62		
POND A	POND	5	1.284		12.0000	16.66		
POND A	POND	10	1.654		12.0000	21.86		
POND A	POND	25	2.042		12.0000	12.85		
POND A	POND	50	2.494		12.0000	33.58		
POND A	POND	100	2.959		12.0000	40.01		
POND A	POND	500	3.863		12.0000	52.41		
POND A	OUT POND	2	.256		21.9500	.22	1332.57	.768
POND A	OUT POND	5	.612		24.9500	.46	1332.82	1.106
POND A	OUT POND	10	.893		25.3500	.66	1333.05	1.423
POND A	OUT POND	25	1.219		16.3500	.98	1333.17	1.589
POND A	OUT POND	50	1.625		15.3500	1.63	1333.32	1.810
POND A	OUT POND	100	2.059		14.8000	2.40	1333.51	2.081

MASTER NETWORK SUMMARY
SCS Unit Hydrograph Method

(*Node=Outfall; +Node=Diversi on;)
(Trun= HYG Truncati on: Bl ank=None; L=Left; R=Rt; LR=Left&Rt)

Storage Node ID	Type	Return Event	HYG Vol ac-ft	Trun	Qpeak hrs	Qpeak cfs	Max WSEL ft	Max Pond ac-ft
POND A	OUT POND	500	2.922		14.5500	3.48	1333.88	2.624
POND A	OUT POND	2	-.028		14.8000	-.11(-Q)		
POND A RAIN	AREA	2	.366		11.9000	5.82		
POND A RAIN	AREA	5	.475		11.9000	7.49		
POND A RAIN	AREA	10	.561		11.9000	8.83		
POND A RAIN	AREA	25	.648		11.6500	3.42		
POND A RAIN	AREA	50	.745		11.9000	11.67		
POND A RAIN	AREA	100	.843		11.9000	13.17		
POND A RAIN	AREA	500	1.027		11.9000	16.01		
POND B	POND	2	2.274		12.0000	25.41		
POND B	POND	5	3.714		12.0000	41.11		
POND B	POND	10	4.928		12.0000	54.70		
POND B	POND	25	6.267		12.0000	32.45		
POND B	POND	50	7.874		12.0000	85.55		
POND B	POND	100	9.527		12.0000	102.37		
POND B	POND	500	12.763		12.0000	134.91		
POND B	OUT POND	2	1.363		18.4500	.84	1332.54	1.352
POND B	OUT POND	5	2.497		15.8500	1.67	1332.78	1.941
POND B	OUT POND	10	3.521		14.8000	2.42	1332.99	2.467
POND B	OUT POND	25	4.777		13.1500	6.57	1333.10	2.767
POND B	OUT POND	50	6.341		12.5000	13.20	1333.26	3.199
POND B	OUT POND	100	7.960		12.4000	20.32	1333.43	3.664
POND B	OUT POND	500	11.157		12.3000	39.95	1333.74	4.484
POND B RAIN	AREA	2	.676		11.9000	10.75		
POND B RAIN	AREA	5	.876		11.9000	13.84		
POND B RAIN	AREA	10	1.036		11.9000	16.30		
POND B RAIN	AREA	25	1.196		11.6500	6.31		
POND B RAIN	AREA	50	1.376		11.9000	21.55		
POND B RAIN	AREA	100	1.556		11.9000	24.32		
POND B RAIN	AREA	500	1.896		11.9000	29.56		

MASTER NETWORK SUMMARY
SCS Unit Hydrograph Method

(*Node=Outfall; +Node=Diversi on;)
(Trun= HYG Truncati on: Bl ank=None; L=Left; R=Rt; LR=Left&Rt)

Storage Node ID	Return Type	Event	HYG Vol ac-ft	Trun	Qpeak hrs	Qpeak cfs	Max WSEL ft	Max Pond ac-ft
POND C	POND	2	11.357		12.0500	125.97		
POND C	POND	5	18.319		12.0500	210.30		
POND C	POND	10	24.437		12.0500	283.48		
POND C	POND	25	31.065		12.0000	174.13		
POND C	POND	50	38.926		12.0500	449.32		
POND C	POND	100	47.049		12.0500	543.63		
POND C	POND	500	62.943		12.0500	731.01		
POND C	OUT POND	2	.825		12.2000	1.57	1326.32	10.557
POND C	OUT POND	5	1.450		12.8000	5.46	1327.05	16.870
POND C	OUT POND	10	2.040		12.3000	9.76	1327.65	22.397
POND C	OUT POND	25	2.719		12.0500	10.54	1328.28	28.335
POND C	OUT POND	50	3.539		12.5000	17.92	1328.99	35.381
POND C	OUT POND	100	4.435		12.2500	28.88	1329.70	42.600
POND C	OUT POND	500	6.237		12.1500	44.99	1331.02	56.701
POND C RAIN	AREA	2	2.114		11.9000	33.59		
POND C RAIN	AREA	5	2.738		11.9000	43.24		
POND C RAIN	AREA	10	3.238		11.9000	50.95		
POND C RAIN	AREA	25	3.738		11.8500	19.73		
POND C RAIN	AREA	50	4.300		11.9000	67.34		
POND C RAIN	AREA	100	4.863		11.9000	76.01		
POND C RAIN	AREA	500	5.925		11.9000	92.38		
*POND D	POND	2	2.677		12.0000	24.06		
*POND D	POND	5	4.339		12.0000	39.86		
*POND D	POND	10	5.833		12.0000	53.63		
*POND D	POND	25	7.462		12.0000	41.12		
*POND D	POND	50	9.395		12.0500	94.13		
*POND D	POND	100	11.440		12.0500	113.73		
*POND D	POND	500	15.481		12.0500	155.57		
*POND D	OUT POND	2	.000		.0500	.00	1326.31	2.655
*POND D	OUT POND	5	.000		.0500	.00	1327.05	4.319
*POND D	OUT POND	10	.000		.0500	.00	1327.65	5.812

MASTER NETWORK SUMMARY
SCS Unit Hydrograph Method

(*Node=Outfall; +Node=Diversi on;)
(Trun= HYG Truncati on: Bl ank=None; L=Left; R=Rt; LR=Left&Rt)

Storage Node ID	Return Type Event	HYG Vol ac-ft	Trun	Qpeak hrs	Qpeak cfs	Max WSEL ft	Max Pond ac-ft
*POND D	OUT POND 25	.000		.0500	.00	1328.27	7.431
*POND D	OUT POND 50	.000		.0500	.00	1328.99	9.372
*POND D	OUT POND 100	.000		.0500	.00	1329.70	11.412
*POND D	OUT POND 500	.000		.0500	.00	1331.02	15.462
POND D RAIN	AREA 2	.507		11.9000	8.06		
POND D RAIN	AREA 5	.657		11.9000	10.38		
POND D RAIN	AREA 10	.777		11.9000	12.23		
POND D RAIN	AREA 25	.897		11.7500	4.73		
POND D RAIN	AREA 50	1.032		11.9000	16.16		
POND D RAIN	AREA 100	1.167		11.9000	18.24		
POND D RAIN	AREA 500	1.422		11.9000	22.17		

Type... Design Storms
Name... Sedgwick24

File... C:\HAESTAD\PPKW\RAINFALL\SEDGWICK.RNO
Title...

JOB TITLE NOT SPECIFIED
Click Project Summary on the File Menu to enter title

DESIGN STORMS SUMMARY

Design Storm File, ID = SEDGWICK.RNO Sedgwick24

Storm Tag Name = 2y24h

Data Type, File, ID = Synthetic Storm SCSTYPES.RNF Type I 24hr
Storm Frequency = 2 yr
Total Rainfall Depth= 3.5000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Storm Tag Name = 5y24h
Description: Sedgwick County 5-yr 24 hour Duration

Data Type, File, ID = Synthetic Storm SCSTYPES.RNF Type I 24hr
Storm Frequency = 5 yr
Total Rainfall Depth= 4.5000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Storm Tag Name = 10y24h

Data Type, File, ID = Synthetic Storm SCSTYPES.RNF Type I 24hr
Storm Frequency = 10 yr
Total Rainfall Depth= 5.3000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Storm Tag Name = 25y24h
Description: Sedgwick County - 25 year - 24hour

Data Type, File, ID = Synthetic Storm SCS.RNF SCS I
Storm Frequency = 25 yr
Total Rainfall Depth= 6.1000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= 1.0000 hrs End= 24.0000 hrs

Type... Design Storms
Name... Sedgwick24

File... C:\HAESTAD\PPKW\RAINFALL\SEDGWICK.RNO
Title...

JOB TITLE NOT SPECIFIED
Click Project Summary on the File Menu to enter title

DESIGN STORMS SUMMARY

Design Storm File, ID = SEDGWICK.RNO Sedgwick24

Storm Tag Name = 50y24h

Data Type, File, ID = Synthetic Storm SCSTYPES.RNF Type I 24hr
Storm Frequency = 50 yr
Total Rainfall Depth= 7.0000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Storm Tag Name = 100y24

Data Type, File, ID = Synthetic Storm SCSTYPES.RNF Type I 24hr
Storm Frequency = 100 yr
Total Rainfall Depth= 7.9000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Storm Tag Name = 500y24

Data Type, File, ID = Synthetic Storm SCSTYPES.RNF Type I 24hr
Storm Frequency = 500 yr
Total Rainfall Depth= 9.6000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Type... Design Storms
Name... Sedgwick24
File... C:\HAESTAD\PPKW\RAI NFALL\SEDGWI CK. RNO
Storm... Typell 24hr Tag: 2y24h

Page 2.03
Event: 2 yr

DESIGN STORMS SUMMARY

Design Storm File, ID = SEDGWI CK. RNO Sedgwick24

Storm Tag Name = 2y24h

Data Type, File, ID = Synthetic Storm SCSTYPES. RNF Typell 24hr
Storm Frequency = 2 yr
Total Rainfall Depth= 3.5000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Storm Tag Name = 5y24h
Description: Sedgwick County 5-yr 24 hour Duration

Data Type, File, ID = Synthetic Storm SCSTYPES. RNF Typell 24hr
Storm Frequency = 5 yr
Total Rainfall Depth= 4.5000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Storm Tag Name = 10y24h

Data Type, File, ID = Synthetic Storm SCSTYPES. RNF Typell 24hr
Storm Frequency = 10 yr
Total Rainfall Depth= 5.3000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Storm Tag Name = 25y24h
Description: Sedgwick County - 25 year - 24hour

Data Type, File, ID = Synthetic Storm SCS. RNF SCSII
Storm Frequency = 25 yr
Total Rainfall Depth= 6.1000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= 1.0000 hrs End= 24.0000 hrs

Storm Tag Name = 50y24h

Data Type, File, ID = Synthetic Storm SCSTYPES. RNF Typell 24hr
Storm Frequency = 50 yr
Total Rainfall Depth= 7.0000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Type... Design Storms
Name... Sedgwick24
File... C:\HAESTAD\PPKW\RAI NFALL\SEDGWICK.RN0
Storm... Typell 24hr Tag: 2y24h

Page 2.04
Event: 2 yr

DESIGN STORMS SUMMARY

Design Storm File, ID = SEDGWICK.RN0 Sedgwick24

Storm Tag Name = 100y24

Data Type, File, ID = Synthetic Storm SCSTYPES.RNF Typell 24hr
Storm Frequency = 100 yr
Total Rainfall Depth= 7.9000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Storm Tag Name = 500y24

Data Type, File, ID = Synthetic Storm SCSTYPES.RNF Typell 24hr
Storm Frequency = 500 yr
Total Rainfall Depth= 9.6000 in
Duration Multiplier = 1
Resulting Duration = 24.0000 hrs
Resulting Start Time= .0000 hrs Step= .1000 hrs End= 24.0000 hrs

Elevation (ft)	Planimeter (sq. in)	Area (acres)	A1+A2+sqr(A1*A2) (acres)	Volume (ac-ft)	Volume Sum (ac-ft)
1332.00	-----	1.3000	.0000	.000	.000
1333.00	-----	1.4000	4.0491	1.350	1.350
1334.00	-----	1.5000	4.3491	1.450	2.799
1335.00	-----	1.6000	4.6492	1.550	4.349

POND VOLUME EQUATIONS

* Incremental volume computed by the Conic Method for Reservoir Volumes.

$$\text{Volume} = (1/3) * (\text{EL2}-\text{EL1}) * (\text{Area1} + \text{Area2} + \text{sq. rt.}(\text{Area1}*\text{Area2}))$$

where: EL1, EL2 = Lower and upper elevations of the increment
 Area1, Area2 = Areas computed for EL1, EL2, respectively
 Volume = Incremental volume between EL1 and EL2

Elevation (ft)	Planimeter (sq. in)	Area (acres)	A1+A2+sqr(A1*A2) (acres)	Volume (ac-ft)	Volume Sum (ac-ft)
1332.00	-----	2.4000	.0000	.000	.000
1333.00	-----	2.6000	7.4980	2.499	2.499
1334.00	-----	2.8000	8.0981	2.699	5.199
1335.00	-----	2.9000	8.5496	2.850	8.049

POND VOLUME EQUATIONS

* Incremental volume computed by the Conic Method for Reservoir Volumes.

$$\text{Volume} = (1/3) * (\text{EL2}-\text{EL1}) * (\text{Area1} + \text{Area2} + \text{sq. rt.}(\text{Area1}*\text{Area2}))$$

where: EL1, EL2 = Lower and upper elevations of the increment
 Area1, Area2 = Areas computed for EL1, EL2, respectively
 Volume = Incremental volume between EL1 and EL2

Elevation (ft)	Planimeter (sq. in)	Area (acres)	A1+A2+sqr(A1*A2) (acres)	Volume (ac-ft)	Volume Sum (ac-ft)
1325.00	-----	7.5000	.0000	.000	.000
1326.00	-----	8.2000	23.5422	7.847	7.847
1327.00	-----	8.9000	25.6428	8.548	16.395
1328.00	-----	9.6000	27.7434	9.248	25.643
1329.00	-----	10.0000	29.3980	9.799	35.442
1330.00	-----	10.5000	30.7470	10.249	45.691
1331.00	-----	11.0000	32.2471	10.749	56.440
1332.00	-----	11.5000	33.7472	11.249	67.689
1333.00	-----	12.0000	35.2473	11.749	79.438

POND VOLUME EQUATIONS

* Incremental volume computed by the Conic Method for Reservoir Volumes.

$$\text{Volume} = (1/3) * (\text{EL2}-\text{EL1}) * (\text{Area1} + \text{Area2} + \text{sq. rt.}(\text{Area1}*\text{Area2}))$$

where: EL1, EL2 = Lower and upper elevations of the increment
 Area1, Area2 = Areas computed for EL1, EL2, respectively
 Volume = Incremental volume between EL1 and EL2

Elevation (ft)	Planimeter (sq.in)	Area (acres)	A1+A2+sq ^r (A1*A2) (acres)	Volume (ac-ft)	Volume Sum (ac-ft)
1325.00	-----	1.8000	.0000	.000	.000
1326.00	-----	2.1000	5.8442	1.948	1.948
1327.00	-----	2.4000	6.7450	2.248	4.196
1328.00	-----	2.6000	7.4980	2.499	6.696
1329.00	-----	2.8000	8.0981	2.699	9.395
1330.00	-----	3.0000	8.6983	2.899	12.295
1331.00	-----	3.2000	9.2984	3.099	15.394
1332.00	-----	3.4000	9.8985	3.299	18.694
1333.00	-----	3.6000	10.4986	3.500	22.193

POND VOLUME EQUATIONS

* Incremental volume computed by the Conic Method for Reservoir Volumes.

$$\text{Volume} = (1/3) * (\text{EL2}-\text{EL1}) * (\text{Area1} + \text{Area2} + \text{sq. rt.}(\text{Area1}*\text{Area2}))$$

where: EL1, EL2 = Lower and upper elevations of the increment
 Area1, Area2 = Areas computed for EL1, EL2, respectively
 Volume = Incremental volume between EL1 and EL2

Index of Starting Page Numbers for ID Names

----- P -----

POND A... 3.01

POND B... 3.02

POND C... 3.03

POND D... 3.04

----- S -----

Sedgwick24... 2.01, 2.03

----- W -----

Watershed... 1.01