



**NOTES:**

1. Excess runoff from the 100-year design storm will be detained and/or retained on site by means of parking lot and raingarden detention, rooftop or underground storage, or porous pavement.
2. Parking lot detention will be limited to 8" depth, except that every parking space where 8" depth may be exceeded shall have a post-mounted warning sign at the front of the stall, clearly noting: "WARNING - STORMWATER PONDING AREA".
3. Excess runoff will be calculated on the basis of the change in impervious area from the existing (partly residential) land use to the proposed land use as indicated on this plan.
4. Final drainage system design, including runoff and detention calculations, is to be submitted to the Engineering Division for approval, prior to or at the time of building and site plan review by OCI.

**BENCHMARK:**

On Site B.M.: "□" Cut Top of curb, S. curb return at N.E. Corner of Central & Spruce  
 Elev. = 114.55 (City of Wichita Datum)  
 Elev. = 1301.95 (M.S.L.)



SCALE: 1"=40'

<b>HUNTER HEALTH CLINIC 2ND ADDITION          DRAINAGE PLAN          WICHITA, KANSAS</b>			
	<b>Ruggles &amp; Bohm, P.A.</b> Engineering, Surveying, Land Planning		DESIGN TCR
	824 North Main Wichita, Kansas 67203 www.rbkansas.com		(316) 264-8008 (316) 264-4621 fax E-mail: info@rbkansas.com
DRAWING FILE Drainage Plan		PROJECT NUMBER	DATE Jan. 22, 2007
			SHEET 1 OF 1