

**SUBDIVISION COMMITTEE
METROPOLITAN AREA PLANNING COMMISSION**

AGENDA ITEM NO. 10.

September 18, 1997

STAFF REPORT
(One-Step Final)

CASE NUMBER: S/D 97-70 ECK 5TH ADDITION

OWNER/APPLICANT: Eck and Eck Machine Co., Inc. Attn. Paul Eck,
4530 W. Harry, Wichita, KS 67209

SURVEYOR/ENGINEER: Baughman Co., P.A., 315 Ellis, Wichita, KS 67211

LOCATION: North side of Harry St. West of Sabin Ave.

SITE SIZE: 4.2 acres

NUMBER OF LOTS


Residential:	
Office:	
Commercial:	
Industrial:	<u>1</u>
Total:	<u>1</u>

MINIMUM LOT AREA: 4.2 acres

CURRENT ZONING: "LI" Limited Industrial and "SF-6" Single Family

PROPOSED ZONING: "LI" Limited Industrial

VICINITY MAP:



Note: This plat is combining Lot 1 of Eck Addition and a previously unplatted parcel of land.

STAFF COMMENTS:

- A. Approval of this plat will be subject to approval of the associated zone change case (Z-3241) and any relevant conditions of such approvals. The zone change must be approved prior to this plat being heard by the full MAPC.
- B. City services appear to be available to this site. **City Engineering** needs to verify if any other guarantees are required, i.e. sewer, water, drainage and so forth.
- C. **Traffic Engineering** needs to comment on the need for any additional improvements to Harry St. as well as the number of access points permitted from this lot to Harry St.
- D. The representatives from **City Engineering** should be prepared to comment on the status of the applicant's drainage plan.
- E. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning department for recording.
- F. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- G. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- H. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (phone 316-729-0102) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- I. The applicant is advised that various State and Federal requirements [specifically but not limited to the Army Corps of Engineers, Kanopolis

Project Office, Rt. 1, Box 317, Valley Center, KS 67147] for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.

- J. Perimeter closure computations shall be submitted with the final plat tracing.
- K. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- L. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- M. The scale should be corrected on the final tracing. The preliminary plat has a scale of 1 inch equals 50 feet and the final plat has a scale of 1 inch equals 100 feet. Both drawings are the same size but have different scales are shown on the plat.
- N. The distances from the tie point to the point of beginning do not correlate with those in the platter's text. Before the final tracing is submitted this should be corrected.