


R = 928.00
Δ = 8° 51' 09"
L = 145.00
Chd = 144.85
Brj = S 3° 39' 47" W

E 1/4 Corner, Sec. 30
T26S, R2E, 6th PM



WILLOWBEND FOURTH ADDITION	AREA	AREA ACCUM.	C	T _c	I ₂	I ₁₀₀	Q ₂	Q ₁₀₀	PIPE SIZE	PIPE SLOPE	INLETS
Willowbend Fourth	2.35		0.65	15	3.83	7.37	5.85	11.26	21" RCP	0.56%	2L = 5'

- BM 1 City Standard, 44' S and 48' W of C. of 37th St. No. & Rock Road
Elev. = 204.11
- BM 2 TBM RR Spike in S. face of corner fence post ± 50' E of E 1/4 Corner,
Sec. 30, T26S, R2E
Elev. = 189.79

DRAINAGE & UTILITY PLAN WILLOWBEND FOURTH ADDITION

OCT. 1986

	DRAINAGE & UTILITY	Design KKL
	PLAN FOR	Drawn by RB
	WILLOWBEND FOURTH ADDITION	Checked by
MID-KANSAS ENGINEERING CONSULTANTS PA 5500 NORTH ROCK ROAD BUILDING 1800 WICHITA, KANSAS 67228		Date OCT. 1986
682-6561		Sheet 1 of 1