Sheet 1 of 1

CAUTION
UNDERGROUND UTILITIES
Please check with K G & E or Southwestern Bell Telephone Co. for Location

Sta. 0+00 Connect New 8" Pipe(S) to Existing MH

Install Reinforced Concrete Encasement from STA 0+00 to STA 0+20

Remove Abandoned 4" Force Main as necessary to facilitate New Const. Plug end of remaining Pipe. Item shall be incidental to the project.

Sta 3+26± End Construction at nearest Joint.

Sta 3+11 Connect New Pipe To Existing M.H.; N&S.

TEMPORARY CONSTRUCTION EASEMENT

TEMPORARY CONSTRUCTION EASEMENT

Saw Joint Incidental to Project. 12 Sq Yds Pavt. Removed & Replaced.

North 23rd St. North

Bend River Addn.

HOOD AVE.

N

Scale: 1"= 20' Plan
Horz. 1"=20' Profile
Vert. 1"=5'

Bench Marks - 126.31 Little Arkansas & 21st St. N. City Std. Disc. NE Cor. Bridge
T.B.M. 125.61 SE Cor. Conc. Porch #2401 N. Hood.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR PRESERVING PROPERTY IRONS. THE CONTRACTOR SHALL BE REQUIRED TO RE ESTABLISH ANY PROPERTY IRONS WHICH ARE DAMAGED OR DESTROYED BY HIS CONSTRUCTION OPERATIONS. SUCH IRONS SHALL BE RE-ESTABLISHED BY A LICENSED LAND SURVEYOR OR A LICENSED PROFESSIONAL ENGINEER IN ACCORDANCE WITH STATE LAWS.

As Built
J. L. Love
11-83

CAUTION
UNDERGROUND UTILITIES
Please check with K G & E or Southwestern Bell Telephone Co. for Location

Sta 0+00 Connect New 8" Pipe(S) to Existing MH. Begin Reinforced Concrete Encasement

Sta 0+20 End Reinforced Concrete Encasement

10± Sta 3+11± Existing MH

22± Sta 3+26± End Const.

EXISTING GROUND

8" Water Line

6" Force Main

Connect to nearest existing Joint.

125
120
115

FFO 118.50 | 118.44 | 118.59 | 118.62 | 118.69 | 118.85 | 118.78 | FFO 118.72 | 118.62

311.0 Lin. Ft. P.V.C. @ 0.15% Grade
Alternate: A.B.S. Comp. Pipe

15± Lin. Ft. 8" V.C.P.

0+00 | 0+50 | 1+00 | 1+50 | 2+00 | 2+50 | 3+00 | 3+50

KANSAS REGISTERED PROFESSIONAL ENGINEER 8211 LICENSED

PROJECT DESCRIPTION	Reconstruct a portion of LATERAL "S", DISTRICT "T", Sanitary Sewer NO. 20 IN ALLEY EAST OF HOOD & SOUTH OF 23rd ST. NO.
PROJECT NUMBER	468-76-245-81257-000-000-001
BOOK NO. DCD-266	APPROVED BY
DRAWN BY LINDSEY	DATE 4-83
	REVISED
CITY OF WICHITA DEPARTMENT OF ENGINEERING	
M. E. LINDEBAK - CITY ENGINEER	SCALE 1/1

10 1 4 2

FILMED FROM THE BEST AVAILABLE COPY.....