



Decker Electric, Inc

4500 W Harry Wichita, KS 67209

T: 316-265-8182

**Change Request**

To: Tyler Dehn  
Wildcat Construction Co Inc  
3219 W May  
Wichita, KS 67213  
Ph: 316-945-9408

Number: 6  
Date: 11/2/16  
Job: 1606-037 Wildcat Const-Pump Station

Description: Bleach Pump Skid Power & Control Wiring Request

**This change is being sent for the following modifications to this project:**

- Install furnished NEMA-1 VFD's remote mounted in MCC Room.
- Provide and install power conduit and wire from panelboard through VFD to Bleach Pump Skid.
- Provide and install VFD control conduit and cabling from VFD's to Bleach Pump Skid for Rupture Disk.
- Provide and install control conduit and cabling from VFD's to SCADA Panel.
- Provide terminations and labeling of control wiring.

Description	Labor	Material	Equipment	Subcontract	Other	Price
Labor	\$4,224.00					\$4,224.00
Material		\$850.00				\$850.00
DJE's					\$350.00	\$350.00
					Subtotal:	\$5,424.00
					<b>Total:</b>	<b>\$5,424.00</b>

If you have any questions, please contact me at 316-491-5174.

Submitted by: Jarret Bergkamp  
Decker Electric Inc.

Approved by: \_\_\_\_\_  
Date: \_\_\_\_\_