



LATERAL 44 SOUTHWEST INTERCEPTOR SEWER  
 BUILT BY: UTILITY CONTR. INC.  
 PROJ. N<sup>o</sup> DBKL 571032 & DBKL 571072  
 BOOKED 6-13-77 FROM AR 255

SCALE 1"=400  
 --- BENEFIT DIST

1999-00143-71779-1402 S Ridge Rd - Scotty Clark - 4" SCH 40 - 2H22 NOTE: New sewer serves new addition & ties back into existing sewer 10'S & 17'E of SW corner of bldg.

| CONSTRUCTION RECORD             |           |        |       |         |   | SERVICE RECORD |                           |            |  |            |                 |            |
|---------------------------------|-----------|--------|-------|---------|---|----------------|---------------------------|------------|--|------------|-----------------|------------|
| STATION                         | ELEVATION |        | Depth | MANHOLE | 4-INCH "Y" BRANCHES                                   |                | No. of Permit             |            | House Number                                       |            | DATE OF PERMITS |            |
|                                 | Ground    | Grade  |       |         | North West  | South East     | North West                | South East | North West   | South East | North West      | South East |
| LATERAL 44 SWI (Cont)<br>LINE 1 |           |        |       |         |   |                |                           |            |  |            |                 |            |
| 28+00                           | 136.2     | 124.13 | 12.1  |         |   |                |                           |            |  |            |                 |            |
|                                 | 137.3     | 124.24 | 13.1  | 28+44.7 |   |                |                           |            |  |            |                 |            |
| 29+00                           | 137.2     | 124.38 | 12.8  |         |   |                |                           |            |  |            |                 |            |
| 30+00                           | 138.2     | 124.63 | 13.6  |         |   |                |                           |            |  |            |                 |            |
| 31+00                           | 139.1     | 124.88 | 14.2  |         |   |                |                           |            |  |            |                 |            |
|                                 | 139.0     | 124.99 | 14.0  | 31+43.1 |   |                |                           |            |  |            |                 |            |
|                                 |           | 125.09 | 13.9  |         |   |                |                           |            |  |            |                 |            |
| 32+00                           | 139.8     | 125.23 | 14.6  |         |   |                |                           |            |  |            |                 |            |
| 33+00                           | 140.0     | 125.48 | 14.5  |         |   |                |                           |            |  |            |                 |            |
|                                 | 139.7     | 125.59 | 14.1  | 33+43.9 |   |                |                           |            |  |            |                 |            |
|                                 |           | 125.69 | 14.0  |         |   |                |                           |            |  |            |                 |            |
| 34+00                           | 139.8     | 125.83 | 14.0  |         |   |                |                           |            |  |            |                 |            |
| 35+00                           | 140.0     | 126.08 | 13.9  |         |   |                |                           |            |  |            |                 |            |
|                                 | 140.5     | 126.19 | 14.3  | 35+45.3 |   |                |                           |            |  |            |                 |            |
|                                 |           | 126.29 | 14.2  |         |   |                |                           |            |  |            |                 |            |
| 36+00                           | 140.5     | 126.43 | 14.1  |         |   |                |                           |            |  |            |                 |            |
| 37+00                           | 140.3     | 126.68 | 13.6  |         |   |                |                           |            |  |            |                 |            |
|                                 | 140.0     | 126.81 | 13.2  | 37+50.7 |   |                |                           |            |  |            |                 |            |
| 38+00                           | 139.2     | 126.93 | 12.3  |         |   |                |                           |            |  |            |                 |            |
| 39+00                           | 137.9     | 127.18 | 10.7  |         |   |                |                           |            |  |            |                 |            |
|                                 | 137.3     | 127.42 | 9.9   | 39+93.4 |   |                |                           |            |  |            |                 |            |
|                                 |           | 127.50 | 9.8   |         |   |                |                           |            |  |            |                 |            |
| 40+00                           | 137.6     | 127.53 | 10.1  |         |   |                |                           |            |  |            |                 |            |
| 41+00                           | 138.0     | 127.78 | 10.2  |         |   |                |                           |            |  |            |                 |            |
| 42+00                           | 137.5     | 128.03 | 9.5   |         |   |                |                           |            |  |            |                 |            |
|                                 | 137.7     | 128.16 | 9.5   | 42+53.0 |   |                |                           |            |  |            |                 |            |
| 43+00                           | 137.6     | 128.28 | 9.3   |         | RISER<br>+19.6" N                                     |                |                           |            |  |            |                 |            |
| 44+00                           | 137.9     | 128.53 | 9.4   |         |   |                |                           |            |  |            |                 |            |
|                                 | 138.4     | 128.73 | 9.7   | 44+78.1 |   |                |                           |            |  |            |                 |            |
| 45+00                           | 138.4     | 128.78 | 9.6   |         |   |                |                           |            |  |            |                 |            |
| 46+00                           | 139.1     | 129.03 | 10.1  |         |   |                |                           |            |  |            |                 |            |
| 47+00                           | 139.5     | 129.28 | 10.2  |         |   |                |                           |            |  |            |                 |            |
|                                 | 139.2     | 129.45 | 9.8   | 47+67.7 | Tied into<br>mt stub<br>mt directly<br>behind guy     |                | 26529                     |            | 7805 W<br>Kellogg                                  |            | 11-15-90        |            |
| 48+00                           | 140.2     | 129.53 | 10.7  |         |   |                |                           |            |  |            |                 |            |
| 49+00                           | 139.4     | 129.78 | 9.6   |         |   |                |                           |            |  |            |                 |            |
|                                 | 139.6     | 129.94 | 9.7   | 49+64.2 | RISER<br>+50.6" N                                     |                | 93-20467                  |            | 7819 W<br>Kellogg                                  |            | 10-8-93         |            |
|                                 |           | 130.06 | 9.5   |         |   |                |                           |            |  |            |                 |            |
| 50+00                           | 139.0     | 130.13 | 8.9   |         |   |                |                           |            |  |            |                 |            |
|                                 | 139.6     | 130.26 | 9.3   | 50+51.5 |   |                |                           |            |  |            |                 |            |
|                                 |           | 130.38 | 9.2   |         |   |                |                           |            |  |            |                 |            |
| 51+00                           | 139.7     | 130.48 | 9.2   |         |   |                |                           |            |  |            |                 |            |
| 52+00                           | 139.4     | 130.73 | 8.7   |         |   |                |                           |            |  |            |                 |            |
| 53+00                           | 140.2     | 130.98 | 9.2   |         | RISER<br>53+00 6" S                                   |                | 97-205637                 |            | 7879<br>Kellogg                                    |            |                 |            |
|                                 | 140.2     | 131.04 | 9.2   | 53+24.5 | 4" SCH 40   |                |                           |            |  |            |                 |            |
| 54+00                           | 140.5     | 131.23 | 9.3   |         | 4" SOR 35<br>53+57.5 top<br>4" SCH 40 PL<br>52+22 TAP |                | 92-3127<br>2000-<br>02645 |            | 1250 S<br>Woodchuck<br>1250 S BearJet<br>Woodchuck |            | 3-4-92          |            |
| 54+38                           | 140.4     | 131.33 | 9.1   |         |   |                |                           |            |  |            |                 |            |
|                                 |           |        |       |         |   |                |                           |            |  |            |                 |            |

CONT. NEXT PAGE

CONSTRUCTION RECORD

SERVICE RECORD

| STATION                         | ELEVATION |        | Depth | MANHOLE | 4-INCH "Y" BRANCHES  |            | No. of Permit            |            | House Number  |            | DATE OF PERMITS   |            |
|---------------------------------|-----------|--------|-------|---------|--|------------|--------------------------|------------|---|------------|-------------------|------------|
|                                 | Ground    | Grade  |       |         | North West   | South East | North West               | South East | North West  | South East | North West        | South East |
| LATERAL 44 SWI (Cont)<br>LINE 1 |           |        |       |         |  |            |                          |            |   |            |                   |            |
| 28+00                           | 136.2     | 124.13 | 12.1  |         |  |            |                          |            |   |            |                   |            |
|                                 | 137.3     | 124.24 | 13.1  | 28+44.7 |  |            |                          |            |   |            |                   |            |
| 29+00                           | 137.2     | 124.38 | 12.8  |         |  |            |                          |            |   |            |                   |            |
| 30+00                           | 138.2     | 124.63 | 13.6  |         |  |            |                          |            |   |            |                   |            |
| 31+00                           | 139.1     | 124.88 | 14.2  |         |  |            |                          |            |   |            |                   |            |
|                                 | 139.0     | 124.99 | 14.0  | 31+43.1 |  |            |                          |            |   |            |                   |            |
|                                 |           | 125.09 | 13.9  |         |  |            |                          |            |   |            |                   |            |
| 32+00                           | 139.8     | 125.23 | 14.6  |         |  |            |                          |            |   |            |                   |            |
| 33+00                           | 140.0     | 125.48 | 14.5  |         |  |            |                          |            |   |            |                   |            |
|                                 | 139.7     | 125.59 | 14.1  | 33+43.9 |  |            |                          |            |   |            |                   |            |
|                                 |           | 125.69 | 14.0  |         |  |            |                          |            |   |            |                   |            |
| 34+00                           | 139.8     | 125.83 | 14.0  |         |  |            |                          |            |   |            |                   |            |
| 35+00                           | 140.0     | 126.08 | 13.9  |         |  |            |                          |            |   |            |                   |            |
|                                 | 140.5     | 126.19 | 14.3  | 35+45.3 |  |            |                          |            |   |            |                   |            |
|                                 |           | 126.29 | 14.2  |         |  |            |                          |            |   |            |                   |            |
| 36+00                           | 140.5     | 126.43 | 14.1  |         |  |            |                          |            |   |            |                   |            |
| 37+00                           | 140.3     | 126.68 | 13.6  |         |  |            |                          |            |   |            |                   |            |
|                                 | 140.0     | 126.81 | 13.2  | 37+50.7 |  |            |                          |            |   |            |                   |            |
| 38+00                           | 139.2     | 126.93 | 12.3  |         |  |            |                          |            |   |            |                   |            |
| 39+00                           | 137.9     | 127.18 | 10.7  |         |  |            |                          |            |   |            |                   |            |
|                                 | 137.3     | 127.42 | 9.9   | 39+93.4 |  |            |                          |            |   |            |                   |            |
|                                 |           | 127.60 | 9.8   |         |  |            |                          |            |   |            |                   |            |
| 40+00                           | 137.6     | 127.53 | 10.1  |         |  |            |                          |            |   |            |                   |            |
| 41+00                           | 138.0     | 127.78 | 10.2  |         |  |            |                          |            |   |            |                   |            |
| 42+00                           | 137.5     | 128.03 | 9.5   |         |  |            |                          |            |   |            |                   |            |
|                                 | 137.7     | 128.16 | 9.5   | 42+53.0 |  |            |                          |            |   |            |                   |            |
| 43+00                           | 137.6     | 128.28 | 9.3   |         | RISER<br>+196"N  |            |                          |            |   |            |                   |            |
| 44+00                           | 137.9     | 128.53 | 9.4   |         |  |            |                          |            |   |            |                   |            |
|                                 | 138.4     | 128.73 | 9.7   | 44+78.1 |  |            |                          |            |   |            |                   |            |
| 45+00                           | 138.4     | 128.78 | 9.6   |         |  |            |                          |            |   |            |                   |            |
| 46+00                           | 139.1     | 129.03 | 10.1  |         |  |            |                          |            |   |            |                   |            |
| 47+00                           | 139.5     | 129.28 | 10.2  |         |  |            |                          |            |   |            |                   |            |
|                                 | 139.2     | 129.45 | 9.8   | 47+67.7 | Tied into<br>mit stub<br>mit directly<br>behind 90°                          |            | 26529                    |            | 7805 W<br>Kellogg   |            | 11-15-90          |            |
| 48+00                           | 140.2     | 129.53 | 10.7  |         |  |            |                          |            |   |            |                   |            |
| 49+00                           | 139.4     | 129.78 | 9.6   |         |  |            |                          |            |   |            |                   |            |
|                                 | 139.6     | 129.94 | 9.7   | 49+64.2 | RISER<br>+1506"N   |            | 93-20467                 |            | 7819 W<br>Kellogg   |            | 10-8-93           |            |
|                                 |           | 130.06 | 9.5   |         |  |            |                          |            |   |            |                   |            |
| 50+00                           | 139.0     | 130.13 | 8.9   |         |  |            |                          |            |   |            |                   |            |
|                                 | 139.6     | 130.26 | 9.3   | 50+51.5 |  |            |                          |            |   |            |                   |            |
|                                 |           | 130.38 | 9.2   |         |  |            |                          |            |   |            |                   |            |
| 51+00                           | 139.7     | 130.48 | 9.2   |         |  |            |                          |            |   |            |                   |            |
| 52+00                           | 139.4     | 130.73 | 8.7   |         |  |            |                          |            |   |            |                   |            |
| 53+00                           | 140.2     | 130.98 | 9.2   |         | RISER<br>53+00 6" S<br>4" SCH 40<br>53+57.5 top<br>4" SCH 40 DL<br>52+22 TAP |            | 97-25637                 |            | 7979<br>Kellogg   |            |                   |            |
|                                 | 140.2     | 131.04 | 9.2   | 53+24.5 |  |            |                          |            |   |            |                   |            |
| 54+00                           | 140.5     | 131.23 | 9.3   |         |  |            | 97-3127<br>2000<br>22645 |            | 1260 S<br>Woodchuck<br>1250 S LearJet<br>Woodchuck mudt<br>oil - 1000 gal - invert on<br>outlet, WROW CO, 1H22, 1H45,<br>1H45 |            | 3-4-92<br>12-5-00 |            |
| 54+38                           | 140.4     | 131.33 | 9.1   |         |  |            |                          |            |   |            |                   |            |

CONT. NEXT PAGE



