

CONSTRUCTION RECORD						SERVICE RECORD						
STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS	
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East
DAVIS MFG. CO. 55 (CONT'D)												
10+00	98.2	91.73	6.5									
11+00	97.8	93.41	4.4									
11+26.5	97.6	93.86	3.7									
LATERAL 12 MAIN 2 SOUTHWEST INTERCEPTOR												
LINE 1 0+00	83.3	71.50	11.80	0+00								
1+00	82.1	71.70	10.4									
	84.8	71.85	13.0	1+76.6								
2+00	85.2	71.90	13.3		2+14.6		6400		717 E		3-22-82	
					2+83.5		4243		707 E		10-5-81	
3+00	85.3	72.10	13.2						703 E		7-2-82	
	85.5	72.19	13.3	3+44.8	3+55.8		5399		Campus			
4+00	85.4	72.30	13.1		4+42.4		6487		635 E		9-7-82	
					4+88.9		5687		629 E		4-22-82	
5+00	85.5	72.50	13.0									
	85.6	72.53	13.1	5+13.3			6488		621 E		9-7-82	
6+00	85.9	72.70	13.2		5+53.9		6304		Campus		8-5-82	
					6+05.3		6122		612 E		7-8-82	
7+00	86.4	72.90	13.5		6+71.2		6303		603 E		8-5-82	
					7+27.2		6121		539 E		7-8-82	
8+00	86.7	73.10	13.6		7+86.6							
	86.8	73.12	13.7	8+12.2	8+35.3		6595		531 E		9-22-82	
9+00	87.6	73.30	14.3				6597		525 E		9-22-82	
					9+06.7		3830		519 E		8-5-81	
10+00	86.9	73.50	13.4		9+75.5		3829		Campus		8-5-81	
					10+38.9				513 E		8-5-81	
11+00	85.5	73.70	11.8									
	85.3	73.73	11.6	11+13.5			1291		703 E		1-2-83	
12+00	84.7	73.90	10.8		12+27.5		1465		435 E		10-9-80	
									Campus			
13+00	84.3	74.10	10.2		13+11.1		1473		429 E		10-9-80	
					13+72.4		8329		Campus		6-15-83	
14+00	84.5	74.30	10.2									
	84.5	74.33	10.2	14+14.4	14+24.2		272302		417 E		6-12-79	
15+00	84.2	74.50	9.7									
					15+69.7		272300		409 E		6-12-79	
16+00	82.4	74.70	7.7									
17+00	82.4	74.90	7.5									
	82.9	74.94	8.0	17+21.4	17+46.8		272299		403 E		6-12-81	
	82.9	75.04	7.9						Campus			
18+00	82.8	75.20	7.6									
	82.7	75.24	7.5	18+18.4								
	82.7	75.34	7.4		18+88.0		274870		5549 S		10-15-79	
19+00	82.3	75.50	6.8			4" AB 5 40		95-784-7				
	82.1	75.62	6.5	19+59.0	19+16.0				5550	Broadway	53195	
	82.1	75.72	6.4									
20+00	82.0	75.80	6.2									
	82.3	75.93	6.4	20+66.0								
21+00	82.2	76.00	6.2				274871		5539 S		10-15-79	
					21+10.9				Topoka Cr.			
22+00	81.8	76.20	5.6				274872		5535 S.		10-15-79	
					22+05.5				Topoka Cr.			
					22+49.7		276944		5571		3-20-80	
23+00	82.2	76.40	5.8				276943		Topoka Cr.		3-20-80	
	82.5	76.51	6.0	23+55.5	23+17.9		276942		5523		3-20-80	
					23+87.3				Topoka Cr.			
24+00	82.8	76.60	6.2						5509		5-19-80	
					24+36.8		# 327		Topoka Cr.			
25+00	83.7	76.80	6.9				# 328		5503		5-19-80	
					25+35.2				Topoka Cr.			

CONT'D NEXT PAGE

CONSTRUCTION RECORD

SERVICE RECORD

STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS		
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East	
LAT LINE 1 CONT'D	12 MAIN 2 SWI (CONT'D)												
26+00	84.1	77.00	7.1										
	84.2	77.06	7.0	26+29.8									
27+00	84.2	77.30	6.9		27+29.8	27+72.4	5517	1043	5430 S Broadway	304 Maywood	3-31-82	8-22-80	
28+00	84.3	77.50	6.8			28+34.1		990		312 Maywood		8-14-80	
29+00	84.4	77.70	6.7			29+03.8		4573		318 Maywood		6-16-80	
	84.4	77.76	6.6	29+32.0		29+80.0		4574		324 Maywood		6-16-80	
30+00	84.8	77.90	6.9			30+31.6		988		404 Maywood		8-14-80	
31+00	86.0	78.10	7.9			31+01.0		4575		408 Maywood		6-16-80	
	87.0	78.18		8.831+39.0	4"STUB NE	4"STUB SE		176945		416 Maywood		3-20-80	
LINE 2	0+00	82.7	7.3	0+00=18+18.4 LINE 1									
					0+49.4								
1+00	82.3	75.57	6.7			1+63.8		174879	C72297	5550 Topoka Cir	403 Campus	10-15-79	6-12-79
	83.4	75.68	7.7	1+56.2						5548 S Emporia			6-12-79
2+00	83.8	75.87	7.9		2+11.2	2+30.3		174878	101347	5538 S Topoka Cir	5539 S Emporia	10-15-79	9-24-80
						2+61.6				5535 S Emporia			8-3-79
3+00	84.3	76.07	8.2		3+18.0	3+32.6		174877	173392	5584 Topoka Cir	5529 S Emporia	10-15-79	8-3-79
	84.3	76.12	8.2	3+25.6	3+92.5			174876	173390	5530 Topoka Cir	5525 S Emporia	10-15-79	8-3-79
4+00	84.2	76.27	7.9		4+53.8	4+24.6		174875	173387	5516 Topoka Cir	5525 S Emporia	10-15-79	8-3-79
	84.6	76.46	8.1	4+97.0	4"STUB NE	4"STUB NW		174874	173388	5505 S Emporia	5515 S Emporia	10-15-79	8-3-79
								174873		5508 Topoka Cir		10-15-79	
LINE 3	0+00	84.8	12.9	0+00=1+76.6 LINE 1									
					0+42.2								
1+00	84.8	72.25	12.6		0+78.0					5541 S mead	725 E Campus		8-5-81
2+00	84.5	72.55	12.0		2+46.8	2+36.0		2566	6124	5522 S Santa Fe	5521 S mead	2-6-81	7-8-82
						2+99.6			4242	5519 S mead			10-5-81
3+00	85.2	72.85	12.4		3+08.6			6598		5518 S Santa Fe	5515 S mead	9-22-82	8-25-81
	85.2	72.90	12.3	3+15.6	3+72.6	3+34.2		6133	3987	5514 S Santa Fe	5515 S mead	7-8-82	8-25-81
4+00	84.8	73.15	11.7		4+26.1	4+12.6		5183	3836	5510 Santa Fe	5513 E mead	2-16-82	8-5-81
					4+94.2	4+32.2		2565	2568	5506 S Santa Fe	5505 mead	2-6-81	2-6-81
5+00	84.7	73.45	11.3		5+45.5	5+50.3		2567	1853	5462 Santa Fe	5461 mead	2-6-81	11-7-80
					5+98.3	5+92.0		1834	1852	5456 S Santa Fe	5455 mead	11-7-80	11-7-80
6+00	84.9	73.75	11.2		6+58.0	6+49.0		1832	1851	4550 Santa Fe	5449 mead	11-7-80	11-7-80
	84.8	73.85	11.0	6+31.9	7+16.0				1850	5446 S Santa Fe	5441 mead	11-7-80	11-7-80
7+00	84.7	74.05	10.7		7+21.0			1831		5433 S Santa Fe	5433 mead	11-7-80	11-7-80
					7+92.1	7+188.2		1830	1849	5432 S Santa Fe	5429 mead	11-7-80	11-7-80
8+00	85.0	74.35	10.7		8+27.1	8+37.1		1829	1848	5428 S Santa Fe	5419 mead	11-7-80	11-7-80
					8+96.2			1828	1847	5426 S Santa Fe	5417 mead	11-7-80	11-7-80
9+00	84.9	74.65	10.3		9+10.8			1827		5425 S Santa Fe	5403 S mead	10-28-80	11-7-80
	84.7	74.79	9.9	9+47.4	4"STUB NE	4"STUB NW		1596	1846	5416 S Santa Fe	5403 S mead	10-28-80	11-7-80
LINE 4	0+00	85.6	13.0	0+00=5+13.3 LINE 1									
1+00	84.2	72.93	11.3										
	85.0	73.14	11.9	1+69.2									
2+00	85.2	73.23	12.0		4+54.4	1+92.2		2001-01947	3579	620 E Campus	5521 S Santa Fe	R see next pg	8-6-01
	85.6	73.47	12.1	2+81.4	2+29.2			5292			5519 S Santa Fe	3-7-82	7-1-81
3+00	85.6	73.53	12.1			3+32.3			3800		619 E 5414 S		8-10-81
4+00	85.1	73.83	11.3			4+98.8			1835		5461 S Santa Fe		11-7-80
5+00	84.6	74.13	10.5			5+72.2			1833		5455 S Santa Fe		11-7-80
	84.4	74.38	10.0	5+83.0		6+35.0			2664		621 E Maywood		2-23-81

CONT'D NEXT PAGE

CONSTRUCTION RECORD

SERVICE RECORD

STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS		
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East	
LAT 12 MAIN 2 SWI (CONT'D)													
LINE 7 CONT'D 2+00	84.3	73.80	10.5										
	84.8	73.94	10.9	2+47.6						710 E. 52nd St.		10-30-80	
3+00	85.6	74.10	11.5		4" SOR 35 3+36.0 top	2+37.7%	22101	1627	703 E. Main	704 S. 33rd S. 626 E. 53rd S. 618 S. 52nd S. 610 S. 53 S. 604 S. 52nd S.	11-24-88	10-30-80	
4+00	85.4	74.40	11.0			3+84.8%		1625				10-30-80	
4+00	85.5	74.69	10.8	4+97.0		4+27.3%		1624				10-30-80	
						4+82.2%		1623				10-30-80	
5+00	85.5	74.70	10.8					2428				1-21-81	
6+00	85.7	75.00	10.7			6+07.8%		2427		528 E. 53rd S.		1-21-81	
7+00	86.3	75.30	11.0			6+71.1%		1622		520 S. 53rd S.		10-31-80	
	85.9	75.44	10.5	7+47.0		7+56.8%		2426		514 E. 53rd S.		1-21-81	
8+00	86.5	75.60	10.9			7+97.4%		1621		506 S. 52nd S.		10-30-80	
9+00	86.9	75.90	11.0			8+97.7%		1620		502 E. 52nd S.		10-30-80	
9+00	87.0	76.12	10.8										
		76.28	10.7	9+91.7									
10+00	87.0	76.30	10.7										
11+00	87.6	76.60	11.0			11+42.9%		1032		5403 S. St. Francis		8-20-80	
	88.7	76.88	11.8	11+91.9									
12+00	88.7	76.90	11.8		4" 2" section of 4" SOR 35 4+27.3%		93-26349-7	1168		5111 S R St. Francis 5417 S. St. Francis		10-7-93 9-7-80 9-9-80	
13+00	88.0	77.20	10.8			12+75.3%		1169					
	87.7	77.26	10.2	13+88.1									
13+00		77.56	10.1										
14+00	87.7	77.63	10.1			13+92.0%		989		424 Maywood		8-14-80	
14+00	87.5	77.74	9.8	14+18.8				2441	987	5423 S. St. James	434 Maywood	1-21-81	8-14-80
LATERAL 21 MAIN 3 SOUTHWEST INTERCEPTOR													
0+00	84.3	75.52	8.8	EXISTING									
1+00	83.8	75.67	8.1			1+57.7%		5203		5110 S. Seneca		2-18-82	
2+00	83.5	75.82	7.7			2+15.3%		669856		1018 Sunrise Dr		12-13-78	
	84.0	75.97	8.0	3+00		4" STUB S		669857		1000 Sunrise		12-18-78	
4+00	84.6	76.12	8.5			4+67.0%		669884		944 Sunrise Dr		12-18-79	
5+00	84.7	76.27	8.4			5+67.3%		669907		930 Sunrise Dr		12-19-78	
6+00	84.7	76.42	8.3			6+77.5%		5734		918 W. Sunrise		4-26-80	
	84.5	76.47	8.0	6+34.5									
8+00	85.6	76.72	8.9			8+23.0%		5733		900 W. Sunrise		4-26-82	
8+00	85.3	76.83	8.5	8+75.0		4" STUB SW							
9+00	85.3	76.87	8.4										
10+00	85.2	77.02	8.2			10+18.3%		13278		830 SUNRISE 818 Sunrise Dr		3-20-85 3-7-79	
11+00	85.4	77.27	8.1	11+64.3		10+82.4%		670491					
12+00	85.7	77.32	8.4			11+93.9%		41498		800 W. Sunrise		10-13-80	
13+00	86.7	77.47	9.2										
14+00	86.6	77.62	9.0			13+19.0%		588		742 Sunrise		6-18-80	
15+00	86.4	77.77	8.6			14+68.7%		669922		730 Sunrise Dr		12-26-78	
15+00	86.3	77.78	8.5	15+08.0		15+39.2%		6780		718 Sunrise		10-13-82	

705 Main
400' spec Assoc
pd 11/20/88
#24263

CONT'D NEXT PAGE