

24TH	1	2469	40' of 6"	21+01.4	175.415'	56'
	2	2463	40' of 6"	20+56.3		50'
	3	2451	38' of 6"	20+04.9		
	4	2451	40' of 6"	19+61.3	2448	2448
	5	2448	42' of 6"	19+13		2442
	6	2439	42' of 6"	18+65		2438
STA.18+30 MH.	7	2432	42' of 6"	18+17.7		2432
	8	2427	42' of 6"	17+66		2428
	9	2421	44' of 6"	17+21.2		2422
	10	2415	42' of 6"	16+70.5		2418
	11	2407	46' of 6"	16+22.9		2412
2	12	2401	42' of 6"	15+71		2408
STA.15+08.8 MH	13	2391	46' of 6"	15+23.2	175.415'	50'
	14	2387				
	15	2381	44' of 6"	14+13.7	175.415'	50'
	16	2377	44' of 6"	13+15.1		2372
	17	2371	44' of 6"	12+68.1		2378
	18	2367	46' of 6"	12+19.4		2372
STA.11+97.0 MH.	19	2361	44' of 6"	11+66.0		2368
	20	2351	42' of 6"	11+15.1		2360
	21	2341	42' of 6"	10+64.1		2308
22ND ST.			40' of 6"	10+13.1		2362
	1	2277	40' of 6"	9+79.5		2274
	2	2271	40' of 6"	8+32.9		2274
	3	2267	42' of 6"	8+80.6		2268
STA.8+66.1 MH.	4	2259	42' of 6"	8+30.8		2260
	5	2251	44' of 6"	7+79.9		2254
	6	2249	42' of 6"	7+41.5		2260
	7	2247	42' of 6"	6+93		2240
1	8	2241	40' of 6"	6+40		2242
	9	2239	42' of 6"	5+88.7	2238	2238
STA.5+43.6 MH.	10	2234	40' of 6"	5+39.8		2230
	11	2224	40' of 6"	4+90.6		2234
	12	2210	40' of 6"	4+38.1		220
	13	2202	42' of 6"	3+77.9		2212
	14	2192	42' of 6"	3+52.9		222
	15	2180	42' of 6"	2+95.3		220
	16	2168	40' of 6"	2+35.8		2102
	17	2152	40' of 6"	175.415'		2102

Sta. 0+00 Existg MH. 2' So. N.P.L. & Approx. on W. S. Piatt So.

25TH	1	2565	60' of 6"	27+51.2	175.415'	53'
	2	2557	42' of 6"	26+94.2		2554
	3	2551	42' of 6"	26+40.8		2550
	4	2545	42' of 6"	25+82.8		2544
	5	2539	42' of 6"	25+33.4		2529
3	6	2533	42' of 6"	24+75.1		2532
STA.24+74.7 MH.	7	2527	40' of 6"	24+23.6		2520
	8	2521	42' of 6"	23+67.4		2520
	9	2515	42' of 6"	23+20.4		2514
	10	2509	42' of 6"	22+73.8		2508
	11	2503	42' of 6"	22+23.9	175.415'	54.29'

2002-02087 8/2/02 2401 N Piatt Reddi Rootr 5' N of MH 15' 08.8 (15+13.8) TWIN CO, 4" 40 PVC, 1/4" fall, 1 H 22, 2 V 45
 2003-00960 4/14/03 2312 N Piatt Wichita Plog- 4" 40 PVC 3V 22, 6x4 Coupling, 1 TWIN CO 3' past fence

LAT. 26, DIST. T. S. S. NO. 12
 CITY OF WICHITA, KANSAS
 L.K. WHITE CITY ENGINEER
 W.B. CARTER CONSTR. CO.
 NOV. 1950, PROJ. NO. C20-60
 BOOK NO. M-9

SCALE 1"=100'

Property comm. to owner in rear of 83

CONSTRUCTION RECORD					SERVICE RECORD							
STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS	
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East
17+00	126.7	119.11	7.59		17+17	Y-16+99 End 6" lead 17+21.2 Y-17+488 End 6" lead 17+66	#3371	#3523 2004-00304 #3522	2421 Oratt	2422 Oratt	12-13-50	12-28-50
18+00	126.9	119.36	7.54		17+69.8	Y-18+01 End 6" lead 18+17.7	#3370	2433 Oratt	2432 Oratt	12-13-50		12-28-50
18+30.0	127.1	119.44	7.66	18+30.0	18+25		#3369	2439 Oratt		12-13-50		
19+00	126.8	119.61	7.19		18+74	Y-18+46 End 6" lead 18+65	#3368	2445 Oratt	2438 Oratt	4-1-97 12-13-50		12-28-50
20+00	128.0	119.86	8.14		19+78.0	Y-18+98 End 6" lead 19+13 Y-19+47 End 6" L-19+61.3 Y-19+99 End 6" L-20+04.9	#3367 #3366	2451 Oratt 2457 Oratt	2448 Oratt	7-1-95 12-13-50 12-13-50		12-28-50
20+30.4					20+30.4	Y-20+54 End 6" L-20+56.3	#3365	2463 Oratt	2458 Oratt	12-13-50		12-28-50
20+82.2					20+82.2		#3364	2469 Oratt		12-13-50		
21+00	128.9	120.11	8.79			Y-20+94.2 End 6" L-21+01.4		2462 Oratt				1-10-97 12-28-50
21+47.8	128.5	120.23	8.27	21+47.8								
22+00	128.9	120.36	8.54		21+99.7	Y-22+17.7 End 6" L-22+23.8		2502 Oratt				12-28-50
22+54.4					22+54.4	Y-22+60.4 End 6" L-22+73.8	#4796	2507 Oratt		5-31-51		
23+00	128.4	120.61	7.79		23+06.5	Y-23+12.5 End 6" L-23+20.4	#4803	2514 Oratt		5-31-51		6-18-51
23+61.9					23+61.9	Y-23+58.9 End 6" L-23+69.4	#4798	2520 Oratt		5-31-51 see next pg		1-12-01 6-18-51
24+00	129.8	120.86	8.94		24+20.0	Y-24+17.0 End 6" L-24+23.6	#4799	2522 Oratt	2526 Oratt	5-2-51 5-31-51		1-22-03 2-28-51 6-18-51
24+74.7	130.6	120.98	9.62	24+74.7	24+69.5	Y-24+66.5 End 6" L-24+75.1	#5026	2532 Oratt		see next pg		2-9-04 6-18-51
25+00	130.8	121.11	9.69		25+24.3	Y-25-21.3 End 6" L-25+33.4	#5025	2538 Oratt		6-4-51		6-18-51
25+76.5					25+76.5	Y-25+72.5 End 6" L-25+82.8	#5024	2544 Oratt				6-18-51
26+00	131.0	121.36	9.64		26+32.5	Y-26+29.5 End 6" L-26+40.8	#5023	2550 Oratt		4-17-90 6-4-51		6-18-51
26+88.0					26+88.0	Y-26+85 End 6" L-26+94.2	#5022	2556 Oratt		12-8-91 6-4-51		6-18-51
27+00	130.5	121.61	8.89		27+39.5	Y-27+36.5 End 6" L-27+51.2	#5021	2562 Oratt		6-4-51		4-28-51 6-18-51
27+91.2	131.8	121.84	9.96	27+91.2								

#4855 - Inf - 2533 Oratt - 6-4-51 - Wichita Oily Co
 #4857 - Inf - 2545 Oratt - 6-4-51 - Wichita Oily Co
 #4796 - Inf - 2501 Oratt - 5-31-51 - Wichita Oily Co

2004-00364 2/12/04 2428 Platt-Reddi. 4"sch40 - No fillings - tied to ABS clo @ house, tied to clay tile @ curb
(Sewer goes under street)

See drawing on page 262

2001-00086-1/12/01 - 2520 N Platt St - Glover Ent - 4"sch40 - Clay Tile - tied back approx 5' from main
TWIN CO

2004-00287 2/19/04 Rooter King 4"sch40 PVC 2022, 1-6x4 Reducer, 1-6" ferro, left old clo
tied to 6" clay tile under street aprx 1.5'