

CONSTRUCTION RECORD

SERVICE RECORD

STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS		
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East	
LINE #19 CONTINUED	18+0	97.5	92.80	4.7									
					18+35.3	18+32.3	#402	#4124	2821	2821	4-22-55	4-8-55	
					18+93.0	18+90.0	#402	#4123	2816	2816	4-22-55	4-8-55	
	19+0	97.5	93.00	4.5									
					19+57.0	19+54.0	#401	#4122	2806	2807	4-22-55	4-8-55	
					19+95.5	19+92.5	#400	#4121	2804	2803	4-22-55	4-8-55	
	20+0	97.4	93.20	4.2	20+00.7								
LINE #20	0+0	97.6	91.10	6.5	0+00=1+84.0 in Line #19								
						0+27.7	0+24.7	5206	4571	2946	2946	8-21-57	5-24-57
						0+88.9	0+85.9	5207	4570	2945	2939	8-21-57	5-24-57
	1+0	97.8	91.50	6.3									
						1+46.5	1+43.5	5208	4165	2925	2933	8-21-57	4-5-57
	2+0	97.8	91.90	5.9									
						2+07.2	2+04.2						
						2+67.6	2+64.6	5184	3858	2920	2927	9-4-57	4-5-57
	3+0	98.0	92.30	5.7	3+00.5								
						3+28.0	3+25.0	5183	3157	2916	2915	9-4-57	7-23-57
						3+85.6	3+82.6	5184	3263	2910	2910	9-4-57	5-17-57
	4+0	98.0	92.70	5.3									
						4+46.3	4+43.3	5582	3241	2904	2903	11-6-57	12-28-57
	5+0	98.0	93.10	4.9									
						5+07.1	5+04.1	5581	4031	2840	2839	11-6-57	3-8-57
						5+67.5	5+64.5	5580	4032	2834	2833	11-6-57	3-8-57
	6+0	98.1	93.50	4.6	6+00.6								
						6+28.5	6+25.5	5579	4033	2828	2827	11-6-57	3-8-57
						6+86.4	6+83.4	5578	4863	2822	2821	11-6-57	7-8-57
	7+0	98.1	93.90	4.2									
						7+47.0	7+44.0	5577	4862	2816	2815	11-6-57	7-8-57
	8+0	98.2	94.30	3.9									
						8+07.7	8+04.7	5578	4861	2810	2809	9-16-57	7-8-57
						8+71.8	8+68.8		4860	2805	2803		7-8-57
		98.4	94.62	3.8	8+80.0								
LINE #21	0+0	97.4	90.50	6.9	0+00=5+00 in Line #19								
						0+27.5	0+24.5		2104		2804	8-27-56	
						0+85.7	0+82.7		2103		2803	8-27-56	
	1+0	97.4	90.90	6.5									
						1+46.3	1+43.3		1552		2833	7-23-56	
	2+0	97.6	91.30	6.3									
						2+07.1	2+04.1	#2829	1555	2928	2927	12-28-56	2-23-56
						2+65.4	2+62.4	#2897	946	2902	2901	10-26-56	5-21-56
	3+0	97.7	91.70	6.0	3+00.0								
						3+25.5	3+22.5	#2898	945	2916	2915	10-26-56	5-21-56
						3+86.3	3+83.3	#2899	944	2910	2909	10-26-56	5-21-56
	4+0	97.7	92.10	5.6									
						4+47.3	4+44.3	3747	942	2908	2903	2-13-57	5-21-56
	5+0	97.8	92.50	5.3									
						5+07.6	5+04.6	3746	2914	2918	2917	2-13-57	10-26-56
						5+68.4	5+65.4	3745	2915	2918	2917	2-13-57	10-26-56
	6+0	97.6	92.90	4.7	6+00.6								
						6+26.0	6+23.0	2917	2916	2918	2917	10-26-57	10-26-56
						6+86.0	6+83.0	2919	1062	2918	2917	10-26-56	6-11-56
	7+0	97.9	93.30	4.6									
						7+46.0	7+43.0	#207	1061	2816	2815	8-27-57	6-11-56
	8+0	97.6	93.70	3.9									
						8+06.3	8+03.3	#2104	1060	2810	2809	8-27-56	6-11-56
						8+66.0	8+63.0		1059	2803	2803		6-11-56
		97.8	94.02	3.8	8+80.0								
LINE #22	0+0	97.0	91.10	5.9	0+00=8+16.5 in Line #19								
						0+26.4	0+23.4	#7401	#7067	2946	2946	2-15-56	12-16-55
						0+83.5	0+80.5	#7402	#7066	2945	2945	2-15-56	12-16-55
	1+0	97.0	91.40	5.6									
						1+41.1	1+38.1	#7403	#7065	2934	2933	2-15-56	12-16-55
	2+0	97.2	91.70	5.5									
						2+03.0	2+00	#7404	#7068	2928	2927	2-15-56	12-16-55
						2+63.3	2+60.3	#7405	#6803	2922	2921	2-15-56	10-25-55
		97.4	92.00	5.4	2+99.8								

NOTE: This project continues on page 22.

- #2105-3504 Bonn - Tap - Smith - 8-27-56
- #3430 - Tap - 2931 Bonn - Smith - 12-28-56
- #3451 - Tap - 2946 S. Bonn - Smith - 1-3-57
- 3452 Tap - 2940 S. Bonn - Smith - 1-3-57
- 5185 Tap - 2929 Bennett - Smith - 7-9-57
- 5321 Tap - 2804 S. Bennett - Smith - 9-16-57
- 4165 - Tap - 2933 S. Bonn - S. Bonn - Smith - 4-26-57
- (*) 2903 S. Bonn 93-3450-7 - Repl all but upper 15' under Patio)

2000-02187- 10/5/00- 2921 5 Bonn- Wildcat Const- 4" SCH40- Replaced all but lower 60' - 1 TWINCO, 1 H22, 2 V45