

CONSTRUCTION RECORD

SERVICE RECORD

LINE #1	STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS	
		Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East
	0+00	117.8	108.40	9.4	Existing M.H.								
	1+00	119.0	108.60	10.4		12° +16°	+14°	8131		4801 W. Douglas		9-12-58	
	2+00	119.8	108.80	11.0		+67°	+69°						
	2+00	119.8	108.80	11.0		2+63°		10263		4825 W. Douglas		5-12-59	
	3+00	119.2	108.96	10.2	2+80°	322.9°		3587		4832 W. Douglas		7-21-51	
	3+00	119.3	109.00	10.3		3+24.1°	+28.6°	3749	1122	112 S. Bebe	124 S. Bebe	7-24-51	8-7-58
	4+00	118.7	109.20	9.5		+52°	3+38.7°	8014	4953	4833 W. Douglas	116 S. Bebe	9-9-58	12-21-81
	5+00	118.9	109.40	9.5		5+12.8°		9641		4901 W. Douglas		3-17-59	
	6+00	119.0	109.52	9.5	5+60°		47.4	13876			125 S. Bebe		2-17-61
	6+00	118.6	109.60	9.0		6+01.7°		12119		4915 W. Douglas		12-29-59	
	7+00	119.0	109.80	9.2		7+01.4°		19738	10278	4925 W. Douglas		11-24-57	5-18-59
	8+00	119.1	110.00	9.1		7+65°	+51.8°	15291	12966	4929 W. Douglas	124 S. Bebe	3-13-62	6-29-68
	9+00	120.0	110.20	9.8	8+39°	9+42°		93-12957		111 S. NK Clara		5-24-93	1-25-93
	10+00	120.6	110.40	10.2		9+40.5°	+95°	93-1517	037016	5011 W. Douglas	125 S. Clara	1-27-93	2-2-73
	11+00	120.6	110.60	10.0		10+38.5°		3286		5009 W. Douglas		4-28-65	
	12+00	120.8	110.64	10.2	11+20°								
	13+00	119.6	111.00	8.6		+23.0°	+21°	13698		5015 W. Douglas		12-16-60	
	14+00	118.9	111.20	7.7	14+00°	+90°		8017		5201 W. Douglas		9-11-58	
	15+00	118.8	111.40	7.4		+67°	+08°	211731			115 S. (25' from house) Clara		11-27-68
	16+00	118.5	111.60	6.9		+74°		47546		5223 W. Douglas		7-15-58	
	17+00	118.7	111.76	6.9	16+80°	Not 45	+47°	22599	15868	5233 W. Douglas	124 S. elder	4-7-67	7-10-62
	18+00	118.1	112.00	6.1		18+087°		15531		5301 W. Douglas		4-24-62	
	19+00	118.0	112.20	5.8		19+86°		13810			125 S. elder		1-25-61
	20+00	117.0	112.36	4.6	19+79°	19+06°		16029		5313 W. Douglas		8-16-62	
	21+00	117.1	112.40	4.7		+088°		9642		5323 W. Douglas		3-17-59	
	22+00	117.4	112.70	4.7	21+51°	+71.5°		9118		5329 W. Douglas		2-27-59	
	23+00	118.4	113.00	5.4		+06.5°							
	23+00	118.4	113.00	5.4		+33.6°							
	23+00	118.4	113.00	5.4		22+08°	+87+82°	14086	82527	5501 W. Douglas		4-19-61	
	23+00	117.9	113.06	4.8	23+32°	+15°				5511 W. Douglas		12-18-64	

LINE #2

	0+00	117.0	108.00	9.0	Existing M.H.								
	1+00	117.7	108.20	9.5		+24°		3692		4800 #3 Maple		7-16-81	
	2+00	116.9	108.40	8.5		+407°	+427°	24941		4800 #1 Maple		7-11-81	
	3+00	116.2	108.60	7.6		+968°		10792		4816 W. Maple		7-7-59	
	3+00	117.2	108.46	8.7	2+308°	2+20.9°		3693		4800 Maple		7-16-81	
	3+00	116.2	108.60	7.6		2+59.3°		10793		4816 W. Maple		7-7-59	
	3+00	116.2	108.60	7.6		+05.8°		8035		4816 W. Maple		5-14-80	9-11-58

95-244-7 - replaced upper 35' of line = 4" SDR 35
 7916 - top - 235 S. James - Sales Dewey - 8-6-58
 8158 - top - 125 S. James - Decker path - Phil - 9-23-58 (1+11)
 9596 - concrete - 215 S. Elder Phil - 3-16-59 5166
 11045 - top - 124 S. James - concrete - Phil - 4-14-59 (1+21)
 (Rob Bar) 10109 - top - 802 W. Maple - all things - 4-14-59 (1+24)
 11263 Top 5102 W. Maple - Phil - 8-22-59 9-9-59
 15248 - top - 5517 W. Douglas - B. + C. James - 3-6-62 (23+20)
 3238 - top - 43 S. James - 5-11-65 (0+50)
 5866 - top - 4121 S. James - 5-11-65 (0+50)
 11133 - top - 4902 W. Maple - 1-26-60 (5+46)
 12240 - top - 4902 W. Maple - 1-26-60 (5+46) 8-20-60
 13408 - top - 5337 W. Douglas - Bowen - 9-26-60 (21+34)
 14741 - top - 4816 W. Maple - Bowen - 10-25-61 5-14-80
 14849 - top - 4816 W. Maple - 1-26-60 (5+46) 8-20-60
 14849 - top - 4816 W. Maple - 1-26-60 (5+46) 8-20-60
 4953 - 116 S. Bebe (12-21-81 Brand) M. H. 2+00.7
 93-1514-7 - 5001 W. Douglas - Lot split - 4" SDR 35; 4" City tap - 101' west; 1/4" of shallow; Run new line along west side of property to be split off.
 93-1401-7 - 5001 W. Douglas - 4" City tap line sealed off 135' west of MH and 6' from main

CONSTRUCTION RECORD					SERVICE RECORD							
STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS	
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East
4+00	116.5	108.80	7.7			4+54.4 +93.0		#3694		4800 #1 MAPLE		7-16-81
5+00	116.2	109.00	7.2	5+00								
6+00	116.5	109.20	7.3			+38.0		#7631	235 S. Beebe	4910 W. Maple		8-5-58
7+00	116.3	109.31	7.0	6+546		5+96.0		8205				10-1-58
8+00	117.7	109.60	8.1			+00 +76.0		11245		4916 W. maple		8-27-59
9+00	117.8	109.80	8.0	8+50.4		+82.0		11204	224 Clara	4924 W. maple		8-27-59
10+00	118.4	110.00	8.4			+51.0		1192947 7714		235 S. Clara		8-18-58
11+00	117.9	110.21	7.7	11+035		9+4" PVC 40 +86.0						8-18-58
12+00	118.6	110.40	8.2			10+40.4		24117 12430		5116 W. maple		10-17-89 3-21-60
13+00	118.8	110.60	8.2			+35.5		#17307		5124 71 Maple		6-21-63
14+00	118.4	110.80	7.6	14+01		+29.0		10335		5130 W. Maple		5-11-59
15+00	116.4	111.00	5.4			+06.0		10312	234 S. Davis	247 S. Davis		5-15-59
16+00	116.1	111.20	4.9	16+44.0		+55.0						9-17-71
17+00	116.4	111.06	5.3	17+31.0		M+18.5		10373	235 S. Davis			5-15-59
18+00	116.4	111.06	5.3			M+42.5						
19+00	116.4	111.06	5.3			+81.0		6577 8839 12050 7904		5202 W. maple	500 C. Davis	11-30-53 9-17-58 12-15-58
20+00	116.1	111.20	4.9			15+69.3		6504 7713 7903		5216 W. maple	4-28-59 12-10-59	4-28-59 8-6-58
21+00	116.0	111.28	4.7	21+44.0		+32.0		11712	234 S. Elder			8-6-58
22+00	117.7	109.60	8.1	Existing M.H. Y W Y E								
23+00	115.9	110.00	5.9			1+36.6		12380	224 S. Bebe	225 S. Anna B		2-23-60
24+00	115.4	110.40	5.0			+45.0		7655				8-8-58
25+00	116.5	110.80	5.7			+24.0		7654	200 S. Bebe	201 S. Anna		8-8-58
26+00	117.1	110.94	6.2	3+34.5		+22.0		9459				3-4-59
27+00	118.2	111.18	7.0			4+67.0		9330	154 S. Bebe			2-10-59
28+00	119.0	111.60	7.4			+91.7		#8248 14386		157 B. Anna		10-10-58
29+00	119.5	112.02	7.5			+59.8		13118	134 S. Bebe	153 S. Anna		6-29-61
30+00	118.4	112.28	6.1	6+69.0		+82.0		14385		147 S. Anna		7-26-60
31+00	118.4	112.28	6.1			+57.3		13117	134 S. Bebe	155 S. Anna		6-29-61
32+00	116.3	110.52	5.8	0+00		+59.3		13117	134 S. Bebe	155 S. Anna		7-26-60
33+00	116.3	110.90	5.4									
34+00	116.3	111.30	5.0			+56.0		14320	224 S. Clara			6-21-61
35+00	116.3	111.30	5.0			+62.0		#7630		225 S. S. Beebe		8-5-58
36+00	116.4	111.70	4.7			+65.6		10839	214 S. Clara	215 S. Bebe		7-9-59
37+00	116.5	111.84	4.7	3+34.6		+63.6		9375				2-24-59
38+00	116.5	111.84	4.7			+51.0		13577	200 S. Bebe	201 S. Bebe		11-25-60
39+00	116.0	112.10	3.9			+49.0		8967				12-30-59
40+00	116.0	112.10	3.9			+62.5						
41+00	116.0	112.10	3.9			+89.0		7715		155 S. Bebe		8-6-58

LINE #3

LINE #4

B3185-154 S. Clara - Bowen Pkwy 3-30-65 top 4+56.5

156
156 C

CONSTRUCTION RECORD						SERVICE RECORD							
STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS		
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East	
5+00	118.8	112.50	6.3		+66°	+68°	9488	8966	144 S. Clara	145 S. Beave	3-10-59	12-30-58	
6+00	121.0	112.90	8.1		+57°	+59°	14092	#7629	134 S. Clara	135 S. Bebe	4-20-61	8-5-58	
LINE #5													
0+00	118.6	110.50	8.1	Existing M.H.									
1+00	119.9	110.90	9.0										
2+00	119.8	111.30	8.5		+51°	+61°	B4885	10169	224 S. Doris	225 S. Clara	1-5-66	4-28-59	
3+00	119.3	111.70	7.6		+51°		#14133	7883	100 S. Doris		5-1-61	9-5-58	
4+00	118.5	111.84	6.7	3+34 ^B	2+66°			14056		215 S. Clara		4-10-61	
5+00	117.2	112.10	5.1		+53°	+71°		14055		201 S. Clara		4-10-61	
6+00	116.8	112.50	4.3		+34°	+74°	#15756		154 S. Doris	155 S. Clara	7-5-62	3-22-58	
0+00	117.5	112.90	4.6		+60°	+78°	10655	2006 20073	144 S. Doris	145 S. Clara	6-18-59	3-10-59	
1+00	117.5	112.90	4.6		+30°	+58°		13060	134 S. Doris	135 S. Clara	7-6-60	6-29-60	
2+00	118.5	113.18	5.3	6+70 ^T				12917					
LINE #6													
0+00	116.4	111.13	5.3	Existing M.H.									
1+00	116.6	111.56	5.0		+46°	+44°	B2429	7884	224 S. Elder	225 S. Doris	12-1-64	9-5-58	
2+00	117.0	111.96	5.0		+59°	+61°	#1150	14629	214 S. Doris	215 S. Doris	9-1-61	5-15-59	
3+00	117.7	112.36	5.3										
4+00	116.9	112.52	4.4	3+41 ^B	7+66°	+64°	2006 20073	11570	13888	200 S. Elder	201 S. Doris	9-25-59	2-23-61
5+00	117.0	113.16	3.8		+86°	+88°							
6+00	117.1	113.56	3.5		+93°	+91°	21113	14720	144 S. Elder		9-20-58	9-25-61	
0+00	117.8	113.88	3.9	6+81°	+69°	+71°	12703	3754	134 S. Elder	135 S. Doris	4-26-60	7-7-65	
LINE #7													
0+00	117.1	112.47	4.6	Existing M.H.									
1+00	117.7	112.66	5.0		+49°								
2+00	117.5	112.86	4.6		+40°	+38°	7710	10963	132-34 S. Clara	135 S. Elder	8-6-58	7-20-59	
3+00	116.7	113.06	3.6	3+00	+71°		7711		142-44 S. Clara		8-6-58		
4+00	117.2	113.26	3.9		+46°	+48°							
5+00	117.2	113.46	3.7		+46°	+48°							
6+00	116.9	113.76	3.2		+54°	+56°							
0+00	116.9	113.82	3.1	6+30 ^T	+45°	+68°							
1+00	116.9	113.82	3.1	6+30 ^T			8488	14473		25 S. Clara		6-22-58	

11470 6088 wye 201 S. Elder Rigg, Alby 9-30-59 4+59.8
 #11847 top 155 S. Doris - Hippoldt - 11-12-59 (4+82.3)
 12941 Top 145 Doris Keith Willard 6-14-60 (5+74)
 15047 top 154 S. Elder Rigg Alby 12-22-61
 15666 top 155 S. Elder - Frederick Alby 5-24-62 (3+47)
 B1090 top 145 S. Elder Kern Hippoldt 3-24-64 (3+45)

